

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
30 October 2003 (30.10.2003)

PCT

(10) International Publication Number  
WO 03/089583 A2

(51) International Patent Classification<sup>7</sup>: C12N  
(21) International Application Number: PCT/US03/11497  
(22) International Filing Date: 15 April 2003 (15.04.2003)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
60/372,669 16 April 2002 (16.04.2002) US  
60/374,823 24 April 2002 (24.04.2002) US  
60/376,558 1 May 2002 (01.05.2002) US  
60/381,366 20 May 2002 (20.05.2002) US  
60/403,648 16 August 2002 (16.08.2002) US  
60/411,882 20 September 2002 (20.09.2002) US  
60/424,336 7 November 2002 (07.11.2002) US

(72) Inventors; and  
(75) Inventors/Applicants (for US only): JAY, Gilbert [US/US]; 5801 Nicholson Lane, North Bethesda, MD 20852 (US). LEBOVITZ, Richard, M. [US/US]; 3800 North Fairfax Drive, Arlington, VA 22203 (US). LIU, Xuan [US/US]; 14213 Dav Road, Rockville, MD 20850 (US). SHU, Youmin [US/US]; 2508 Chilham Place, Potomac, MD 20854 (US). SUN, Zairen [CN/US]; 1083 Copperstone Court, Rockville, MD 20852 (US). WU, Meng [PG/US]; 18016 Rockingham Place, Germantown, MD 20874 (US).

(74) Agent: LEBOVITZ, Richard, M.; Origene Technologies, Inc., Suite 100, 6 Taft Court, Rockville, MD 20850 (US).


(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(71) Applicant (for all designated States except US): ORIGENE TECHNOLOGIES, INC. [US/US]; Suite 100, 6 Taft Court, Rockville, MD 20850 (US).


[Continued on next page]

(54) Title: TISSUE SPECIFIC GENES AND GENE CLUSTERS

XM\_061784



XM\_061785



(57) Abstract: The present invention relates to genes and genes clusters which are expressed in a tissue specific manner. For example, the invention relates to a group of genes encoding GPCR-like receptors that are involved in the function and activity of the immune system. These genes are organized into a discrete cluster at chromosomal location 1q22 (the "immune gene complex") and span about 700 kb of DNA. The region closest to the centromere comprises genes that are expressed predominantly in the thymus, while the distal region comprises genes which are expressed predominantly in the bone marrow and other hematopoietic cells. Another cluster of GPCR genes is located at chromosomal band 11q24. These genes are expressed predominantly in pancreatic tissue, establishing this region of chromosome 11 as a unique gene complex involved in

pancreatic function. A cluster of transmembrane and GPCR-type receptor genes is also located at chromosomal band 11q12.2. These genes are expressed predominantly in the spleen (hence, "spleen gene" cluster), as well as other tissues of the immune and reticuloendothelial system (RES), indicating that establishing this region of the chromosome is involved in spleen, lymphoid, and/or reticuloendothelial function. Finally, genes coding for membrane proteins have been identified which are expressed selectively in bone marrow, kidney, pancreas, and retina.

BEST AVAILABLE COPY

WO 03/089583 A2

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Declarations under Rule 4.17:**

-- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

-- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

-- of inventorship (Rule 4.17(iv)) for US only

**Published:**

-- without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## TISSUE SPECIFIC GENES AND GENE CLUSTERS

This application claims the benefit of U.S. Application Serial Nos. 60/372,669 April 16, 2002, 60/374,823 filed April 24, 2002, 60/376,558 filed May 1, 2002, 60/381,366 filed May 20, 2002, 60/403,648 filed August 16, 2002, 60/411,882 filed September 20, 2002, and 60/424,336 filed November 7, 2002, which are hereby incorporated by reference in their entirety.

## DESCRIPTION OF THE DRAWINGS

Figs. 1 and 2 show a physical map of the immune system gene complex. Sequence-tagged site ("STS") markers are used to characterize the chromosomal regions. An STS is defined by two short synthetic sequences (typically 20 to 25 bases each) that have been designed from a region of sequence that appears as a single-copy in the human genome (the reference numbers, and the sequences which they represent, are hereby incorporated by reference in their entirety). These sequences can be used as primers in a polymerase chain reaction (PCR) assay to determine whether the site is present or absent from a DNA sample.

Fig. 3 shows the expression pattern of transmembrane proteins homologous to the olfactory G-protein-coupled receptor ("GPCR") family in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 5 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Fig. 4 shows the expression pattern of two olfactory G-protein-coupled receptor ("GPCR") family members in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 6 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Figs. 5 (a and b) and 6 show the expression pattern in human tissues of genes selectively expressed in kidney tissue. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 11 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Fig. 7 (a-b) show organization of pancreatic gene complex on chromosome 11q24.

Fig. 8 is a schematic drawing of five of the pancreatic olfactory G-protein-coupled receptor ("GPCR") family members located in the gene complex showing regions of overlap. The numbering underneath the lines indicates amino acid position.

Fig. 9 (a and b) show the expression pattern of TMD0986, XM\_061780 (TMD0987), XM\_061781 (TMD0353), XM\_061784 (TMD0989), and XM\_061785 (TMD058) in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 12 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Fig. 10 shows the expression pattern of TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), and TMD0621 (XM\_166205) in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 17 indicates the SEQ ID NO for each primer ("F-oligo" is the forward primer and "R-oligo" is the reverse primer).

Fig. 11 shows the organization of the spleen gene complex on chromosome 11q12.2.

Fig. 12 (a-c) shows the expression of the pancreas genes in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 23 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Expression patterns were analyzed as described below. A twenty-four tissue panel was used (lanes from left to right): 1, adrenal gland; 2, bone marrow; 3, brain; 4, colon; 5, heart; 6, intestine; 7, pancreas; 8, liver; 9, lung; 10, lymph node; 11, lymphocytes; 12, mammary gland; 13, muscle; 14, ovary; 15, pancreas; 16, pituitary; 17, prostate; 18, skin; 19, spleen; 20, stomach; 21, testis; 22, thymus; 23, thyroid; 24, uterus. The lane at the far left of each panel contains molecular weight standards. Polyadenylated mRNA was isolated from tissue samples, and used as a template for first-strand cDNA synthesis. The resulting cDNA samples were normalized using beta-actin as a standard. For the normalization procedure, PCR was performed on aliquots of the first-strand cDNA using beta-actin specific primers. The PCR products were visualized on an ethidium bromide stained agarose gel to estimate the quantity of beta-actin cDNA present in each sample. Based on these estimates, each sample was diluted with buffer until each contained the same quantity of beta-actin cDNA per unit volume. PCR was carried out using the primers described above, and reaction



products were loaded on to an agarose (e.g., 1.5-2%) gel and separated electrophoretically.

### DESCRIPTION OF THE INVENTION

The present invention relates to tissue-selective genes and tissue-selective gene  
5 clusters. The polynucleotides and polypeptides are useful in variety of ways, including, but  
not limited to, as molecular markers, as drug targets, and for detecting, diagnosing, staging,  
monitoring, prognosticating, preventing or treating, determining predisposition to, etc.,  
diseases and conditions, associated with genes of the present invention. The identification of  
specific genes, and groups of genes, expressed in pathways physiologically relevant to  
10 particular tissues, permits the definition of functional and disease pathways, and the  
delineation of targets in these pathways which are useful in diagnostic, therapeutic, and  
clinical applications. The present invention also relates to methods of using the  
polynucleotides and related products (proteins, antibodies, etc.) in business and computer-  
related methods, e.g., advertising, displaying, offering, selling, etc., such products for sale,  
15 commercial use, licensing, etc.

#### Immune Gene Complex

The present invention relates to a group of genes involved in the function and activity  
of the immune system. These genes are organized into a discrete cluster at chromosomal  
20 location 1q22 (the "immune gene complex") and span hundreds of kb of DNA, e.g., about  
700 kb of DNA. See, Figs. 1 and 2. The region closest to the centromere comprises genes  
that are expressed predominantly in the thymus, while the distal region comprises genes  
which are expressed predominantly in the bone marrow and other hematopoietic cells.

The present invention relates to a composition consisting essentially of the 1q22  
25 immune gene complex, comprising TMD0024 (XM\_060945), TMD1779 (XM\_060946),  
TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781  
(XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890  
(XM\_060959) genes, or a fragment thereof comprising at least two said genes. As discussed  
in more detail, the composition can comprise or consist essentially of the chromosome region  
30 between STS markers that define the genomic DNA, e.g., between SHGC-81033 and SHGC-  
145403, or a fragment thereof comprising at least two said genes.

The CD1 family, a cluster of genes previously identified as coding for proteins involved in antigen presentation (Sugita and Brenner, *Seminars in Immunology*, 12:511-516, 2000), are located at the proximal boundary of the immune gene complex. The expression of CD1a, b, and c genes are restricted to professional antigen-presenting cells, including dendritic cells and some B-cell subsets (Sugita and Brenner, *ibid*). CD1d is present on other cell types, in addition to hematopoietic cells, such as intestinal cells (Sugita and Brenner, *ibid*).

Adjacent to the CD1 family, is a cluster of genes coding for transmembrane proteins homologous to the olfactory G-protein-coupled receptor ("GPCR") family. These genes include XM\_060945 (TMD0024), XM\_060346 (TMD1779), XM\_060947 (TMD0884), and XM\_060948 (TMD0025), and are expressed predominantly in thymus tissues (e.g., thymocytes). XM\_089421 (TMD1781) is also expressed in thymus, but it is present in much higher amounts in lymphocytes ("PBL"). This chromosomal region can be defined by STS markers, e.g., between SHGC-81033 and D1S3249, G15944, GDB:191077, GDB:196442, RH68459, RH102597, RH69635, or RH65132, or fragments thereof, such as fragments which comprise two or more genes.

The gene for human erythroid alpha spectrin (SPTA1) is distal to the GPCR thymus-restricted family. It is expressed in bone marrow cells, and is localized to the red cell membrane (Wilmotte et al., *Blood*, 90(10):4188-96, 1997). Next to it, is another cluster of genes coding for proteins that resemble the olfactory GPCR family. These include XM\_060956 (TMD0304), XM\_060957 (TMD0888), and XM\_060959 (TMD089), and are expressed predominantly in the bone marrow, although other sites of expression are observed as well. See, e.g., Table 1. This chromosomal region can be defined by STS markers, e.g., between GDB:181583 or RH118729, and D1S2577 or SHGC-145403.

The gene for myeloid cell nuclear differentiation antigen ("MNDA") is next. MNDA is also expressed in bone marrow cells, particularly in normal and neoplastic myelomonocytic cells and a subset of normal and neoplastic B lymphocytes (Miranda et al., *Hum. Pathol.*, 30(9):1040-9, 1999).

The phrase "immune system" indicates any processes and cells which are involved in generating and carrying out an immune response. Immune system cells includes, but are not limited to, e.g., stem cells, pluripotent stem cell, myeloid progenitor, lymphoid progenitor,

lymphocytes, B-lymphocytes, T-lymphocytes (e.g., naive, effector, memory, cytotoxic, etc.), thymocytes, natural killer, erythroid, megakaryocyte, basophil, eosinophil, granulocyte-monocyte, accessory cells (e.g., cells that participate in initiating lymphocyte responses to antigens), antigen-presenting cells ("APC"), mononuclear phagocytes, dendritic cells, 5 macrophages, alveolar macrophages, etc., and any precursors, progenitors, or mature stages thereof.

Table 1 is a summary of the genes and their expression patterns in accordance with the present invention. The genes and the polypeptides they encode can be used as diagnostic, prognostic, therapeutic, and research tools for any conditions, diseases, disorders, or 10 applications associated with the tissues and cells in which they are expressed.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule 15 comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

20 In view of their selectivity and display on the cell surface, the olfactory GPCR family members of the present invention are a useful target for histological, diagnostic, and therapeutic applications relating to the cells in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, 25 therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies to identify bone marrow and thymus tissue, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to 30 target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the

polypeptide which are exposed extracellularly as indicated in Table 2. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo (e.g., bone marrow cells or peripheral blood lymphocytes can be treated ex vivo and then returned to the body).

5           The expression patterns of the selectively expressed polynucleotides disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by a tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference  
10       to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify an unknown tissue, to determine the origin of metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, to evaluate the toxicity of a compound on a tissue of interest, etc.

          For example, the tissue-selective polynucleotides disclosed herein represent the  
15       configuration of genes expressed by a normal tissue. To determine the effect of a toxin on a tissue, a sample of tissue can be obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of tissue-selective probes can be used to assess the expression patterns for both the control and experimental samples. As discussed in more detail below, any suitable method can be used. For instance,  
20       a DNA microarray can be prepared having a set of tissue-selective genes arranged on to a small surface area in fixed and addressable positions. RNA isolated from samples can be labeled using reverse transcriptase and radioactive nucleotides, hybridized to the array, and then expression levels determined using a detection system. Several kinds of information can be extracted: presence or absence of expression, and the corresponding expression levels.  
25       The normal tissue would be expected to express substantially all the genes represented by the tissue-selective probes. The various experimental conditions can be compared to it to determine whether a gene is expressed, and how its levels match up to the normal control.

          While the expression profile of the complete gene set represented by the sequences disclosed here may be most informative, a fingerprint containing expression information  
30       from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify

-7-

the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, because of heterogeneity of the population, as well differences in the particular physiological state of the tissue, a tissue's "normal" expression profile is expected to differ between samples, albeit in ways that do not change the overall expression pattern. As a result of these individual differences, each gene although expressed selectively in spleen, may not on its own 100% of the time be adequately enough expressed to distinguish said tissue. Thus, the genes can be used in any of the methods and processes mentioned above and below as a group, or one at a time.

Binding partners can also be used as to specifically deliver therapeutic agents to a tissue of interest. For example, a gene to be delivered to a tissue can be conjugated to a binding partner (directly or through a polymer, etc.), in liposomes comprising cell surface, and then administered as appropriate to the subject who is to be treated. Additionally, cytotoxic, cytostatic, and other therapeutic agents can be delivered specifically to the tissue to treat and/or prevent any of the conditions associated with the tissue of interest.

The present invention relates to methods of detecting immune system cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene selected from Table 1, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 3, 4, 8, 9, 14, 15, 22, 23, 27, 28, 35, 36, 42, 43, 49, 50, 57, and 58 (see, Table 5), and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting an immune system cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by gene selected from Table 1, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be

accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 2.

As indicated above, binding partners can be used to deliver agents specifically to the immune system, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to an immune cell can comprise, e.g., contacting an immune cell with an agent coupled to binding partner specific for a gene selected from Table 1 (i.e., TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959)), whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the immune system can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

The maturation of the immune system can also be modulated in accordance with the

present invention, e.g., by methods of modulating the maturation of an immune system cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 1, or a mammalian homolog thereof, whereby the maturation of an immune cell is modulated. Modulation as used throughout  
5 includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

The phrase "immune system cell maturation" includes indirect or direct effects on immune system cell maturation, i.e., where modulating the gene directly effects the maturational process by modulating a gene in a immune system cell, or less directly, e.g.,  
10 where the gene is expressed in a cell-type that delivers a maturational signal to the immune system cell. Immune system maturation includes B-cell maturation, T-cell maturation, such as positive selection, negative selection, apoptosis, recombination, expression of T-cell receptor genes, CD4 and CD8 receptors, antigen recognition, MHC recognition, tolerization, RAG expression, differentiation, TCR expression, antigen expression, etc. See also below  
15 and, e.g., Abbas et al., *Cellular and Molecular Immunology*, 4th Edition, W.B. Saunders Company, 2000, e.g., Pages 149-160. Process include reception of a signal, such as cytokinin or other GPCR ligand. Any suitable agent can be used, e.g., agents that block the maturation, such as an antibody to a GPCR of Table 1, or other GPCR antagonist.

The interactions between lymphoid and non-lymphoid immune system cells can also  
20 be modulated comprising, e.g., contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 1, or a mammalian homolog thereof, whereby the interaction is modulated. Lymphoid cells, includes, e.g., lymphocytes (T- and B-), natural killer cells, and other progeny of a lymphoid progenitor cell. Non-lymphoid cells include accessory cells, such as antigen presenting cells, macrophages,  
25 mononuclear phagocytes dendritic cells, non-lymphoid thymocytes, and other cell types which do not normally arise from lymphoid progenitors. Interactions that can be modulated included, e.g., antigen presentation, positive selection, negative selection, progenitor cell differentiation, antigen expression, tolerization, TCR expression, apoptosis. See, also above and below, for other immune system processes.

30 Promoter sequences obtained from GPCR genes of the present invention can be utilized to selectively express heterologous genes in immune system cells. Methods of

expressing a heterologous polynucleotide in immune system cells can comprise, e.g.,  
expressing a nucleic acid construct in immune system cells, said construct comprising a  
promoter sequence operably linked to said heterologous polynucleotide, wherein said  
promoter sequence is selected from Table 5. In addition to the cell lines mentioned below,  
5 the construct can be expressed in primary cells, such as thymocytes, bone marrow cells, stem  
cells, lymphoid progenitor cells, myeloid progenitor cells, monocytes, antigen presenting  
cells, macrophages, and cell lines derived therefrom, cell lines such as JHK3 (CRL-10991),  
KG-1 (CCL-246), KG-1a (CCL-246.1), U-937 (CRL-1593.2), VA-ES-BJ (CRL-2138), TUR  
(CRL-2367), ELI (CRL-9854), 28SC (CRL-9855), KMA (CRL-9856), THP-1 (TIB-2002),  
10 WEHI-231 (CRL-1679), M-NFS-60 (CRL-1838), MH-S (CRL-2019), SR-4987 (CRL-  
2028), NCTC 3749 (CCL-461), AMJ2-C8 (CRL 2455), AMJ2-C11 (CRL2456), PMJ2-PC  
(CRL-2457), EOC2 (CRL-2467), as well as any primary and established immune system cell  
lines.

## 15 Thymus

The thymus is the site of T-cell lymphocyte maturation. Immature lymphocytes  
migrate into the thymus from the bone marrow and other organs in which they are generated.

The selection process that shape the antigen repertoire of T-cells takes place in the thymus  
organ. Both positive and negative selection processes take place. For a review, see, e.g.,

20 Abbas et al., Cellular and Molecular Immunology, 4th Edition, W.B. Saunders Company,  
2000, e.g., Pages 126-130 and 149-160.

There are various diseases and disorders related to thymus tissue, including, but not  
limited to, thymic carcinoma, thymoma, Omenn syndrome, autoimmune diseases, allergy,  
Graves disease, Myasthenia gravis, thymic hyperplasia, DiGeorge syndrome, Good  
25 syndrome, promoting immune system regeneration after bone marrow transplantation,  
immuno-responsiveness, etc. The thymic selective genes and polypeptides encoded thereby  
can be used to treat or diagnose any thymic condition. For instance, chemotherapeutic and  
cytotoxic agents can be conjugated to thymic selective antibodies and used to ablate a  
thymoma or carcinoma. They can be used alone or in combination with other treatments.

30 See, e.g., Graeber and Tamin, Semin. Thorac. Cardiovasc. Surg., 12:268-277, 2000; Loehrer,  
Ann. Med., 31 Suppl. 2:73-79, 1999.



## Bone marrow

All circulating blood cells in the adult, including all immature lymphocytes, are produced in the bone marrow. In addition, the bone marrow is also the site of B-cell maturation. The marrow consists of a spongelike reticular framework located between long trabeculae. It is filled with fat cells, stromal cells, and precursor hematopoietic cells. The precursors mature and exit through the vascular sinuses

All the blood cells are believed to arise from a common stem cell. Lineages that develop from this common stem cell include, e.g., myeloid and lymphoid progenitor cells. The myeloid progenitor develops into, erythrocytes (erythroid), platelets (megakaryocytic), basophils, eosinophils, granulocytes, neutrophils, and monocytes. The lymphoid progenitor is the precursor to B-lymphocytes, T-lymphocytes, and natural killer cells.

There are various diseases and disorders related to bone marrow, including, not limited to, e.g., red cell diseases, aplastic anemia (e.g., where there is a defect in the myeloid stem cell), pure red cell aplasia, white cell diseases, leukopenia, neutropenia, reactive (inflammatory) proliferation of white cells and nodes such as leukocytosis and lymphadenitis, neoplastic proliferation of white cells, malignant lymphoma, Non-Hodgkin's Lymphomas, Hodgkins disease, acute leukemias (e.g., acute lymphoblastic leukemia, acute myeloblastic leukemia, myelodysplastic syndrome), chronic myeloid leukemia, chronic leukemia, hairy cell leukemia, myeloproliferative disorders, plasma cell disorders, multiple myeloma, histiocytoses, etc.

## Immune System Selective Genes

The present invention relates to genes involved in the function and activity of the immune system. XM\_062147 (TMD0088) and XM\_061676 (TMD0045) code for seven membrane spanning polypeptides which are homologous to members of the olfactory G-protein-coupled receptor ("GPCR") family. XM\_062147 is expressed predominantly in bone marrow tissue, with no detectable expression in other tissues. XM\_061676 is also expressed predominantly in bone marrow tissue, but it is detected in peripheral blood lymphocytes, as well. As discussed in more detail below, XM\_062147 (TMD0088), XM\_061676 (TMD0045), and the polypeptides they encode, can be used as diagnostic, prognostic, therapeutic, and research tools for any conditions, diseases, disorders, or applications

associated with the immune system and the cells in which they are expressed.

In view of their selectivity and display on the cell surface, the GPCR family members of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., B-cells and B-cell progenitors) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies to identify bone marrow, lymphocytes, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 2. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo (e.g., bone marrow cells or peripheral blood lymphocytes can be treated ex vivo and then returned to the body). Ex vivo methods can be used to eliminate cancerous cells from the bone marrow, to modulate bone marrow cells, to prime bone marrow cells for an immune response, to expand a particular class of cells expressing XM\_062147 (TMD0088) or XM\_061676 (TMD0045), to transfer genes into said cells (e.g., Banerjee and Bertino, *Lancet Oncol.*, 3:154-158, 2002), etc.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The phrase "immune system" indicates any processes and cells which are involved in

generating and carrying out an immune response. Immune system cells includes, but are not limited to, e.g., stem cells, pluripotent stem cell, myeloid progenitor, lymphoid progenitor, lymphocytes, B-lymphocytes, T-lymphocytes (e.g., naive, effector, memory, cytotoxic, etc.), thymocytes, natural killer, erythroid, megakaryocyte, basophil, eosinophil, granulocyte-  
5 monocyte, accessory cells (e.g., cells that participate in initiating lymphocyte responses to antigens), antigen-presenting cells ("APC"), mononuclear phagocytes, dendritic cells, macrophages, etc., and any precursors, progenitors, or mature stages thereof.

XM\_062147 contains seven transmembrane segments. It is located on chromosomal band 11q12 within proximity to the locus for an inherited form of atopic hypersensitivity  
10 (OMIM 147050, e.g., associated with asthma, hay fever, and eczema). It has been suggested that the condition is a result of defect in the regulation of immunoglobulin E. XM\_061676 also is seven membrane spanning polypeptide. The chromosomal locus, 11p15, to which it maps is rich in genes associated with immune disorders, including Fanconi anemia, nucleoporin, myeloid leukemia, and T-cell lymphoblastic leukemia. Arthrogryposis  
15 multiplex congenita (distal type IIB) also maps closely to this chromosomal location.

The present invention relates to methods of detecting immune system cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene selected from Table 6, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said  
20 gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 67, 68, 76, and 77 (see, Table 6), and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g.,  
25 monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting an immune system cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by gene selected from Table 6, or a  
30 mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be

accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 7.

As indicated above, binding partners can be used to deliver agents specifically to the immune system, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to an immune cell can comprise, e.g., contacting an immune cell with an agent coupled to binding partner specific for a gene selected from Table 6, whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the immune system can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

The maturation of the immune system can also be modulated in accordance with the present invention, e.g., by methods of modulating the maturation of an immune system cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 6, or a mammalian homolog thereof,

whereby the maturation of an immune cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

The phrase "immune system cell maturation" includes indirect or direct effects on  
5 immune system cell maturation, i.e., where modulating the gene directly effects the  
maturation process by modulating a gene in a immune system cell, or less directly, e.g.,  
where the gene is expressed in a cell-type that delivers a maturational signal to the immune  
system cell. Immune system maturation includes B-cell maturation, T-cell maturation, such  
as positive selection, negative selection, apoptosis, recombination, expression of T-cell  
10 receptor genes, CD4 and CD8 receptors, antigen recognition, MHC recognition, tolerization,  
RAG expression, differentiation, TCR expression, antigen expression, etc. See also below  
and, e.g., Abbas et al., *Cellular and Molecular Immunology*, 4th Edition, W.B. Saunders  
Company, 2000, e.g., Pages 149-160. Processes include reception of a signal, such as  
cytokinin or other GPCR ligand. Any suitable agent can be used, e.g., agents that block the  
15 maturation, such as an antibody to a GPCR of Table 6, or other GPCR antagonist.

The interactions between lymphoid and non-lymphoid immune system cells can also  
be modulated comprising, e.g., contacting said cells with an agent effective to modulate a  
gene, or polypeptide encoded thereby, selected from Table 6, or a mammalian homolog  
thereof, whereby the interaction is modulated. Lymphoid cells, includes, e.g., lymphocytes  
20 (T- and B-), natural killer cells, and other progeny of a lymphoid progenitor cell. Non-  
lymphoid cells include accessory cells, such as antigen presenting cells, macrophages,  
mononuclear phagocytes dendritic cells, non-lymphoid thymocytes, and other cell types  
which do not normally arise from lymphoid progenitors. Interactions that can be modulated  
included, e.g., antigen presentation, positive selection, negative selection, progenitor cell  
25 differentiation, antigen expression, tolerization, TCR expression, apoptosis. See, also above  
and below, for other immune system processes.

Promoter sequences obtained from GPCR genes of the present invention can be  
utilized to selectively express heterologous genes in immune system cells. Methods of  
expressing a heterologous polynucleotide in immune system cells can comprise, e.g.,  
30 expressing a nucleic acid construct in immune system cells, said construct comprising a  
promoter sequence operably linked to said heterologous polynucleotide, wherein said

promoter sequence is selected from Table 6. In addition to the cell lines mentioned below, the construct can be expressed in primary cells, such as thymocytes, bone marrow cells, stem cells, lymphoid progenitor cells, myeloid progenitor cells, monocytes, B-cells, antigen presenting cells, macrophages, and cell lines derived therefrom.

5

#### Kidney Selective Genes

The present invention relates to genes and polypeptides which are selectively expressed in kidney tissues: TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736),  
10 TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108). These genes and polypeptides are expressed predominantly in kidney tissues, making them, and the polypeptides they encode, useful as selective markers for kidney tissue and function, as well as diagnostic, prognostic, therapeutic, and research tools for any conditions, diseases,  
15 disorders, or applications associated with the kidney and the cells in which they are expressed. TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108) includes both  
20 human and mammalian homologs of it. SEQ ID NOS 78-103 represent particular alleles, but the present invention relates to other alleles, including naturally-occurring polymorphisms (i.e., a polymorphism in the nucleotide sequence which is identified in populations of mammals) and homologs thereof. More information on these genes is summarized in Tables 8-11.

25 In view of their selectivity and display on the cell surface, the polypeptides and polynucleotides of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., juxtaglomerular cells which secrete renin, peritubular cells, endothelial cells, e.g., of the cortex and outer medulla, mesangial cells which secrete inflammatory mediators including NO and products of cyclooxygenase,  
30 visceral epithelial cells, parietal epithelial cells, podocytes, early proximal tubule cells which secrete, e.g., angiotensin converting enzyme and neutral endopeptidase, late distal tubule

cells that produce, e.g., prolyl endopeptidase, serine endopeptidase, carboxypeptidase, and neutral endopeptidase, renomedullary interstitial cells, etc) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies, to identify kidney, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 9. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The present invention relates to methods of detecting kidney cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108), or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below,

such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 104, 105, 107, 108, 111, 112, 115, 116, 119, 120, 122, 123, 126, 127, 131, 132, 135, 136, 138, 139, 142, 143, 145, 146, 149, 150, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g.,  
5 monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a kidney cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by TMD0049 (XM\_057351), TMD0190  
10 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108), or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding  
15 assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 9.

As indicated above, binding partners can be used to deliver agents specifically to the kidney, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an  
20 agent to a kidney cell can comprise, e.g., contacting a kidney cell with an agent coupled to binding partner specific for TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108), whereby said  
25 agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the kidney can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried  
30 specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target),



present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108) can be targeted, including, e.g., juxtaglomerular, peritubular, endothelial, mesangial, visceral epithelial, parietal epithelial, podocytes, early proximal tubule, late distal tubule, renomedullary interstitial, etc.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

A kidney cell (see above for examples of kidney cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a kidney cell, comprising, e.g., contacting said cell with an agent effective to modulate TMD0049

(XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108), or the biological activity of a polypeptide encoded thereby, or a mammalian homolog thereof, whereby said kidney cell is modulated.

Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

An activity or function of the kidney cell can be modulated, including, e.g., glomerular filtration rate, filtration pressure, renal autoregulation (including via myogenic mechanism and tubuloglomerular feedback mechanism), tubular reabsorption, tubular secretion, and renal clearance. In addition, the transcription, translation, synthesis, degradation, expression, etc., of any secretory or polypeptide produced by a kidney cell can be modulated, including, but not limited to, renin-angiotensin activity, production and secretion of prostaglandins, nitric oxide, kallikrein, adenosine, endothelin, erythropoietin, and other hormones, enzymes, and other secretory and intracellular factors. The response of a kidney cell to stimuli can also be modulated, including, but not limited to, ligands to

5 TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108), oxygen levels, blood pressure, etc.

The present invention also relates to polypeptide detection methods for assessing kidney function, e.g., methods of assessing kidney function, comprising, detecting a polypeptide coded for by TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108), fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of kidney function. Kidney function tests are usually performed to determine whether the kidney is functioning normally as a way of diagnosing kidney disease.

Various tests are commonly used, including, e.g., BUN (blood urea nitrogen), serum creatinine, estimated GFR, ability to concentrate urine, BUN/creatinine ratio, urine sodium and other electrolytes, urine NAG (N-acetyl-beta-glucosaminidase, adenosine deaminase, urinary alkaline phosphatase, serum and urine beta-2-microglobulin, serum uric acid, isotope scans, Doppler sonogram, positron emission tomography, specific gravity of urine, microalbumin, total protein, etc. Detection of TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148

(XM\_087108) provides an additional assessment tool, especially in diseases such as chronic renal failure, urinary tract infections, kidney stones, nephrotic syndrome, nephritic syndrome, kidney disease due to diabetes or high blood pressure, etc., As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired kidney function.

- 5 Values can be determined routinely, as they are for other kidney function markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc.

- Promoter sequences obtained from genes of the present invention can be utilized to selectively express heterologous genes in kidney cells. Methods of expressing a heterologous polynucleotide in kidney cells can comprise, e.g., expressing a nucleic acid construct in kidney cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NOS 106, 109, 110, 113, 114, 117, 118, 121, 124, 125, 128-130, 133, 134, 137, 140, 141, 144, 147, 148, and 151. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.
- 10  
15

### Kidney

- The kidney maintains the constancy of fluids in an organism's internal environment, and is therefore of great importance in maintaining health and vitality. Each day, the kidney filters the blood, removing and concentrating toxins, metabolic wastes, and excess ions, allowing them to be excreted by the body in the form of urine. The excretory function of the kidney is performed by over one million blood units called nephrons, each a miniature blood filtering and processing unit. A nephron consists of a glomerulus, a tuft of capillaries, and a renal tubule. In addition to their excretory function, kidneys produce a number of different hormones, enzymes, and other secreted molecules, including the enzyme renin and the hormone erythropoietin. The kidney also is responsible for metabolizing vitamin D into its active form, calcitriol. For a full description of the kidney's function and structure, see, e.g., *Human Anatomy and Physiology*, Marieb, E.N., 3<sup>rd</sup> Edition, Benjamin/Cummings Publishing Company, Inc., 1995, pp 896-923.
- 20  
25

- The glomerulus is a high pressure capillary bed which filters out most substances smaller than large plasma proteins across the fenestrated glomerular epithelium, the
- 30

intervening basement membrane, and the podocyte-containing visceral membrane of the glomerulus capsule. The external layer of the glomerulus is called the parietal layer, consisting predominally of a squamous epithelium. This layer is structural. Underneath it, is the visceral layer which consists of the modified branching epithelial cells called podocytes.

- 5 These sit on top of the fenestrated glomerular endothelium. The glomerulus is connected to the renal tubule, a highly differentiated and long tube, having three major elements: the proximal convoluted tubule, the loop of Henle, and the distal convoluted tubule. Different regions of the tubule have different functions in absorption and secretion.

- Renal cells produce a variety of different hormones and chemicals, including,  
 10 prostaglandins, nitric oxide, kallikrein family, adenosine, endothelin family, renin, erythropoietin, aldosterone, antidiuretic hormone (vasopressin), natriuretic hormones, etc. Renin is involved in modulating blood pressure. It cleaves angiotensinogen, a plasma peptide, splitting off a fragment containing 10 amino acids called angiotensin I. Angiotensin I is cleaved by a peptidase secreted by blood vessels called angiotensin converting enzyme  
 15 (ACE), producing angiotensin II, which contains 8 amino acids. Angiotensin II has many direct effects on blood pressure. Erythropoietin stimulates red blood cell production in the bone marrow.

- TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719  
 20 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108) can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the kidney. These include, but are not limited to, diseases that affect the four basic morphologic components, glomeruli, tubules, interstitium, and blood vessels. Diseases  
 25 include, e.g., acute nephritic syndrome, nephritic syndrome, renal failure, urinary tract infections, renal stones, cystic diseases of the kidney, e.g., cystic renal dysplasia, polycystic disease (autosomal dominant and recessive types), medullary cystic disease, acquired cystic disease, renal cysts, parenchymal cysts, perihilar renal cysts (pyelocalyceal cysts, hilar lymphangitic cysts), glomerular diseases, diseases of tubules, tubulointerstitial diseases,  
 30 tumors of the kidney, such as benign tumors (cortical adenoma, renal fibroma, renomedullary interstitial cell tumor), malignant tumors (renal cell carcinoma, hypernephroma,

adenocarcinoma of kidney, Wilms' tumor, nephroblastoma, urothelial carcinoma), renal coloboma, nephroblastoma, clear cell sarcoma of kidney (CCSK), rhabdoid tumor of kidney (RTK), von Hippel-Lindau disease, oncocytoid renal cell carcinoma (RCC), renal leiomyoblastoma, etc. TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108) can also be used for staging and classifying conditions and diseases of the present invention, alone, or in combination with conventional staging and classification schemes.

10

#### Pancreatic Gene Complex

The present invention relates to a cluster of olfactory GPCR (G-protein coupled) receptor genes located at chromosomal band 11q24. These genes are expressed predominantly in pancreatic tissue, establishing this region of chromosome 11 as a unique gene complex involved in pancreatic function. See, Table 12. Because of their exquisite selectivity for pancreatic tissues, the pancreatic gene complex ("PGC"), and the genes which comprise it, are useful to assess pancreas tissue and function for diagnostic, prognostic, therapeutic, and research purposes.

The spatial organization of the pancreatic gene complex ("PGC") is illustrated in Fig. 7. It spans several hundred kilobases of chromosome 11, e.g., from about LOC160205 to LOC119954, from about LOC119944-LOC119954, and any part thereof. Within this region, is a cluster of genes coding for polypeptides which share sequence identity with the olfactory GPCR family. These include, but are not limited to, TMD0986, XM\_061780 (TMD0987), XM\_061781 (TMD0353), XM\_061784 (TMD0989), XM\_061785 (TMD058). Fig. 8 illustrates the relationship between the lengths of the different coding sequences. As shown in the figure, XM\_061784 is shorter at its C-terminus than the other family members.

As members of the GPCR family, the PGC genes all share a degree of amino acid sequence identity and similarity. See, Table 14 for values (% sequence identity is the first place; % sequence similarity is in parenthesis in the second place; calculations were performed using the publicly-available BLASTP pair-wise alignment program). TMD0986, XM\_061780, XM\_061781, and XM\_061785 each share about 40% sequence identity.

BLAST searching of publicly available sequences indicates that these polypeptides share less amino acid sequence identity with each other than they do with other olfactory GPCR homologs located elsewhere in the genome. Significantly higher amino acid sequence identity – 81% – is observed between the adjacent genes XM\_061784 and XM\_061785.

- 5 These genes appear to be part of a sub-cluster within PGC that share high polypeptide similarity between them.

The phrase “a gene of Table 12” which is used throughout the description include the specific sequences for the listed XM numbers as well as other human alleles, and mammalian homologs, such as murine homologs. For example, Table 14 lists several of the mouse  
10 homologs that are included in the present invention. While SEQ ID NOS. 152, 153, 162, 163, 167, 168, 171, 172, 175, and 176 may represent particular alleles, the present invention relates to other alleles, as well, including naturally-occurring polymorphisms (i.e., a polymorphism in a nucleotide sequence which is identified in populations of mammals).

TMD0986 (SEQ ID NO 152 and 153) is a full-length sequence of the previously  
15 identified XM\_061779. It contains an additional 117 amino acids not present in XM\_061779. The present invention relates to nucleic acids comprising or consisting essentially of this sequence in its entirety (e.g., amino acids 1-314), comprising or consisting essentially of nucleic acids coding for amino acids 1-117, and comprising or consisting essentially of fragments of nucleic acids coding for amino acids 1-117. Polypeptides  
20 encoded by these nucleic acids are also claimed, including polypeptide fragments of 1-117, such as 1-23, 79-97, 164-198, 261-274, and other extracellularly exposed peptides. In addition, the present invention relates to binding partners, such as antibodies, that bind to epitopes within amino acids 1-117 (e.g., SEQ ID NO 153).

## 25 Pancreas

Diabetes and other pancreatic disorders are a major health concern. Worldwide, it is estimated that 5-10% of the population suffers from some form of diabetes. Pancreatic cancer is the fifth leading cause of cancer-related mortality. In 2002, it was estimated that about 30,000 Americans would be diagnosed with pancreatic cancer, and 90% would die  
30 within 12 months. Despite the prevalence of pancreatic disease, the genetics and physiology of normal pancreatic function and pancreatic disease is still poorly understood.

The pancreas is a mixed gland comprised of exocrine and endocrine tissues. The exocrine portion comprises about 80-85% of the organ. It is divided into lobes by connective tissue septa, and each lobe is divided into several lobules. These lobules are composed of grape-like clusters of secretory cells that form sacs known as acini. An acinus is a functional unit of the pancreatic exocrine gland. All acini drain into interlobular ducts which merge to form the main pancreatic duct. It, in turn, joins together with the bile duct from the liver to form the common bile duct that empties into the duodenum. Pancreatic acinar cells make up more than 80% of the total volume of the pancreas and function in the secretion of the various enzymes that assist digestion in the gastrointestinal tract. Scattered among the acinar cells are approximately a million pancreatic islets ("islets of Langerhans") that secrete the pancreatic endocrine hormones. These dispersed islets comprise approximately 2% of the total volume of the pancreas.

The basic function of the pancreatic endocrine cells is to secrete certain hormones that participate in the metabolism of proteins, carbohydrates, and fats. The hormones secreted by the islets include, e.g., insulin, glucagon, somatostatin, pancreatic polypeptide, amylin, adrenomedullin, gastrin, secretin, and peptide-YY. See, also, Shimizu et al., *Endocrin.*, 139:389-396, 1998. The islets contain about four major and two minor cell types. The major cell types are alpha (glucagon producing), beta (insulin and amylin producing), delta (somatostatin producing which suppresses both insulin and glucagon release), and F (pancreatic polypeptide and adrenomedullin producing) cells. The minor cell types are D1 (produce vasoactive intestinal peptide or VIP) and enterochromaffin (produce serotonin) cells. The cells can be distinguished, e.g., by their morphology, hormonal content, and polynucleotide expression patterns.

The ability of the pancreas to respond to a wide variety of metabolic signals is conferred by an expression profile comprising a rich assortment of receptor proteins. G-protein coupled receptors have been previously identified in the pancreas, including, e.g., receptors for glucagon, secretin, CCK (e.g., Roettger et al., *J. Cell Biol.*, 130:579-590, 1995), purines (e.g., P2 purinoreceptors), gastrin, KiSS-1 peptides (e.g., Kotani et al., *J. Biol. Chem.*, 276:34631-6, 2001), adrenomedullin (Martinez et al., *Endocrin.*, 141:406, 2000), and interleukins. G-protein subunits have also been localized to the pancreas, including G-proteins which were previously associated with the olfactory epithelium. See, e.g., Zigman et

al., *Endocrin.*, 133:2508-2514, 1993. In addition, pancreatic cells express neurotrophin, neurotensin, and interleukin receptors.

As mentioned, the pancreas is sensitive to a variety of metabolic, soluble and hormonal signals involved in regulating blood sugar, modulating synthesis and release of pancreatic digestive enzymes, and other physiologically important processes involved in pancreas function. In analogy to the ability of olfactory receptors to detect odors and pheromones in the environment, the pancreatic GPCRs of the present invention can be used to "sniff" out and respond to various ligands in the blood which pass through the pancreas, including peptides, metabolites, and other biologically-active molecules. Biological activities include, but are not limited to, e.g., regulation of blood sugar, modulation of all aspects of the various secreted polypeptides (hormones, enzymes, etc.) produced by the pancreas, ligand-binding, exocytosis, amylase (and any of the other 20 or so digestive enzymes produced by the pancreas) secretion, autocrine responses, apoptosis (e.g., in the survival of beta-islet cells), zymogen granule processing, G-protein coupling activity, etc.

The polynucleotides, polypeptides, and ligands thereto, of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of pancreas. These include, but are not limited to, e.g., disorders associated with loss or mutation to 11q24, such as Jacobsen syndrome (OMIM #147791), cystic fibrosis, acute and chronic pancreatitis, pancreatic abscess, pancreatic pseudocyst, nonalcoholic pancreatitis, alcoholic pancreatitis, classic acute hemorrhagic pancreatitis, chronic calcifying pancreatitis, familial hereditary pancreatitis, carcinomas of the pancreas, primary (idiopathic) diabetes (e.g., Type I (insulin dependent diabetes mellitus, IDDM) [insulin deficiency, beta cell depletion], Type II (non-insulin dependent diabetes mellitus, NIDDM) [insulin resistance, relative insulin deficiency, mild beta cell depletion]), nonobese NIDDM, obese NIDDM, maturity-onset diabetes of the young (MODY), islet cell tumors, diffuse hyperplasia of the islets of Langerhans, benign adenomas, malignant islet tumors, hyperfunction of the islets of Langerhans, hyperinsulinism and hypoglycemia, Zollinger-Ellison syndrome, beta cell tumors (insulinoma), alpha cell tumors (glucagonoma), delta cell tumors (somatostatinoma), vipoma (diarrheogenic islet cell tumor), pancreatic cancers, pancreatic carcinoid tumors, multihormonal tumors, multiple endocrine neoplasia (MEN), MEN I (Wermer syndrome), MEN II (Sipple syndrome), MEN III or IIb, pancreatic endocrine



tumors, etc.

In view of its selectivity and display on the cell surface, the olfactory GPCR family members of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., pancreatic progenitor, exocrine, endocrine, acinar, islet; alpha, beta, delta, F, D1, enterochromaffin, etc.) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies to identify bone marrow, lymphocytes, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues; to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 14. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The present invention relates to methods of detecting pancreas cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene of Table 12, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and

technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 154, 155, 164, 165, 169, 170, 173, 174, 177, and 178, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g.,  
5 monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a pancreas cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by a polypeptide of Table 12, or a  
10 mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 14.

As indicated above, binding partners can be used to deliver agents specifically to the  
15 pancreas, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a pancreas cell can comprise, e.g., contacting a pancreas cell with an agent coupled to a binding partner specific for a polypeptide coding for a gene of Table 12, whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the pancreas can be achieved in any effective manner,  
20 including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target),  
25 present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by a gene of Table 12 can be targeted, including, e.g., pancreatic progenitor, exocrine, endocrine, secretory, acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.

30 Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body.

Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose. See, Bruehlmeier et al., *Nucl. Med. Biol.*, 29:321-327, 2002, for imaging pancreas using labeled receptor ligands. Antibodies and other ligands to receptors of the present invention can be used analogously.

A pancreas cell (see above for examples of pancreas cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a pancreas cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene of Table 12, or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NO 153, 163, 168, 172, or 176), or a mammalian homolog thereof, whereby said pancreas cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

An activity or function of the pancreas cell can be modulated, including, e.g., regulation of blood sugar, modulation of all aspects of the various secreted polypeptides (hormones, enzymes, etc.) produced by the pancreas, ligand-binding, exocytosis, amylase (and any of the other 20 or so digestive enzymes produced by the pancreas) secretion, autocrine responses, apoptosis (e.g., in the survival of beta-islet cells), etc.

The present invention also relates to polypeptide detection methods for assessing pancreas function, e.g., methods of assessing pancreas function, comprising, detecting a polypeptide coded for by a gene of Table 12, fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of pancreas function. Pancreas function tests are usually performed to determine whether the pancreas is functioning normally as a way of diagnosing pancreas disease. Various tests are commonly used, including, e.g., assays for the presence of pancreatic enzymes in body fluids (e.g.,

amylase, serum lipase, serum trypsin-like immuoreactivity), studies of pancreatic structure (e.g., using x-ray, sonography, CT-scan, angiography, endoscopic retrograde cholangiopancreatography), and tests for pancreatic function (e.g., secretin-pancreozymin (CCK) test, Lundh meal test, Bz-Ty-PABA test, chymotrypsin in feces, etc). Detection of a polypeptide coded for by a gene of Table 12 provides an additional assessment tool, especially in diseases such as pancreatitis and pancreatic cancer where pancreatic markers can appear in the blood, stool, urine, and other body fluids. As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired pancreas function. Values can be determined routinely, as they are for other markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc., in analogy to the tests for pancreatic enzymes in body fluids.

Promoter sequences obtained from GPCR genes of the present invention can be utilized to selectively express heterologous genes in pancreas cells. Methods of expressing a heterologous polynucleotide in pancreas cells can comprise, e.g., expressing a nucleic acid construct in pancreas cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NOS 156-161, 166, 179, or 180. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

The genes and polypeptides of Table 12 can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the pancreas as mentioned above. The present invention relates to methods of identifying a pancreatic disease or pancreatic disease-susceptibility, comprising, e.g., determining the association of a pancreatic disease or pancreatic disease-susceptibility with a nucleotide sequence present within the pancreatic gene complex. An association between a pancreas disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target.

Any region of the pancreatic gene complex can be used as a source of the DNA marker (e.g., a nucleotide sequence present with PGC), including, e.g., TMD0986,

XM\_061780 (TMD0987), XM\_061781 (TMD0353), XM\_061784 (TMD0989), XM\_061785 (TMD058), and any part thereof, introns, intergenic regions, any DNA from about 29160-29310 kb of 11q24, NT\_009215, etc.

Human linkage maps can be constructed to establish a relationship between a region within 11q24 and a pancreatic disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the various individual molecular markers. Maps can be produced individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identify the gene responsible for the phenotype.

#### Retina Selective Gene

The present invention relates to NM\_013941 (GPCR181 or OR10C1), a multiple transmembrane spanning polypeptide which shares sequence identity with the olfactory G-protein coupled receptor (GPCR) family. Like other GPCR, NM\_013941 has seven transmembrane domains, at about amino acid positions 20-42, 54-76, 91-113, 134-156, 190-212, 233-255, and 265-287, of SEQ ID NO 182. It is located at about chromosomal band 6p21.31-22.2. There are several other GPCRs located nearby (e.g., OR2B3, AL022727; OR2J3, AL022727). NM\_013941 is highly expressed in brain tissue, at lower levels in heart, pituitary, and skin, and at minimally detectable levels in colon, small intestine, kidney, lymphocytes, and mammary gland. In the neuronal tissue, it was selectively expressed in the retina, but was not detected in any other brain tissue regions. The selective expression of NM\_013941 in the retina makes it useful as a marker for retinal tissue, e.g., in stem cell cultures and biopsy samples, as well as a diagnostic, prognostic, therapeutic, and research tool for any conditions, diseases, disorders, or applications associated with the retina and the cells in which it is expressed. NM\_013941 includes both human and mammalian homologs of it (e.g., mouse XM\_111729 which is similar to olfactory receptor MOR263-6). SEQ ID NOS. 181 and 182 represent a particular allele of NM\_013941; the present invention relates to other alleles, as well, including naturally-occurring polymorphisms (i.e., a polymorphism in the nucleotide sequence which is identified in populations of mammals).

The chromosomal region within which NM\_013941 is located comprises a number of genes involved in retinal function. These include, e.g., retinal cone dystrophy (OMIM 602093) which appears to be a result of mutation in guanylate cyclase activator-1A (e.g., Payne et al., *Human Molec. Genet.*, 7:273-277, 1998), retinal degeneration slow (OMIM 179605) which appears to be a defect in specific retinal protein homologous to rod outer segment protein-1, retinitis pigmentosa-7, retinitis pigmentosa-14 (OMIM 600132) which is associated with a mutation in the tubby-like protein TULP1 (e.g., Banerjee et al., *Nature Genet.*, 18:177-179, 1998; Hagstrom et al., *Nature Genet.*, 18:174-176, 1998), and others. Thus, this region appears to be important in eye function.

In view of its selectivity and display on the cell surface, the olfactory GPCR family members of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to retinal cells. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat retinal carcinomas (e.g., retinoblastoma) in analogy to how c-erbB-2 antibodies are used to breast cancer. See, e.g., Hayashi et al., *Invest. Ophthalmol. Vis. Sci.*, 40:265-72, 1999 for an example treating retinoblastoma using HSV-TK. Transfer of the gene into the retinal cells can be achieved by incorporating the gene into liposomes which have been made cell-selective by incorporating a NM\_013941 specific antibody into its bilayer. See, also, Wu and Wu, *J. Biol. Chem.*, 262: 4429-4432, 1987.

The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule

comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The present invention relates to methods of detecting retinal cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for NM\_013941 (e.g., SEQ ID NOS 181), or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 183 and 184, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a retinal cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by NM\_013941 (e.g., SEQ ID NO 182), or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface.

As indicated above; binding partners can be used to deliver agents specifically to the retina, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a retinal cell can comprise, e.g., contacting a retinal cell with an agent coupled to binding partner specific for NM\_013941 (SEQ ID NO 182), whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the retinal can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent

is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by NM\_013941 can be targeted, including, e.g., pigmented epithelial cells, photoreceptor cells, cones, rods, bipolar cells, ganglion cells, etc.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body.

Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

A retinal cell (see above for examples of retinal cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a retinal cell, comprising, e.g., contacting said cell with an agent effective to modulate NM\_013941, or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NO 182), or a mammalian homolog thereof, whereby said retinal cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

Any activity or function of the retinal cell can be modulated, including, e.g., light reception, phototransduction, excitation of rods, excitation of cones, metabolism of vitamin A, retinal, rhodopsin, and other functional molecules, cGMP binding and hydrolysis, sodium channel flux, membrane potential, phosphodiesterase activity, G-protein activity and coupling, vitamin A processing, sodium pump activity, calcium flux, etc. The response of a retinal cell to stimuli can also be modulated, including, but not limited to, ligands to



NM\_013941, light, ion levels, second messenger levels, etc.

Promoter sequences can be utilized to selectively express heterologous genes in retinal cells. Methods of expressing a heterologous polynucleotide in retinal cells can comprise, e.g., expressing a nucleic acid construct in retinal cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is obtained from NM\_01394, e.g., on genomic NT\_007592. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

## 10 Retina

The retina is a two-layered structure located on the back of the eye. It is the primary organ responsible for vision. The outer pigmented layer is comprised of pigmented epithelial cells that absorb light, preventing it from scattering in the eye, and store vitamin A needed by the photoreceptor cells. The inner neural layer is comprised of three main cell types:

15 photoreceptor cells, bipolar cells, and ganglion cells. The local currents generated by a light stimulus spreads from the photoreceptor cells to the bipolar cells, and then on to the innermost ganglion cells. The optic disc is the exit site of the retinal ganglion axons which then bundle into the optic nerve

Photoreceptors consist of rods and cones which are the photosensitive cells of the retina. Each rod and cone elaborates a specialized cilium, called the outer segment, that contains the phototransduction machinery. The rods contain a specific light-absorbing visual pigment, rhodopsin. In humans, there are three classes of cones, each characterized by the expression of distinct visual pigments: the blue cone, green cone and red cone pigments. Each type of visual pigment protein is tuned to absorb light maximally at different wavelengths. The rod rhodopsin mediates scotopic vision (in dim light), whereas the cone pigments are responsible for photopic vision (in bright light). The red, blue and green pigments also form the basis of color vision.

NM\_013941 can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the retinal. These include, but are not limited to, diseases that affect the basic morphologic components as mentioned above, e.g., the outer and inner cell layers, and the optic nerve the retina. Diseases include, e.g.,

retinal degeneration, retinal degenerations such as retinitis pigmentosa, Bardet-Biedl syndrome, Bassen-Kornzweig syndrome (abetalipoproteinemia), Best disease (vitelliform dystrophy), choroidemia, gyrate atrophy, congenital amaurosis, Refsum syndrome, Stargardt disease, Usher syndrome, macular degeneration (dry and wet forms), diabetic retinopathy, peripheral vitreoretinopathies, photic retinopathies, surgery-induced retinopathies, viral retinopathies (such as HIV retinopathy related to AIDS), ischemic retinopathies, retinal detachment, traumatic retinopathy, optic neuropathy, optic neuritis, ischemic optic neuropathy, Leber optic neuropathy, diseases of Bruch's membrane, glaucoma, cancer, retinoblastoma, cancer-associated retinopathy syndrome (CAR syndrome), melanoma-associated retinopathy (MAR), etc. NM\_013941 can also be used for staging and classifying conditions and diseases of the present invention, alone, or in combination with conventional staging and classification schemes.

#### Spleen Gene Cluster

The present invention relates to a cluster of transmembrane and GPCR-type receptor genes located at chromosomal band 11q12.2. The genes of the present invention are expressed predominantly in the spleen (e.g., Fig. 10, lane 19) (hence, "spleen gene" cluster), as well as other tissues of the immune and reticuloendothelial system (RES), establishing this region of the chromosome as a unique gene complex involved in spleen, lymphoid, and/or reticuloendothelial function. TMD1030 and TMD0621 are highly expressed in spleen tissue, with insignificant levels in other tissues. In addition to spleen, TMD1029 and TMD1029 show significant expression in the liver and lymphocytes, as well. Because of their selectivity for spleen, lymphoid, and/or reticuloendothelial tissues, the gene complex, and the chromosomal region which comprises it, are useful to assess spleen, lymphoid, and/or reticuloendothelial tissue function and for diagnostic, prognostic, therapeutic, and research purposes. Information on the genes is summarized in Tables 15-19.

The spatial organization of the gene complex is illustrated in Fig. 11. The complex spans about at least 100 kb, from about EST markers G62658, SHGC-82134, etc. (located at the end closest to the centromere and TMD1030) to SHGC-154002, SHGC-9433, etc. (located at the end furthest from the centromere and TMD0621). All the genes have the same orientation of transcription. TMD1799 (XM\_166849) (SEQ ID NO 193-194), located at the

upper region, shows very high expression in lymphocytes, but only marginal expression in spleen, indicating that expression in lymphocytes may predominate at the boundaries of the gene complex. In the lower region, TMD1027 (XM\_166856) (SEQ ID NO 195-196), spleen expression virtually disappears, while lymph node expression becomes very high. The

5 present invention includes this entire region, and any parts thereof. For instance, the present invention includes any DNA fragments within it which confer the observed tissue specificities described herein.

The gene complex is involved in spleen, immune, and RES functions. The spleen is located in the left upper region of the abdomen. In the adult, it weights about 90-180 grams, and is about 15  
10 by 7.5 cm in size. The spleen is anatomically and functionally compartmentalized into two distinct regions, the red and white pulp. The red pulp comprises blood vessels interwoven with connective tissue ("pulp cords") that is lined with reticuloendothelial cells. It possesses a blood filtering function, removing opsonized cells and trapping abnormal red blood cells. It also is a storage reservoir for platelets and other blood cells. In the fetus, the red pulp has a hematopoietic function.

15 Inside the red pulp, is lymphoid tissue know as the white pulp. Antibodies are made inside the white pulp. Similar to other lymphatic tissues, B- and T-cell's mature inside the white pulp, where they are involved in antigen presentation and lymphocyte maturation. The white pulp is clustered around the periarteriolar lymphoid sheath, and is comprised of follicles and marginal zone.

Naive B-cells are located in the primary follicle, memory cells, macrophages, and dendritic cells  
20 in the secondary follicle, and macrophages and B-cells in the marginal zone. The integrins LFA-1 and alpha4-beta1 are involved in localization of the B-cells to the marginal zone of the white pulp (Lu and Cyster, *Science*, 297:409, 2002).

The reticuloendothelial system (RES) is a multi-organ phagocytic system involved in removing particulates from the blood. It is comprised of the spleen and liver. It has the  
25 ability to sequester inert particles and dyes. Cells of the RES system include, macrophages, liver Kuppfer cells, endothelial cells lining the sinusoids of the liver, spleen, and bone marrow, and reticular cells of lymphatic and bone marrow tissues.

The polynucleotides, polypeptides, and ligands thereto, of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc.,  
30 diseases and conditions of spleen, lymphoid, and/or reticuloendothelial tissues. These include, but are not limited to, splenomegaly, hypersplenism, hemolytic anemis, hereditary

spherocytosis, hereditary eliptocytosis, thalassemia minor and major, autoimmune hemolytic anemia, thrombocytopenia, idiopathic thrombocytopenic purpura, immunologic thrombocytopenia associated with chronic lymphocytic leukemia or systemic lupus erythematosus, TTP, leukemia, lymphoma, primary and metastatic tumors, splenic cysts, infection, inflammatory diseases, anemias, blood cancers, etc. See, Table 19 for other examples.

In view of their selectivity and display on the cell surface, the genes of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., reticuloendothelial cells, macrophages, Kupffer cells, monocytes, B-lymphocytes, T-lymphocytes, etc) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to treat breast cancer. They can also be used to detect metastatic cells in biopsies. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly. See, Table 16. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types. TMD1030 and TMD0621 are predominantly and selectively expressed in spleen tissue.

The expression patterns of the selectively expressed polynucleotides disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by a tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify an unknown tissue, to determine the origin of metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, to evaluate the toxicity of a compound on a tissue of interest, etc.

For example, the tissue-selective polynucleotides disclosed herein represent the configuration of genes expressed by a normal tissue. To determine the effect of a toxin on a tissue, a sample of tissue can be obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of tissue-selective probes can be used to assess the expression patterns for both the control and experimental samples. As discussed in more detail below, any suitable method can be used. For instance, a DNA microarray can be prepared having a set of tissue-selective genes arranged on to a small surface area in fixed and addressable positions. RNA isolated from samples can be labeled using reverse transcriptase and radioactive nucleotides, hybridized to the array, and then expression levels determined using a detection system. Several kinds of information can be extracted: presence or absence of expression, and the corresponding expression levels. The normal tissue would be expected to express substantially all the genes represented by the tissue-selective probes. The various experimental conditions can be compared to it to determine whether a gene is expressed, and how its levels match up to the normal control.

While the expression profile of the complete gene set represented by the sequences disclosed here may be most informative, a fingerprint containing expression information from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, because of heterogeneity of the population, as well differences in the particular physiological state of the tissue, a tissue's "normal" expression profile is expected to differ

between samples, albeit in ways that do not change the overall expression pattern. As a result of these individual differences, each gene although expressed selectively in spleen, may not on its own 100% of the time be adequately enough expressed to distinguish said tissue.

Thus, the genes can be used in any of the methods and processes mentioned above and below as a group, or one at a time.

The present invention relates to methods of detecting spleen, lymphoid, and/or reticuloendothelial cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 197-204 listed in Table 17, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a spleen, lymphoid, and/or reticuloendothelial cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by a polypeptide of the present invention, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface. Detection can be useful for assessing spleen integrity, e.g., when it is suspected that the spleen is damaged and undergoing deterioration. The appearance of polypeptides of the present invention in body fluids, such as blood, can indicate spleen damage, including neoplastic and/or apoptotic changes.

As indicated above, binding partners can be used to deliver agents specifically to the spleen, lymphoid, and/or reticuloendothelial tissues, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a spleen, lymphoid, and/or

reticuloendothelial cell can comprise, e.g., contacting a spleen, lymphoid, and/or reticuloendothelial cell with an agent coupled to a binding partner specific for a polypeptide coding for TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), whereby said agent is delivered to said cell. Any type of agent can  
5 be used, including, therapeutic and imaging agents. Contact with the spleen, lymphoid, and/or reticuloendothelial tissue can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parenterally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried  
10 specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by TMD1030 (XM\_166853),  
15 TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205) can be targeted, including, e.g., reticuloendothelial cells, macrophages, Kupffer cells, lymphocytes, B-lymphocytes, T-lymphocytes, etc.

Antibodies (alone or conjugated to active agents) can be used to ablate spleen and other tissues. For instance, in diseases where splenectomy is indicated (e.g., immune  
20 thrombocytopenic purpura, autoimmune hemolytic anemia, blood cell disorders, myeloproliferative disorders, tumors, hypersplenism, etc.), antibodies to TMD1030 and TMD0621 can be used to ablate spleen tissue, or block spleen function.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body.  
25 Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic imaging. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal  
30 chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The

methods described therein can be used generally to associate a partner with an agent for any desired purpose. See, Bruehlmeier et al., *Nucl. Med. Biol.*, 29:321-327, 2002, for imaging using labeled receptor ligands. Antibodies and other ligands to receptors of the present invention can be used analogously.

5 A cell (see above for examples of spleen, lymphoid, and/or reticuloendothelial cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a spleen, lymphoid, and/or reticuloendothelial cell, comprising, e.g., contacting said cell with an agent effective to modulate TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), or the biological  
10 activity of a polypeptide encoded thereby (e.g., SEQ ID NOS 185-192), or a mammalian homolog thereof, whereby said spleen, lymphoid, and/or reticuloendothelial cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

15 Any activity or function of the spleen, lymphoid, and/or reticuloendothelial tissues can be modulated, including, e.g., immune modulation (e.g., modulating antigen presentation, antibody production and secretion, humoral and cellular responses, etc.), sequestration and removal of red blood cells, clearance of microorganisms and particular antigens from blood, migration into the marginal zone or other immune and RES compartments, etc.

20 The present invention also relates to polypeptide detection methods for assessing spleen, lymphoid, and/or reticuloendothelial tissue function, e.g., methods of assessing spleen, lymphoid, and/or reticuloendothelial function, comprising, detecting a polypeptide coded for by TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), fragments thereof, polymorphisms thereof, in a body fluid,  
25 whereby the level of said polypeptide in said fluid is a measure of spleen, lymphoid, and/or reticuloendothelial function. spleen, lymphoid, and/or reticuloendothelial function tests are usually performed to determine whether the spleen, lymphoid, and/or reticuloendothelial tissue is functioning normally as a way of diagnosing spleen, lymphoid, and/or reticuloendothelial disease. Various tests are commonly used, including, e.g., <sup>99</sup>Tc-colloid  
30 liver-spleen scan, computed tomography, ultrasound scanning of left upper quadrant, MRI, liver enzymes, etc.



Detection of a polypeptide coded for by TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), provides an additional assessment tool, especially in diseases or disorders, such as splenomegaly, hypersplenism, or ruptured spleen, where said polypeptides can appear in the blood, stool, urine, and other body fluids. As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired spleen, lymphoid, and/or reticuloendothelial function. Values can be determined routinely, as they are for other markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc., in analogy to the tests for enzymes and other proteins in body fluids.

Promoter sequences obtained from genes of the present invention can be utilized to selectively express heterologous genes in cells. Methods of expressing a heterologous polynucleotide in cells, e.g., spleen, lymphoid, and/or reticuloendothelial cells can comprise, e.g., expressing a nucleic acid construct in spleen, lymphoid, and/or reticuloendothelial cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NOS 205-213. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

The genes and polypeptides of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the spleen, lymphoid, and/or reticuloendothelial tissues mentioned above. The present invention relates to methods of identifying a genetic basis for a disease or disease-susceptibility, comprising, e.g., determining the association of a spleen, lymphoid, and/or reticuloendothelial disease or spleen, lymphoid, and/or reticuloendothelial disease-susceptibility with the gene complex of the present invention, e.g., a nucleotide sequence present in the gene complex at 11q12.2. An association between a spleen, lymphoid, and/or reticuloendothelial disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target.

Any region of the gene can be used as a source of the DNA marker, exons, introns,

intergenic regions, or any DNA from the gene cluster of the present invention at chromosomal region 11q12.2, etc.

Human linkage maps can be constructed to establish a relationship between a gene and a spleen, lymphoid, and/or reticuloendothelial disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the various individual molecular markers. Maps can be produced for an individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identify the gene responsible for the phenotype.

The present invention also relates to methods of expressing a polynucleotide in spleen, lymphoid, and/or reticuloendothelial tissue, comprising, e.g., inserting a polynucleotide, which is operably linked to an expression control sequence, into the spleen, lymphoid, and/or reticuloendothelial gene complex at chromosomal location 11q12.2 of a target cell, and growing said cell under conditions effective to express said polynucleotide.

The polynucleotide of interest can be inserted into the target chromosomal region by any suitable method, including, e.g., by gene targeting methods, such as homologous recombination, or by random insertion methods where transformed cells are subsequently screened for insertion into the desired chromosomal site. Chromosome engineering methods are discussed in more detail below, e.g., in the section on transgenic animals. By the phrase "spleen, lymphoid, and/or reticuloendothelial gene complex," it is meant the region of the chromosome in which the cluster of genes, e.g., TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), and TMD0621 (XM\_166205), of the present invention are located. Inserting an expressible polynucleotide (e.g., a polynucleotide operably linked to a promoter sequence) into this region confers the tissue expression selectivity which is characteristic of the gene cluster. Any polynucleotide of interest can be inserted into the chromosomal region, including, e.g., polynucleotides encoding polypeptides, antisense polynucleotides, etc.

A cell comprising a polynucleotide inserted into the target chromosomal location can be utilized in vitro or in vivo, e.g., in a transgenic animal. The cell is grown under conditions

which are suitable to achieve polynucleotide expression. These conditions depend upon the cell's environment, e.g., tissue culture cell, or in the form of a transgenic animal.

#### Pancreas membrane protein genes

5           The present invention relates to all facets of pancreas membrane protein genes, polypeptides encoded by them, antibodies and specific binding partners thereto, and their applications to research, diagnosis, drug discovery, therapy, clinical medicine, forensic science and medicine, etc. The polynucleotides and polypeptides are useful in variety of ways, including, but not limited to, as molecular markers, as drug targets, and for detecting, 10 diagnosing, staging, monitoring, prognosticating, preventing or treating, determining predisposition to, etc., diseases and conditions, such as pancreatic cancer, diabetes, pancreatitis, and other disorders especially relating to the pancreas and the functions its performs. The identification of specific genes, and groups of genes, expressed in pathways physiologically relevant to pancreas tissue permits the definition of functional and disease 15 pathways, and the delineation of targets in these pathways which are useful in diagnostic, therapeutic, and clinical applications. The present invention also relates to methods of using the polynucleotides and related products (proteins, antibodies, etc.) in business and computer-related methods, e.g., advertising, displaying, offering, selling, etc., such products for sale, commercial use, licensing, etc.

20           The function, structure, and diseases of the pancreas were described previously. The polynucleotides, polypeptides, and ligands thereto, of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of pancreas. These include, but are not limited to, e.g., acute and chronic pancreatitis, pancreatic abscess, pancreatic pseudocyst, nonalcoholic pancreatitis, alcoholic 25 pancreatitis, classic acute hemorrhagic pancreatitis, chronic calcifying pancreatitis, familial hereditary pancreatitis, carcinomas of the pancreas, primary (idiopathic) diabetes (e.g., Type I (insulin dependent diabetes mellitus, IDDM) [insulin deficiency, beta cell depletion], Type II (non-insulin dependent diabetes mellitus, NIDDM) [insulin resistance, relative insulin deficiency, mild beta cell depletion]), nonobese NIDDM, obese NIDDM, maturity-onset 30 diabetes of the young (MODY), islet cell tumors, diffuse hyperplasia of the islets of Langerhans, benign adenomas, malignant islet tumors, hyperfunction of the islets of Langerhans, hyperinsulinism and hypoglycemia, Zollinger-Ellison syndrome, beta cell

tumors (insulinoma), alpha cell tumors (glucagonoma), delta cell tumors (somatostatinoma), vipoma (diarrheogenic islet cell tumor), pancreatic cancers, pancreatic carcinoid tumors, multihormonal tumors, multiple endocrine neoplasia (MEN), MEN I (Wermer syndrome), MEN II (Sipple syndrome), MEN III or IIb, pancreatic endocrine tumors, etc.

5           For example, five different pancreatic tumor samples were examined (Nos. 1, 2, 3, 4, and 5). TMD0639 was up-regulated in about 1/5 pancreatic cancers (No. 4), TMD0645 was up-regulated in about 3/5 pancreatic cancers (Nos. 2, 3, and 5), and TMD1127 was up-regulated in about 2/5 pancreatic cancers (Nos. 1 and 4). These results indicate that the probes can be used in combination in order to maximize the detection of different types of  
10 pancreatic cancers and tumors. Thus, a sample from a patient can be assessed for expression of both TMD0645 and TMD1127 to increase the probability that the pancreas cancer will be detected.

In view of their selectivity and display on the cell surface, the membrane proteins of the present invention are useful targets for histological, diagnostic, and therapeutic  
15 applications relating to the cells (e.g., pancreatic progenitor, exocrine, endocrine, acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such  
20 as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells in biopsies and other tissue samples. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or  
25 other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 21. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other  
30 tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule

comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

Table 20 is a summary of the genes of the present invention which are expressed selectively and/or predominantly in pancreas tissue. Fig. 12 is an illustration of these expression patterns. Each gene is associated with a Clone ID and Accession Number ("ACCN"). The Clone ID is an arbitrary identification number for the clone, and the accession number is the number by which it is listed in GenBank. Although specific sequences are disclosed herein, and listed in GenBank by an accession number), the present invention includes all forms of the gene, including polymorphisms, allelic variations, SNPs, splice variants, and any full-length versions when the disclosed or Genbank version is partial. For convenience, these genes, and their homologs in other species, are referred to throughout the disclosure in shorthand as "the genes of Table 20," "a gene of Table 20," "polynucleotides of Table 20," "polypeptides of Table 20," etc., because Table 20 contains a listing of the genes by accession number and clone ID.

The expression patterns of the selectively and/or predominantly expressed polynucleotides disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by pancreas tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify an unknown tissue, to determine the origin of metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, to evaluate the toxicity of a compound on a tissue of interest, etc.

For example, the pancreas-selective polynucleotides disclosed herein represent the configuration of genes expressed by a normal pancreas tissue. To determine the effect of a toxin on a tissue, a sample of tissue can be obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of pancreas-

selective probes can be used to assess the expression patterns for both the control and experimental samples. As discussed in more detail below, any suitable method can be used. For instance, a DNA microarray can be prepared having a set of pancreas-selective genes arranged on to a small surface area in fixed and addressable positions. RNA isolated from samples can be labeled using reverse transcriptase and radioactive nucleotides, hybridized to the array, and then expression levels determined using a detection system. Several kinds of information can be extracted: presence or absence of expression, and the corresponding expression levels. The normal tissue would be expected to express substantially all the genes represented by the tissue-selective probes. The various experimental conditions can be compared to it to determine whether a gene is expressed, and how its levels match up to the normal control.

While the expression profile of the complete gene set represented by the sequences disclosed here may be most informative, a fingerprint containing expression information from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, because of heterogeneity of the population, as well differences in the particular physiological state of the tissue, a tissue's "normal" expression profile is expected to differ between samples, albeit in ways that do not change the overall expression pattern. As a result, a complete match with a particular tissue expression profile, as shown herein, is not necessary.

The present invention relates to methods of detecting pancreas cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene of Table 20, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include the primer sequences shown in Table 23, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g.,

monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a pancreas cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by a polypeptide of Table 20, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface.

As indicated above, binding partners can be used to deliver agents specifically to the pancreas, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a pancreas cell can comprise, e.g., contacting a pancreas cell with an agent coupled to a binding partner specific for a polypeptide coding for a gene of Table 20, whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the pancreas can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by a gene of Table 20 can be targeted, including, e.g., pancreatic progenitor, exocrine, endocrine, secretory, acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintigraphic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917,

6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose. See, Bruehlmeier et al., *Nucl. Med. Biol.*, 29:321-327, 2002, for imaging pancreas using labeled receptor ligands. Antibodies and other ligands to receptors of the present invention can be used analogously.

A pancreas cell (see above for examples of pancreas cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a pancreas cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene of Table 20, or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NO 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, and 255), or a mammalian homolog thereof, whereby said pancreas cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

An activity or function of the pancreas cell can be modulated, including, e.g., regulation of blood sugar, modulation of all aspects of the various secreted polypeptides (hormones, enzymes, etc.) produced by the pancreas, ligand-binding, exocytosis, amylase (and any of the other 20 or so digestive enzymes produced by the pancreas) secretion, autocrine responses, apoptosis (e.g., in the survival of beta-islet cells), etc.

The present invention also relates to polypeptide detection methods for assessing pancreas function, e.g., methods of assessing pancreas function, comprising, detecting a polypeptide coded for by a gene of Table 20, fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of pancreas function. Pancreas function tests are usually performed to determine whether the pancreas is functioning normally as a way of diagnosing pancreas disease. Various tests are commonly used, including, e.g., assays for the presence of pancreatic enzymes in body fluids (e.g., amylase, serum lipase, serum trypsin-like immunoreactivity), studies of pancreatic structure (e.g., using x-ray, sonography, CT-scan, angiography, endoscopic retrograde cholangiopancreatography), and tests for pancreatic function (e.g., secretin-pancreozymin



(CCK) test, Lundh meal test, Bz-Ty-PABA test, chymotrypsin in feces, etc). Detection of a polypeptide coded for by a gene of Table 20 provides an additional assessment tool, especially in diseases such as pancreatitis and pancreatic cancer where pancreatic markers can appear in the blood, stool, urine, and other body fluids. As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired pancreas function. Values can be determined routinely, as they are for other markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc., in analogy to the tests for pancreatic enzymes in body fluids.

Promoter sequences obtained from genes of the present invention can be utilized to selectively express heterologous genes in pancreas cells. Methods of expressing a heterologous polynucleotide in pancreas cells can comprise, e.g., expressing a nucleic acid construct in pancreas cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NO 258, 261, 262, 265-267, 270-272, 275, 278, 279, 282-284, 287, 290-293, 296, 297, 303, 306, 309-314, 317-320, 323-326, 329, 332-333, 336-338, 341, and 344 as shown in Table 23. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

The genes and polypeptides of Table 20 can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the pancreas as mentioned above. The present invention relates to methods of identifying a pancreatic disease or pancreatic disease-susceptibility, comprising, e.g., determining the association of a pancreatic disease or pancreatic disease-susceptibility with a nucleotide sequence present within the pancreatic gene complex. An association between a pancreas disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target.

Human linkage maps can be constructed to establish a relationship between the cytogenetic locus as shown in Table 22 and a pancreatic disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified

within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the various individual molecular markers.

Maps can be produced individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g.,

- 5 identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identify the gene responsible for the phenotype.

#### Nucleic acids

- A mammalian polynucleotide, or fragment thereof, of the present invention is a  
10 polynucleotide having a nucleotide sequence obtainable from a natural source. When the species name is used, e.g., a human, it indicates that the polynucleotide or polypeptide is obtainable from a natural source. It therefore includes naturally-occurring normal, naturally-occurring mutant, and naturally-occurring polymorphic alleles (e.g., SNPs), differentially-spliced transcripts, splice-variants, etc. By the term "naturally-occurring," it is meant that the  
15 polynucleotide is obtainable from a natural source, e.g., animal tissue and cells, body fluids, tissue culture cells, forensic samples. Natural sources include, e.g., living cells obtained from tissues and whole organisms, tumors, cultured cell lines, including primary and immortalized cell lines. Naturally-occurring mutations can include deletions (e.g., a truncated amino- or carboxy-terminus), substitutions, inversions, or additions of nucleotide sequence. These  
20 genes can be detected and isolated by polynucleotide hybridization according to methods which one skilled in the art would know, e.g., as discussed below.

- A polynucleotide according to the present invention can be obtained from a variety of different sources. It can be obtained from DNA or RNA, such as polyadenylated mRNA or total RNA, e.g., isolated from tissues, cells, or whole organism. The polynucleotide can be  
25 obtained directly from DNA or RNA, from a cDNA library, from a genomic library, etc. The polynucleotide can be obtained from a cell or tissue (e.g., from an embryonic or adult tissues) at a particular stage of development, having a desired genotype, phenotype, disease status, etc.

- The polynucleotides described herein can be partial sequences that correspond to full-  
30 length, naturally-occurring transcripts. The present invention includes, as well, full-length polynucleotides that comprise these partial sequences, e.g., genomic DNAs and polynucleotides comprising a start and stop codon, a start codon and a polyA tail, a

transcription start and a polyA tail, etc. These sequences can be obtained by any suitable method, e.g., using a partial sequence as a probe to select a full-length cDNA from a library containing full-length inserts. A polynucleotide which "codes without interruption" refers to a polynucleotide having a continuous open reading frame ("ORF") as compared to an ORF which is interrupted by introns or other noncoding sequences.

Polynucleotides and polypeptides can be excluded as compositions from the present invention if, e.g., listed in a publicly available databases on the day this application was filed and/or disclosed in a patent application having an earlier filing or priority date than this application and/or conceived and/or reduced to practice earlier than a polynucleotide in this application.

As described herein, the phrase "an isolated polynucleotide which is SEQ ID NO," or "an isolated polynucleotide which is selected from SEQ ID NO," refers to an isolated nucleic acid molecule from which the recited sequence was derived (e.g., a cDNA derived from mRNA; cDNA derived from genomic DNA). Because of sequencing errors, typographical errors, etc., the actual naturally-occurring sequence may differ from a SEQ ID listed herein. Thus, the phrase indicates the specific molecule from which the sequence was derived, rather than a molecule having that exact recited nucleotide sequence, analogously to how a culture depository number refers to a specific cloned fragment in a cryotube.

As explained in more detail below, a polynucleotide sequence of the invention can contain the complete sequence as shown herein, degenerate sequences thereof, anti-sense, muteins thereof, genes comprising said sequences, full-length cDNAs comprising said sequences, complete genomic sequences, fragments thereof, homologs, primers, nucleic acid molecules which hybridize thereto, derivatives thereof, etc.

## Genomic

The present invention also relates genomic DNA from which the polynucleotides of the present invention can be derived. A genomic DNA coding for a human, mouse, or other mammalian polynucleotide, can be obtained routinely, for example, by screening a genomic library (e.g., a YAC library) with a polynucleotide of the present invention, or by searching nucleotide databases, such as GenBank and EMBL, for matches. Promoter and other regulatory regions (including both 5' and 3' regions, as well introns) can be identified

upstream or downstream of coding and expressed RNAs, and assayed routinely for activity, e.g., by joining to a reporter gene (e.g., CAT, GFP, alkaline phosphatase, luciferase, galactosidase). A promoter obtained from a tissue selective gene can be used, e.g., in gene therapy to obtain tissue-specific expression of a heterologous gene (e.g., coding for a therapeutic product or cytotoxin). 5' and 3' sequences (including, UTRs and introns) can be used to modulate or regulate stability, transcription, and translation of nucleic acids, including the sequence to which is attached in nature, as well as heterologous nucleic acids.

### Constructs

A polynucleotide of the present invention can comprise additional polynucleotide sequences, e.g., sequences to enhance expression, detection, uptake, cataloging, tagging, etc. A polynucleotide can include only coding sequence; a coding sequence and additional non-naturally occurring or heterologous coding sequence (e.g., sequences coding for leader, signal, secretory, targeting, enzymatic, fluorescent, antibiotic resistance, and other functional or diagnostic peptides); coding sequences and non-coding sequences, e.g., untranslated sequences at either a 5' or 3' end, or dispersed in the coding sequence, e.g., introns.

A polynucleotide according to the present invention also can comprise an expression control sequence operably linked to a polynucleotide as described above. The phrase "expression control sequence" means a polynucleotide sequence that regulates expression of a polypeptide coded for by a polynucleotide to which it is functionally ("operably") linked. Expression can be regulated at the level of the mRNA or polypeptide. Thus, the expression control sequence includes mRNA-related elements and protein-related elements. Such elements include promoters, enhancers (viral or cellular), ribosome binding sequences, transcriptional terminators, etc. An expression control sequence is operably linked to a nucleotide coding sequence when the expression control sequence is positioned in such a manner to effect or achieve expression of the coding sequence. For example, when a promoter is operably linked 5' to a coding sequence, expression of the coding sequence is driven by the promoter. Expression control sequences can include an initiation codon and additional nucleotides to place a partial nucleotide sequence of the present invention in-frame in order to produce a polypeptide (e.g., pET vectors from Promega have been designed to permit a molecule to be inserted into all three reading frames to identify the one that results

in polypeptide expression). Expression control sequences can be heterologous or endogenous to the normal gene.

A polynucleotide of the present invention can also comprise nucleic acid vector sequences, e.g., for cloning, expression, amplification, selection, etc. Any effective vector  
5 can be used. A vector is, e.g., a polynucleotide molecule which can replicate autonomously in a host cell, e.g., containing an origin of replication. Vectors can be useful to perform manipulations, to propagate, and/or obtain large quantities of the recombinant molecule in a desired host. A skilled worker can select a vector depending on the purpose desired, e.g., to propagate the recombinant molecule in bacteria, yeast, insect, or mammalian cells. The  
10 following vectors are provided by way of example. Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pBS, pD10, Phagescript, phiX174, pBK Phagemid, pNH8A, pNH16a, pNH18Z, pNH46A (Stratagene); Bluescript KS+II (Stratagene); ptrc99a, pKK223-3, pKK233-3, pDR54 0, pRIT5 (Pharmacia). Eukaryotic: PWLNEO, pSV2CAT, pOG44, pXT1, pSG (Stratagene), pSVK3, PBPV, PMSG, pSVL (Pharmacia), pCR2.1/TOPO, pCRII/TOPO,  
15 pCR4/TOPO, pTrcHisB, pCMV6-XL4, etc. However, any other vector, e.g., plasmids, viruses, or parts thereof, may be used as long as they are replicable and viable in the desired host. The vector can also comprise sequences which enable it to replicate in the host whose genome is to be modified.

## 20 Hybridization

Polynucleotide hybridization, as discussed in more detail below, is useful in a variety of applications, including, in gene detection methods, for identifying mutations, for making mutations, to identify homologs in the same and different species, to identify related members of the same gene family, in diagnostic and prognostic assays, in therapeutic  
25 applications (e.g., where an antisense polynucleotide is used to inhibit expression), etc.

The ability of two single-stranded polynucleotide preparations to hybridize together is a measure of their nucleotide sequence complementarity, e.g., base-pairing between nucleotides, such as A-T, G-C, etc. The invention thus also relates to polynucleotides, and their complements, which hybridize to a polynucleotide comprising a nucleotide sequence as  
30 set forth herein and genomic sequences thereof. A nucleotide sequence hybridizing to the latter sequence will have a complementary polynucleotide strand, or act as a template for one

in the presence of a polymerase (i.e., an appropriate polynucleotide synthesizing enzyme). The present invention includes both strands of polynucleotide, e.g., a sense strand and an anti-sense strand.

Hybridization conditions can be chosen to select polynucleotides which have a  
5 desired amount of nucleotide complementarity with the nucleotide sequences set forth in  
herein and genomic sequences thereof. A polynucleotide capable of hybridizing to such  
sequence, preferably, possesses, e.g., about 70%, 75%, 80%, 85%, 87%, 90%, 92%, 95%,  
97%, 99%, or 100% complementarity, between the sequences. The present invention  
particularly relates to polynucleotide sequences which hybridize to the nucleotide sequences  
10 set forth in the attached sequence disclosure or genomic sequences thereof, under low or high  
stringency conditions. These conditions can be used, e.g., to select corresponding homologs  
in non-human species.

Polynucleotides which hybridize to polynucleotides of the present invention can be  
selected in various ways. Filter-type blots (i.e., matrices containing polynucleotide, such as  
15 nitrocellulose), glass chips, and other matrices and substrates comprising polynucleotides  
(short or long) of interest, can be incubated in a prehybridization solution (e.g., 6X SSC,  
0.5% SDS, 100 µg/ml denatured salmon sperm DNA, 5X Denhardt's solution, and 50%  
formamide), at 22-68°C, overnight, and then hybridized with a detectable polynucleotide  
probe under conditions appropriate to achieve the desired stringency. In general, when high  
20 homology or sequence identity is desired, a high temperature can be used (e.g., 65 °C). As  
the homology drops, lower washing temperatures are used. For salt concentrations, the lower  
the salt concentration, the higher the stringency. The length of the probe is another  
consideration. Very short probes (e.g., less than 100 base pairs) are washed at lower  
temperatures, even if the homology is high. With short probes, formamide can be omitted.  
25 See, e.g., *Current Protocols in Molecular Biology*, Chapter 6, Screening of Recombinant  
Libraries; Sambrook et al., *Molecular Cloning*, 1989, Chapter 9.

For instance, high stringency conditions can be achieved by incubating the blot  
overnight (e.g., at least 12 hours) with a polynucleotide probe in a hybridization solution  
containing, e.g., about 5X SSC, 0.1-0.5% SDS, 100 µg/ml denatured salmon sperm DNA and  
30 50% formamide, at 42°C, or hybridizing at 42°C in 5X SSPE, 0.1-0.5% SDS, and 50%

formamide, 100 µg/ml denatured salmon sperm DNA, and washing at 65°C in 0.1% SSC and 0.1% SDS.

Blots can be washed at high stringency conditions that allow, e.g., for less than 5% bp mismatch (e.g., wash twice in 0.1% SSC and 0.1% SDS for 30 min at 65°C), i.e.,

5 selecting sequences having 95% or greater sequence identity.

Other non-limiting examples of high stringency conditions includes a final wash at 65°C in aqueous buffer containing 30 mM NaCl and 0.5% SDS. Another example of high stringent conditions is hybridization in 7% SDS, 0.5 M NaPO<sub>4</sub>, pH 7, 1 mM EDTA at 50°C, e.g., overnight, followed by one or more washes with a 1% SDS solution at 42°C.

10 Whereas high stringency washes can allow for, e.g., less than 10%, less than 5% mismatch, etc., reduced or low stringency conditions can permit up to 20% nucleotide mismatch.

Hybridization at low stringency can be accomplished as above, but using lower formamide conditions, lower temperatures and/or lower salt concentrations, as well as longer periods of incubation time.

15 Hybridization can also be based on a calculation of melting temperature (T<sub>m</sub>) of the hybrid formed between the probe and its target, as described in Sambrook et al.. Generally, the temperature T<sub>m</sub> at which a short oligonucleotide (containing 18 nucleotides or fewer) will melt from its target sequence is given by the following equation: T<sub>m</sub> = (number of A's and T's) x 2°C + (number of C's and G's) x 4°C. For longer molecules, T<sub>m</sub> = 81.5 + 16.6  
20 log<sub>10</sub>[Na<sup>+</sup>] + 0.41(%GC) - 600/N where [Na<sup>+</sup>] is the molar concentration of sodium ions, %GC is the percentage of GC base pairs in the probe, and N is the length. Hybridization can be carried out at several degrees below this temperature to ensure that the probe and target can hybridize. Mismatches can be allowed for by lowering the temperature even further.

Stringent conditions can be selected to isolate sequences, and their complements,  
25 which have, e.g., at least about 90%, 95%, or 97%, nucleotide complementarity between the probe (e.g., a short polynucleotide of the sequences disclosed herein or genomic sequences thereof) and a target polynucleotide.

Other homologs of polynucleotides of the present invention can be obtained from mammalian and non-mammalian sources according to various methods. For example,  
30 hybridization with a polynucleotide can be employed to select homologs, e.g., as described in Sambrook et al., *Molecular Cloning*, Chapter 11, 1989. Such homologs can have varying

amounts of nucleotide and amino acid sequence identity and similarity to such polynucleotides of the present invention. Mammalian organisms include, e.g., mice, rats, monkeys, pigs, cows, etc. Non-mammalian organisms include, e.g., vertebrates, invertebrates, zebra fish, chicken, *Drosophila*, *C. elegans*, *Xenopus*, yeast such as *S. pombe*, *S. cerevisiae*, roundworms, prokaryotes, plants, *Arabidopsis*, *artemia*, viruses, etc. The degree of nucleotide sequence identity between human and mouse can be about, e.g. 70% or more, 85% or more for open reading frames, etc.

### Alignment

Alignments can be accomplished by using any effective algorithm. For pairwise alignments of DNA sequences, the methods described by Wilbur-Lipman (e.g., Wilbur and Lipman, *Proc. Natl. Acad. Sci.*, 80:726-730, 1983) or Martinez/Needleman-Wunsch (e.g., Martinez, *Nucleic Acid Res.*, 11:4629-4634, 1983) can be used. For instance, if the Martinez/Needleman-Wunsch DNA alignment is applied, the minimum match can be set at 9, gap penalty at 1.10, and gap length penalty at 0.33. The results can be calculated as a similarity index, equal to the sum of the matching residues divided by the sum of all residues and gap characters, and then multiplied by 100 to express as a percent. Similarity index for related genes at the nucleotide level in accordance with the present invention can be greater than 70%, 80%, 85%, 90%, 95%, 99%, or more. Pairs of protein sequences can be aligned by the Lipman-Pearson method (e.g., Lipman and Pearson, *Science*, 227:1435-1441, 1985) with k-tuple set at 2, gap penalty set at 4, and gap length penalty set at 12. Results can be expressed as percent similarity index, where related genes at the amino acid level in accordance with the present invention can be greater than 65%, 70%, 75%, 80%, 85%, 90%, 95%, 99%, or more. Various commercial and free sources of alignment programs are available, e.g., MegAlign by DNA Star, BLAST (National Center for Biotechnology Information), BCM (Baylor College of Medicine) Launcher, etc. BLAST can be used to calculate amino acid sequence identity, amino acid sequence homology, and nucleotide sequence identity. These calculations can be made along the entire length of each of the target sequences which are to be compared.

After two sequences have been aligned, a "percent sequence identity" can be determined. For these purposes, it is convenient to refer to a Reference Sequence and a



Compared Sequence, where the Compared Sequence is *compared* to the Reference Sequence.

Percent sequence identity can be determined according to the following formula: Percent

Identity =  $100 [1 - (C/R)]$ ; wherein C is the number of differences between the Reference Sequence and the Compared Sequence over the length of alignment between the Reference

- 5 Sequence and the Compared Sequence where (i) each base or amino acid in the Reference Sequence that does not have a corresponding aligned base or amino acid in the Compared Sequence, (ii) each gap in the Reference Sequence, (iii) each aligned base or amino acid in the Reference Sequence that is different from an aligned base or amino acid in the Compared Sequence, constitutes a difference; and R is the number of bases or amino acids in the
- 10 Reference Sequence over the length of the alignment with the Compared Sequence with any gap created in the Reference Sequence also being counted as a base or amino acid.

Percent sequence identity can also be determined by other conventional methods, e.g., as described in Altschul et al., *Bull. Math. Bio.* 48: 603-616, 1986 and Henikoff and Henikoff, *Proc. Natl. Acad. Sci. USA* 89:10915-10919, 1992.

15

#### Specific polynucleotide probes

- A polynucleotide of the present invention can comprise any continuous nucleotide sequence described herein, sequences which share sequence identity thereto, or complements thereof. The term "probe" refers to any substance that can be used to detect, identify, isolate,
- 20 etc., another substance. A polynucleotide probe is comprised of nucleic acid can be used to detect, identify, etc., other nucleic acids, such as DNA and RNA.

- These polynucleotides can be of any desired size that is effective to achieve the specificity desired. For example, a probe can be from about 7 or 8 nucleotides to several thousand nucleotides, depending upon its use and purpose. For instance, a probe used as a
- 25 primer PCR can be shorter than a probe used in an ordered array of polynucleotide probes. Probe sizes vary, and the invention is not limited in any way by their size, e.g., probes can be from about 7-2000 nucleotides, 7-1000, 8-700, 8-600, 8-500, 8-400, 8-300, 8-150, 8-100, 8-75, 7-50, 10-25, 14-16, at least about 8, at least about 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, or more, etc. The polynucleotides can have non-naturally-occurring
- 30 nucleotides, e.g., inosine, AZT, 3TC, etc. The polynucleotides can have 100% sequence identity or complementarity to a sequence disclosed herein, or it can have mismatches or

nucleotide substitutions, e.g., 1, 2, 3, 4, or 5 substitutions. The probes can be single-stranded or double-stranded.

In accordance with the present invention, a polynucleotide can be present in a kit, where the kit includes, e.g., one or more polynucleotides, a desired buffer (e.g., phosphate, tris, etc.), detection compositions, RNA or cDNA from different tissues to be used as controls, libraries, etc. The polynucleotide can be labeled or unlabeled, with radioactive or non-radioactive labels as known in the art. Kits can comprise one or more pairs of polynucleotides for amplifying nucleic acids specific for tissue selective genes, e.g., comprising a forward and reverse primer effective in PCR. These include both sense and anti-sense orientations. For instance, in PCR-based methods (such as RT-PCR), a pair of primers are typically used, one having a sense sequence and the other having an antisense sequence.

Another aspect of the present invention is a nucleotide sequence that is specific to, or for, a selective polynucleotide. The phrases "specific for" or "specific to" a polynucleotide have a functional meaning that the polynucleotide can be used to identify the presence of one or more target genes in a sample and distinguish them from non-target genes. It is specific in the sense that it can be used to detect polynucleotides above background noise ("non-specific binding"). A specific sequence is a defined order of nucleotides (or amino acid sequences, if it is a polypeptide sequence) which occurs in the polynucleotide, e.g., in the nucleotide sequences of the present invention, and which is characteristic of that target sequence, and substantially no non-target sequences. A probe or mixture of probes can comprise a sequence or sequences that are specific to a plurality of target sequences, e.g., where the sequence is a consensus sequence, a functional domain, etc., e.g., capable of recognizing a family of related genes. Such sequences can be used as probes in any of the methods described herein or incorporated by reference. Both sense and antisense nucleotide sequences are included. A specific polynucleotide according to the present invention can be determined routinely.

A polynucleotide comprising a specific sequence can be used as a hybridization probe to identify the presence of, e.g., human or mouse polynucleotide, in a sample comprising a mixture of polynucleotides, e.g., on a Northern blot. Hybridization can be performed under high stringent conditions (see, above) to select polynucleotides (and their complements which

can contain the coding sequence) having at least 90%, 95%, 99%, etc., identity (i.e., complementarity) to the probe, but less stringent conditions can also be used. A specific polynucleotide sequence can also be fused in-frame, at either its 5' or 3' end, to various nucleotide sequences as mentioned throughout the patent, including coding sequences for enzymes, detectable markers, GFP, etc, expression control sequences, etc.

A polynucleotide probe, especially one that is specific to a polynucleotide of the present invention, can be used in gene detection and hybridization methods as already described. In one embodiment, a specific polynucleotide probe can be used to detect whether a particular tissue or cell-type is present in a target sample. To carry out such a method, a selective polynucleotide can be chosen which is characteristic of the desired target tissue. Such polynucleotide is preferably chosen so that it is expressed or displayed in the target tissue, but not in other tissues which are present in the sample. For instance, if detection of pancreas, or kidney, it may not matter whether the selective polynucleotide is expressed in other tissues, as long as it is not expressed in cells normally present in blood, e.g., peripheral blood mononuclear cells. Starting from the selective polynucleotide, a specific polynucleotide probe can be designed which hybridizes (if hybridization is the basis of the assay) under the hybridization conditions to the selective polynucleotide, whereby the presence of the selective polynucleotide can be determined.

Probes which are specific for polynucleotides of the present invention can also be prepared using involve transcription-based systems, e.g., incorporating an RNA polymerase promoter into a selective polynucleotide of the present invention, and then transcribing anti-sense RNA using the polynucleotide as a template. See, e.g., U.S. Pat. No. 5,545,522.

#### Polynucleotide composition

A polynucleotide according to the present invention can comprise, e.g., DNA, RNA, synthetic polynucleotide, peptide polynucleotide, modified nucleotides, dsDNA, ssDNA, ssRNA, dsRNA, and mixtures thereof. A polynucleotide can be single- or double-stranded, triplex, DNA:RNA, duplexes, comprise hairpins, and other secondary structures, etc. Nucleotides comprising a polynucleotide can be joined via various known linkages, e.g., ester, sulfamate, sulfamide, phosphorothioate, phosphoramidate, methylphosphonate, carbamate, etc., depending on the desired purpose, e.g., resistance to nucleases, such as

RNAse H, improved in vivo stability, etc. See, e.g., U.S. Pat. No. 5,378,825. Any desired nucleotide or nucleotide analog can be incorporated, e.g., 6-mercaptopguanine, 8-oxo-guanine, etc.

Various modifications can be made to the polynucleotides, such as attaching  
5 detectable markers (avidin, biotin, radioactive elements, fluorescent tags and dyes, energy transfer labels, energy-emitting labels, binding partners, etc.) or moieties which improve hybridization, detection, and/or stability. The polynucleotides can also be attached to solid supports, e.g., nitrocellulose, magnetic or paramagnetic microspheres (e.g., as described in U.S. Pat. No. 5,411,863; U.S. Pat. No. 5,543,289; for instance, comprising ferromagnetic,  
10 supermagnetic, paramagnetic, superparamagnetic, iron oxide and polysaccharide), nylon, agarose, diazotized cellulose, latex solid microspheres, polyacrylamides, etc., according to a desired method. See, e.g., U.S. Pat. Nos. 5,470,967, 5,476,925, and 5,478,893.

Polynucleotide according to the present invention can be labeled according to any desired method. The polynucleotide can be labeled using radioactive tracers such as  $^{32}\text{P}$ ,  $^{35}\text{S}$ ,  
15  $^3\text{H}$ , or  $^{14}\text{C}$ , to mention some commonly used tracers. The radioactive labeling can be carried out according to any method, such as, for example, terminal labeling at the 3' or 5' end using a radiolabeled nucleotide, polynucleotide kinase (with or without dephosphorylation with a phosphatase) or a ligase (depending on the end to be labeled). A non-radioactive labeling can also be used, combining a polynucleotide of the present invention with residues having  
20 immunological properties (antigens, haptens), a specific affinity for certain reagents (ligands), properties enabling detectable enzyme reactions to be completed (enzymes or coenzymes, enzyme substrates, or other substances involved in an enzymatic reaction), or characteristic physical properties, such as fluorescence or the emission or absorption of light at a desired wavelength, etc.

#### 25 Nucleic acid detection methods

Another aspect of the present invention relates to methods and processes for detecting tissue selective genes. Detection methods have a variety of applications, including for diagnostic, prognostic, forensic, and research applications. To accomplish gene detection, a  
30 polynucleotide in accordance with the present invention can be used as a "probe." The term "probe" or "polynucleotide probe" has its customary meaning in the art, e.g., a polynucleotide

which is effective to identify (e.g., by hybridization), when used in an appropriate process, the presence of a target polynucleotide to which it is designed. Identification can involve simply determining presence or absence, or it can be quantitative, e.g., in assessing amounts of a gene or gene transcript present in a sample. Probes can be useful in a variety of ways, such as for diagnostic purposes, to identify homologs, and to detect, quantitate, or isolate a polynucleotide of the present invention in a test sample.

Assays can be utilized which permit quantification and/or presence/absence detection of a target nucleic acid in a sample. Assays can be performed at the single-cell level, or in a sample comprising many cells, where the assay is "averaging" expression over the entire collection of cells and tissue present in the sample. Any suitable assay format can be used, including, but not limited to, e.g., Southern blot analysis, Northern blot analysis, polymerase chain reaction ("PCR") (e.g., Saiki et al., *Science*, 241:53, 1988; U.S. Pat. Nos. 4,683,195, 4,683,202, and 6,040,166; *PCR Protocols: A Guide to Methods and Applications*, Innis et al., eds., Academic Press, New York, 1990), reverse transcriptase polymerase chain reaction ("RT-PCR"), anchored PCR, rapid amplification of cDNA ends ("RACE") (e.g., Schaefer in *Gene Cloning and Analysis: Current Innovations*, Pages 99-115, 1997), ligase chain reaction ("LCR") (EP 320 308), one-sided PCR (Ohara et al., *Proc. Natl. Acad. Sci.*, 86:5673-5677, 1989), indexing methods (e.g., U.S. Pat. No. 5,508,169), *in situ* hybridization, differential display (e.g., Liang et al., *Nucl. Acid. Res.*, 21:3269-3275, 1993; U.S. Pat. Nos. 5,262,311, 5,599,672 and 5,965,409; WO97/18454; Prashar and Weissman, *Proc. Natl. Acad. Sci.*, 93:659-663, and U.S. Pat. Nos. 6,010,850 and 5,712,126; Welsh et al., *Nucleic Acid Res.*, 20:4965-4970, 1992, and U.S. Pat. No. 5,487,985) and other RNA fingerprinting techniques, nucleic acid sequence based amplification ("NASBA") and other transcription based amplification systems (e.g., U.S. Pat. Nos. 5,409,818 and 5,554,527; WO 88/10315), polynucleotide arrays (e.g., U.S. Pat. Nos. 5,143,854, 5,424,186; 5,700,637, 5,874,219, and 6,054,270; PCT WO 92/10092; PCT WO 90/15070), Qbeta Replicase (PCT/US87/00880), Strand Displacement Amplification ("SDA"), Repair Chain Reaction ("RCR"), nuclease protection assays, subtraction-based methods, Rapid-Scan™; etc. Additional useful methods include, but are not limited to, e.g., template-based amplification methods, competitive PCR (e.g., U.S. Pat. No. 5,747,251), redox-based assays (e.g., U.S. Pat. No. 5,871,918), Taqman-based assays (e.g., Holland et al., *Proc. Natl. Acad. Sci.*, 88:7276-7280, 1991; U.S. Pat. Nos.

5,210,015 and 5,994,063), real-time fluorescence-based monitoring (e.g., U.S. Pat. 5,928,907), molecular energy transfer labels (e.g., U.S. Pat. Nos. 5,348,853, 5,532,129, 5,565,322, 6,030,787, and 6,117,635; Tyagi and Kramer, *Nature Biotech.*, 14:303-309, 1996). Any method suitable for single cell analysis of gene or protein expression can be used, including in situ hybridization, immunocytochemistry, MACS, FACS, flow cytometry, etc. For single cell assays, expression products can be measured using antibodies, PCR, or other types of nucleic acid amplification (e.g., Brady et al., *Methods Mol. & Cell. Biol.* 2, 17-25, 1990; Eberwine et al., 1992, *Proc. Natl. Acad. Sci.*, 89, 3010-3014, 1992; U.S. Pat. No. 5,723,290). These and other methods can be carried out conventionally, e.g., as described in the mentioned publications.

Many of such methods may require that the polynucleotide is labeled, or comprises a particular nucleotide type useful for detection. The present invention includes such modified polynucleotides that are necessary to carry out such methods. Thus, polynucleotides can be DNA, RNA, DNA:RNA hybrids, PNA, etc., and can comprise any modification or substituent which is effective to achieve detection.

Detection can be desirable for a variety of different purposes, including research, diagnostic, prognostic, and forensic. For diagnostic purposes, it may be desirable to identify the presence or quantity of a polynucleotide sequence in a sample, where the sample is obtained from tissue, cells, body fluids, etc. In a preferred method as described in more detail below, the present invention relates to a method of detecting a polynucleotide comprising, contacting a target polynucleotide in a test sample with a polynucleotide probe under conditions effective to achieve hybridization between the target and probe; and detecting hybridization.

Any test sample in which it is desired to identify a polynucleotide or polypeptide thereof can be used, including, e.g., blood, urine, saliva, stool (for extracting nucleic acid, see, e.g., U.S. Pat. No. 6,177,251), swabs comprising tissue, biopsied tissue, tissue sections, cultured cells, etc.

Detection can be accomplished in combination with polynucleotide probes for other genes, e.g., genes which are expressed in other disease states, tissues, cells, such as brain, heart, kidney, spleen, thymus, liver, stomach, small intestine, colon, muscle, lung, testis, placenta, pituitary, thyroid, skin, adrenal gland, pancreas, salivary gland, uterus, ovary,

prostate gland, peripheral blood cells (T-cells, lymphocytes, etc.), embryo, breast, fat, adult and embryonic stem cells, etc.

Polynucleotides can be used in wide range of methods and compositions, including for detecting, diagnosing, staging, grading, assessing, prognosticating, etc. diseases and disorders associated with tissue selective genes, for monitoring or assessing therapeutic and/or preventative measures, in ordered arrays, etc. Any method of detecting genes and polynucleotides can be used; certainly, the present invention is not to be limited how such methods are implemented.

Along these lines, the present invention relates to methods of detecting polynucleotides of the present invention in a sample comprising nucleic acid. Such methods can comprise one or more the following steps in any effective order, e.g., contacting said sample with a polynucleotide probe under conditions effective for said probe to hybridize specifically to nucleic acid in said sample, and detecting the presence or absence of probe hybridized to nucleic acid in said sample, wherein said probe is a polynucleotide which is described herein, a polynucleotide having, e.g., about 70%, 80%, 85%, 90%, 95%, 99%, or more sequence identity thereto, effective or specific fragments thereof, or complements thereto. The detection method can be applied to any sample, e.g., cultured primary, secondary, or established cell lines, tissue biopsy, blood, urine, stool, cerebral spinal fluid, and other bodily fluids, for any purpose.

Contacting the sample with probe can be carried out by any effective means in any effective environment. It can be accomplished in a solid, liquid, frozen, gaseous, amorphous, solidified, coagulated, colloid, etc., mixtures thereof, matrix. For instance, a probe in an aqueous medium can be contacted with a sample which is also in an aqueous medium, or which is affixed to a solid matrix, or vice-versa.

Generally, as used throughout the specification, the term "effective conditions" means, e.g., the particular milieu in which the desired effect is achieved. Such a milieu, includes, e.g., appropriate buffers, oxidizing agents, reducing agents, pH, co-factors, temperature, ion concentrations, suitable age and/or stage of cell (such as, in particular part of the cell cycle, or at a particular stage where particular genes are being expressed) where cells are being used, culture conditions (including substrate, oxygen, carbon dioxide, etc.). When hybridization is the chosen means of achieving detection, the probe and sample can be

combined such that the resulting conditions are functional for said probe to hybridize specifically to nucleic acid in said sample.

The phrase "hybridize specifically" indicates that the hybridization between single-stranded polynucleotides is based on nucleotide sequence complementarity. The effective  
5 conditions are selected such that the probe hybridizes to a preselected and/or definite target nucleic acid in the sample. For instance, if detection of a polynucleotide set forth herein is desired, a probe can be selected which can hybridize to such target gene under high stringent conditions, without significant hybridization to other genes in the sample. To detect  
10 homologs of a polynucleotide set forth in herein, the effective hybridization conditions can be less stringent, and/or the probe can comprise codon degeneracy, such that a homolog is detected in the sample.

As already mentioned, the methods can be carried out by any effective process, e.g., by Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, *in situ* hybridization, etc., as indicated above. When PCR based techniques are  
15 used, two or more probes are generally used. One probe can be specific for a defined sequence which is characteristic of a selective polynucleotide, but the other probe can be specific for the selective polynucleotide, or specific for a more general sequence, e.g., a sequence such as polyA which is characteristic of mRNA, a sequence which is specific for a promoter, ribosome binding site, or other transcriptional features, a consensus sequence (e.g.,  
20 representing a functional domain). For the former aspects, 5' and 3' probes (e.g., polyA, Kozak, etc.) are preferred which are capable of specifically hybridizing to the ends of transcripts. When PCR is utilized, the probes can also be referred to as "primers" in that they can prime a DNA polymerase reaction.

In addition to testing for the presence or absence of polynucleotides, the present  
25 invention also relates to determining the amounts at which polynucleotides of the present invention are expressed in sample and determining the differential expression of such polynucleotides in samples. Such methods can involve substantially the same steps as described above for presence/absence detection, e.g., contacting with probe, hybridizing, and detecting hybridized probe, but using more quantitative methods and/or comparisons to  
30 standards.



The amount of hybridization between the probe and target can be determined by any suitable methods, e.g., PCR, RT-PCR, RACE PCR, Northern blot, polynucleotide microarrays, Rapid-Scan, etc., and includes both quantitative and qualitative measurements. For further details, see the hybridization methods described above and below. Determining by such hybridization whether the target is differentially expressed (e.g., up-regulated or down-regulated) in the sample can also be accomplished by any effective means. For instance, the target's expression pattern in the sample can be compared to its pattern in a known standard, such as in a normal tissue, or it can be compared to another gene in the same sample. When a second sample is utilized for the comparison, it can be a sample of normal tissue that is known not to contain diseased cells. The comparison can be performed on samples which contain the same amount of RNA (such as polyadenylated RNA or total RNA), or, on RNA extracted from the same amounts of starting tissue. Such a second sample can also be referred to as a control or standard. Hybridization can also be compared to a second target in the same tissue sample. Experiments can be performed that determine a ratio between the target nucleic acid and a second nucleic acid (a standard or control), e.g., in a normal tissue. When the ratio between the target and control are substantially the same in a normal and sample, the sample is determined or diagnosed not to contain cells. However, if the ratio is different between the normal and sample tissues, the sample is determined to contain, e.g., kidney, pancreas, or immune cells. The approaches can be combined, and one or more second samples, or second targets can be used. Any second target nucleic acid can be used as a comparison, including "housekeeping" genes, such as beta-actin, alcohol dehydrogenase, or any other gene whose expression does not vary depending upon the disease status of the cell.

25 Methods of identifying polymorphisms, mutations, etc.

Polynucleotides of the present invention can also be utilized to identify mutant alleles, SNPs, gene rearrangements and modifications, and other polymorphisms of the wild-type gene. Mutant alleles, polymorphisms, SNPs, etc., can be identified and isolated from subjects with diseases that are known, or suspected to have, a genetic component.

30 Identification of such genes can be carried out routinely (see, above for more guidance), e.g., using PCR, hybridization techniques, direct sequencing, mismatch reactions (see, e.g.,

above), RFLP analysis, SSCP (e.g., Orita et al., *Proc. Natl. Acad. Sci.*, 86:2766, 1992), etc., where a polynucleotide having a sequence selected from the polynucleotides of the present invention is used as a probe. The selected mutant alleles, SNPs, polymorphisms, etc., can be used diagnostically to determine whether a subject has, or is susceptible to a disorder associated with tissue selective genes disclosed herein, as well as to design therapies and predict the outcome of the disorder. Methods involve, e.g., diagnosing a disorder or determining susceptibility to a disorder, comprising, detecting the presence of a mutation in a gene represented by a polynucleotide selected from the sequences disclosed herein. The detecting can be carried out by any effective method, e.g., obtaining cells from a subject, determining the gene sequence or structure of a target gene (using, e.g., mRNA, cDNA, genomic DNA, etc), comparing the sequence or structure of the target gene to the structure of the normal gene, whereby a difference in sequence or structure indicates a mutation in the gene in the subject. Polynucleotides can also be used to test for mutations, SNPs, polymorphisms, etc., e.g., using mismatch DNA repair technology as described in U.S. Pat. No. 5,683,877; U.S. Pat. No. 5,656,430; Wu et al., *Proc. Natl. Acad. Sci.*, 89:8779-8783, 1992.

The present invention also relates to methods of detecting polymorphisms in tissue selective genes, comprising, e.g., comparing the structure of: genomic DNA comprising all or part of a tissue selective gene, mRNA comprising all or part of a tissue selective gene, cDNA comprising all or part of a tissue selective gene, or a polypeptide comprising all or part of a tissue selective gene, with the structure the polynucleotides set forth herein. The methods can be carried out on a sample from any source, e.g., cells, tissues, body fluids, blood, urine, stool, hair, egg, sperm, cerebral spinal fluid, biopsy samples, serum, etc.

These methods can be implemented in many different ways. For example, "comparing the structure" steps include, but are not limited to, comparing restriction maps, nucleotide sequences, amino acid sequences, RFLPs, Dnase sites, DNA methylation fingerprints (e.g., U.S. Pat. No. 6,214,556), protein cleavage sites, molecular weights, electrophoretic mobilities, charges, ion mobility, etc., between standard and a test genes. The term "structure" can refer to any physical characteristics or configurations which can be used to distinguish between nucleic acids and polypeptides. The methods and instruments used to accomplish the comparing step depends upon the physical characteristics which are to be

compared. Thus, various techniques are contemplated, including, e.g., sequencing machines (both amino acid and polynucleotide); electrophoresis, mass spectrometer (U.S. Pat. Nos. 6,093,541, 6,002,127), liquid chromatography, HPLC, etc.

To carry out such methods, "all or part" of the gene or polypeptide can be compared.

- 5 For example, if nucleotide sequencing is utilized, the entire gene can be sequenced, including promoter, introns, and exons, or only parts of it can be sequenced and compared, e.g., exon 1, exon 2, etc.

### Mutagenesis

- 10 Mutated polynucleotide sequences of the present invention are useful for various purposes, e.g., to create mutations of the polypeptides they encode, to identify functional regions of genomic DNA, to produce probes for screening libraries, etc. Mutagenesis can be carried out routinely according to any effective method, e.g., oligonucleotide-directed (Smith, M., *Ann. Rev. Genet.* 19:423-463, 1985), degenerate oligonucleotide-directed (Hill et al.,  
15 *Method Enzymology*, 155:558-568, 1987), region-specific (Myers et al., *Science*, 229:242-246, 1985; Derbyshire et al., *Gene*, 46:145, 1986; Ner et al., *DNA*, 7:127, 1988), linker-scanning (McKnight and Kingsbury, *Science*, 217:316-324, 1982), directed using PCR, recursive ensemble mutagenesis (Arkin and Yourvan, *Proc. Natl. Acad. Sci.*, 89:7811-7815, 1992), random mutagenesis (e.g., U.S. Pat. Nos. 5,096,815; 5,198,346; and 5,223,409), site-  
20 directed mutagenesis (e.g., Walder et al., *Gene*, 42:133, 1986; Bauer et al., *Gene*, 37:73, 1985; Craik, *Bio Techniques*, January 1985, 12-19; Smith et al., *Genetic Engineering: Principles and Methods*, Plenum Press, 1981), phage display (e.g., Lowman et al., *Biochem.* 30:10832-10837, 1991; Ladner et al., U.S. Pat. No. 5,223,409; Huse, WIPO Publication WO 92/06204), etc. Desired sequences can also be produced by the assembly of target sequences  
25 using mutually priming oligonucleotides (Uhlmann, *Gene*, 71:29-40, 1988). For directed mutagenesis methods, analysis of the three-dimensional structure of the polypeptide can be used to guide and facilitate making mutants which effect polypeptide activity. Sites of substrate-enzyme interaction or other biological activities can also be determined by analysis of crystal structure as determined by such techniques as nuclear magnetic resonance,  
30 crystallography or photoaffinity labeling. See, for example, de Vos et al., *Science* 255:306-312, 1992; Smith et al., *J. Mol. Biol.* 224:899-904, 1992; Wlodaver et al., *FEBS Lett.*

309:59-64, 1992.

In addition, libraries of genes and fragments thereof can be used for screening and selection of genes variants. For instance, a library of coding sequences can be generated by treating a double-stranded DNA with a nuclease under conditions where the nicking occurs, e.g., only once per molecule, denaturing the double-stranded DNA, renaturing it to for double-stranded DNA that can include sense/antisense pairs from different nicked products, removing single-stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting DNAs into an expression vector. By this method, expression libraries can be made comprising "mutagenized" tissue selective genes. The entire coding sequence or parts thereof can be used.

Polynucleotide expression, polypeptides produced thereby, and specific-binding partners thereto.

A polynucleotide according to the present invention can be expressed in a variety of different systems, in vitro and in vivo, according to the desired purpose. For example, a polynucleotide can be inserted into an expression vector, introduced into a desired host, and cultured under conditions effective to achieve expression of a polypeptide coded for by the polynucleotide, to search for specific binding partners. Effective conditions include any culture conditions which are suitable for achieving production of the polypeptide by the host cell, including effective temperatures, pH, medium, additives to the media in which the host cell is cultured (e.g., additives which amplify or induce expression such as butyrate, or methotrexate if the coding polynucleotide is adjacent to a dhfr gene), cycloheximide, cell densities, culture dishes, etc. A polynucleotide can be introduced into the cell by any effective method including, e.g., naked DNA, calcium phosphate precipitation, electroporation, injection, DEAE-Dextran mediated transfection, fusion with liposomes, association with agents which enhance its uptake into cells, viral transfection. A cell into which a polynucleotide of the present invention has been introduced is a transformed host cell. The polynucleotide can be extrachromosomal or integrated into a chromosome(s) of the host cell. It can be stable or transient. An expression vector is selected for its compatibility with the host cell. Host cells include, mammalian cells, e.g., COS, CV1, BHK, CHO, HeLa, LTK, NIH 3T3, insect cells, such as Sf9 (*S. frugipeda*) and *Drosophila*, bacteria, such as *E.*

coli, Streptococcus, bacillus, yeast, such as *Sacharomyces*, *S. cerevisiae*, fungal cells, plant cells, embryonic or adult stem cells (e.g., mammalian, such as mouse or human),

immune system cell lines, HH (ATCC CRL 2105), MOLT-4 (ATCC CRL 1582), MJ (ATCC CRL-8294), SK7 (ATCC HB-8584), SK8 (ATCC HB-8585), HM1 (HB-8586), H9

5 (ATCC HTB-176), HuT 78 (ATCC TIB-161), HuT 102 (ATCC TIB-162), Jurkat,

B-cell lines, B-cell precursor lines, NALM-36, B-cell and other lymphocyte lines: immortalized with Epstein-Barr virus (transformed B lymphoblastoid), stromal cell lines, myelomas, HBM-Noda, WEHI231,

reticuloendothelial cells, endothelial cells, white blood cells, macrophages, antigen-  
10 resending cells, lymphocytes, GDM-1 (ATCC CRL-2627), THP-1 (ATCC TIB-202), HL-60 (ATCC CCL-240), and derivatives thereof, including primary and established cell lines thereof,

kidney cell lines, 293, G-402 (ATCC CRL-1440), ACHN (ATCC CRL-1611), Vero (ATCC CCL-81), 786-O (ATCC CRL-1932), 769-P (ATCC CRL-1933), CCD 1103 KIDTr  
15 (ATCC CRL-2304), CCD 1105 KIDTr (ATCC CRL-2305), Hs 835.T (ATCC CRL-7569), Hs 926.T (ATCC CRL-7678), Caki-1 (ATCC HTB-46), Caki-2 (ATCC HTB-47), SW 839 (ATCC HTB-49), LLC-MK2 (ATCC CCL-7), BHK-21 (ATCC CCL-10), MDCK, CV-1, (ATCC CRL-1573), KNRK (ATCC CRL-1569), NRK-49F (ATCC CRL-1570), A-704 (ATCC HTB-45), etc., established and primary kidney cells,

20 pancreas cell lines, , insulinoma cell lines, INS-H1, MIN6N8, RIN 1046-38, RIN-5AH, RIN-A12, RINm5F, capan-1, capan-2, MIA PaCa-2 (ATCC CRL-1420), PANC-1 (ATCC CRL-1469), AsPC-1 (ATCC CRL-1682), SU-86.86 (ATCC CRL-1837), CFPAC-1 (ATCC CRL-1918), HPAF-II (ATCC CRL-1937), TGP61 (ATCC CRL-2135) and other TGP lines, SW 1990 (ATCC CRL-2172), Mpanc-96 (ATCC CRL-2380), MS1 VEGF  
25 (ATCC CRL-2460), Beta-TC-6 (ATCC CRL-11506), LTPA (ATCC CRL-2389), 266-6 (ATCC CRL-2151), MS1 (ATCC CRL-2779), SVR (ATCC CRL-2280), NIT-2 (ATCC CRL-2364), alphaTC1 Clone 9 (ATCC CRL-2350), ATCC CRL-1492, BxPC-3 (ATCC CRL-1687), HPAC (ATCC CRL-2119), U.S. Pat. Nos. 6,110,743, 5,928,942, 5,888,816, 5,888,705, and 5,723,333, etc., established and primary pancreas cells (e.g., according to  
30 Hellerstrom et al., *Diabetes*, 28:769-76, 1979),

retinal cell lines, RF/6A (CRL 1780), ARPE-19 (CRL-2302), ARPE-19/HPV-16 (CRL-2502), Y79 (HTB-18), WERI-Rb-1 (HTB-169), RPE-J (CRL-2240), SO-Rb50 (retinoblastoma cell line), RBL, HER-Xho1-CC2, WERI-Rb24 (Sery et al., *J. Pediatr. Ophthalmol. Strabismus*, 4:212-217, 1990), WERI-Rb27 (Sery et al., *J. Pediatr. Ophthalmol. Strabismus*, 4:212-217, 1990), HXO-Rb44, fetal retina cells, retinoblastoma cells, choroidal endothelial cells (e.g., Chor 55), etc., established and primary retinal cells (For other cell lines and methods thereof, see, also, Griege et al, *Differentiation*, 45:250-7, 1990; Bernstein et al., *Invest. Ophthalmol. Vis. Sci.*, 35:3931-3937, 1994; Howes et al., *Invest. Ophthalmol. Vis. Sci.*, 35:342-351, 1994).

10 Expression control sequences are similarly selected for host compatibility and a desired purpose, e.g., high copy number, high amounts, induction, amplification, controlled expression. Other sequences which can be employed include enhancers such as from SV40, CMV, RSV, inducible promoters, cell-type specific elements, or sequences which allow selective or specific cell expression. Promoters that can be used to drive its expression, include, e.g., the endogenous promoter, MMTV, SV40, trp, lac, tac, or T7 promoters for  
15 bacterial hosts; or alpha factor, alcohol oxidase, or PGH promoters for yeast. RNA promoters can be used to produced RNA transcripts, such as T7 or SP6. See, e.g., Melton et al., *Polynucleotide Res.*, 12(18):7035-7056, 1984; Dunn and Studier. *J. Mol. Bio.*, 166:477-435, 1984; U.S. Pat. No. 5,891,636; Studier et al., *Gene Expression Technology, Methods in*  
20 *Enzymology*, 85:60-89, 1987. In addition, as discussed above, translational signals (including in-frame insertions) can be included.

When a polynucleotide is expressed as a heterologous gene in a transfected cell line, the gene is introduced into a cell as described above, under effective conditions in which the gene is expressed. The term "heterologous" means that the gene has been introduced into the  
25 cell line by the "hand-of-man." Introduction of a gene into a cell line is discussed above. The transfected (or transformed) cell expressing the gene can be lysed or the cell line can be used intact.

For expression and other purposes, a polynucleotide can contain codons found in a naturally-occurring gene, transcript, or cDNA, for example, e.g., as set forth in herein or it  
30 can contain degenerate codons coding for the same amino acid sequences. For instance,

it may be desirable to change the codons in the sequence to optimize the sequence for expression in a desired host. See, e.g., U.S. Pat. Nos. 5,567,600 and 5,567,862.

A polypeptide according to the present invention can be recovered from natural sources, transformed host cells (culture medium or cells) according to the usual methods, including, detergent extraction (e.g., non-ionic detergent, Triton X-100, CHAPS, octylglucoside, Igepal CA-630), ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, hydroxyapatite chromatography, lectin chromatography, gel electrophoresis. Protein refolding steps can be used, as necessary, in completing the configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for purification steps. Another approach is express the polypeptide recombinantly with an affinity tag (Flag epitope, HA epitope, myc epitope, 6xHis, maltose binding protein, chitinase, etc) and then purify by anti-tag antibody-conjugated affinity chromatography.

The present invention also relates to specific-binding partners. These include antibodies which are specific for polypeptides encoded by polynucleotides of the present invention, as well as other binding-partners which interact with polynucleotides and polypeptides of the present invention. Protein-protein interactions between polypeptides and binding partners can be identified using any suitable methods, e.g., protein binding assays (e.g., filtration assays, chromatography, etc.), yeast two-hybrid system (Fields and Song, *Nature*, 340: 245-247, 1989), protein arrays, gel-shift assays, FRET (fluorescence resonance energy transfer) assays, etc. Nucleic acid interactions (e.g., protein-DNA or protein-RNA) can be assessed using gel-shift assays, e.g., as carried out in U.S. Pat. No. 6,333,407 and 5,789,538.

Antibodies, e.g., polyclonal, monoclonal, recombinant, chimeric, humanized, single-chain, Fab, and fragments thereof, can be prepared according to any desired method. Antibodies, and immune responses, can also be generated by administering naked DNA See, e.g., U.S. Pat. Nos. 5,703,055; 5,589,466; 5,580,859. Antibodies can be used from any source, including, goat, rabbit, mouse, chicken (e.g., IgY; see, Duan, WO/029444 for methods of making antibodies in avian hosts, and harvesting the antibodies from the eggs). An antibody specific for a polypeptide means that the antibody recognizes a defined sequence of

amino acids within or including the polypeptide. Other specific binding partners include, e.g., aptamers and PNA. Antibodies can be prepared against specific epitopes or domains.

Antibodies can also be humanized, e.g., where they are to be used therapeutically. Methods for obtaining human antibodies, e.g., from transgenic mice are described, e.g., in Green et al., *Nature Genet.* 7:13 (1994); Lonberg et al., *Nature* 368:856 (1994); and Taylor et al., *Int. Immunol.* 6:579 (1994). Antibody fragments of the present invention can be prepared by any suitable method, Fab and Fc fragments. single-chain antibodies can also be used. Another form of an antibody fragment is a peptide coding for a single complementarity-determining region (CDR). CDR peptides ("minimal recognition units") can be obtained by constructing genes encoding the CDR of an antibody of interest.

The term "antibody" as used herein includes intact molecules as well as fragments thereof, such as Fab, F(ab')<sub>2</sub>, and Fv which are capable of binding to an epitopic determinant present in Bin1 polypeptide. Such antibody fragments retain some ability to selectively bind with its antigen or receptor. The term "epitope" refers to an antigenic determinant on an antigen to which the paratope of an antibody binds. Epitopic determinants usually consist of chemically active surface groupings of molecules such as amino acids or sugar side chains and usually have specific three dimensional structural characteristics, as well as specific charge characteristics. Antibodies can be prepared against specific epitopes or polypeptide domains.

Antibodies which bind to polypeptides of the present invention can be prepared using an intact polypeptide or fragments containing small peptides of interest as the immunizing antigen. For example, it may be desirable to produce antibodies that specifically bind to the N- or C-terminal domains of the tissue selective polypeptides of the present invention. The polypeptide or peptide used to immunize an animal which is derived from translated cDNA or chemically synthesized which can be conjugated to a carrier protein, if desired. Such commonly used carriers which are chemically coupled to the immunizing peptide include keyhole limpet hemocyanin (KLH), thyroglobulin, bovine serum albumin (BSA), and tetanus toxoid.

Methods of detecting polypeptides



Polypeptides coded for by genes of the present invention can be detected, visualized, determined, quantitated, etc. according to any effective method. useful methods include, e.g., but are not limited to, immunoassays, RIA (radioimmunassay), ELISA, (enzyme-linked-immunosorbent assay), immunofluorescence, flow cytometry, histology, electron microscopy,  
5 light microscopy, in situ assays, immunoprecipitation, Western blot, etc.

Immunoassays may be carried in liquid or on biological support. For instance, a sample (e.g., blood, serum, stool, urine, cells, tissue, cerebral spinal fluid, body fluids, etc.) can be brought in contact with and immobilized onto a solid phase support or carrier such as nitrocellulose, or other solid support that is capable of immobilizing cells, cell particles or  
10 soluble proteins. The support may then be washed with suitable buffers followed by treatment with the detectably labeled specific antibody. The solid phase support can then be washed with a buffer a second time to remove unbound antibody. The amount of bound label on solid support may then be detected by conventional means.

A "solid phase support or carrier" includes any support capable of binding an antigen,  
15 antibody, or other specific binding partner. Supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, and magnetite. A support material can have any structural or physical configuration. Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the  
20 surface may be flat such as a sheet, test strip, etc. Preferred supports include polystyrene beads

One of the many ways in which gene peptide-specific antibody can be detectably labeled is by linking it to an enzyme and using it in an enzyme immunoassay (EIA). See, e.g., Voller, A., "The Enzyme Linked Immunosorbent Assay (ELISA)," 1978, Diagnostic  
25 Horizons 2, 1-7, Microbiological Associates Quarterly Publication, Walkersville, Md.); Voller, A. et al., 1978, J. Clin. Pathol. 31, 507-520; Butler, J. E., 1981, Meth. Enzymol. 73, 482-523; Maggio, E. (ed.), 1980, Enzyme Immunoassay, CRC Press, Boca Raton, Fla.. The enzyme which is bound to the antibody will react with an appropriate substrate, preferably a chromogenic substrate, in such a manner as to produce a chemical moiety that can be  
30 detected, for example, by spectrophotometric, fluorimetric or by visual means. Enzymes that can be used to detectably label the antibody include, but are not limited to, malate

dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase, .alpha.-glycerophosphate, dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, .beta.-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase,

5 glucoamylase and acetylcholinesterase. The detection can be accomplished by colorimetric methods that employ a chromogenic substrate for the enzyme. Detection may also be accomplished by visual comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

Detection may also be accomplished using any of a variety of other immunoassays.

10 For example, by radioactively labeling the antibodies or antibody fragments, it is possible to detect peptides through the use of a radioimmunoassay (RIA). See, e.g., Weintraub, B., Principles of Radioimmunoassays, Seventh Training Course on Radioligand Assay Techniques, The Endocrine Society, March, 1986. The radioactive isotope can be detected by such means as the use of a gamma counter or a scintillation counter or by autoradiography.

15 It is also possible to label the antibody with a fluorescent compound. When the fluorescently labeled antibody is exposed to light of the proper wave length, its presence can then be detected due to fluorescence. Among the most commonly used fluorescent labeling compounds are fluorescein isothiocyanate, rhodamine, phycoerythrin, phycocyanin, allophycocyanin, o-phthaldehyde and fluorescamine. The antibody can also be detectably  
20 labeled using fluorescence emitting metals such as those in the lanthanide series. These metals can be attached to the antibody using such metal chelating groups as diethylenetriaminepentacetic acid (DTPA) or ethylenediaminetetraacetic acid (EDTA).

The antibody also can be detectably labeled by coupling it to a chemiluminescent compound. The presence of the chemiluminescent-tagged antibody is then determined by  
25 detecting the presence of luminescence that arises during the course of a chemical reaction. Examples of useful chemiluminescent labeling compounds are luminol, isoluminol, theromatic acridinium ester, imidazole, acridinium salt and oxalate ester.

Likewise, a bioluminescent compound may be used to label the antibody of the present invention. Bioluminescence is a type of chemiluminescence found in biological  
30 systems in which a catalytic protein increases the efficiency of the chemiluminescent reaction. The presence of a bioluminescent protein is determined by detecting the presence of

luminescence. Important bioluminescent compounds for purposes of labeling are luciferin, luciferase and aequorin.

#### Diagnostic

5           The present invention also relates to methods and compositions for diagnosing a disorder, or determining susceptibility to a disorder, using polynucleotides, polypeptides, and specific-binding partners of the present invention to detect, assess, determine, etc., a tissue selective gene. In such methods, the gene can serve as a marker for the disorder, e.g., where the gene, when mutant, is a direct cause of the disorder; where the gene is affected by another  
10   gene(s) which is directly responsible for the disorder, e.g., when the gene is part of the same signaling pathway as the directly responsible gene; and, where the gene is chromosomally linked to the gene(s) directly responsible for the disorder, and segregates with it. Many other situations are possible. To detect, assess, determine, etc., a probe specific for the gene can be employed as described above and below. Any method of detecting and/or assessing the gene  
15   can be used, including detecting expression of the gene using polynucleotides, antibodies, or other specific-binding partners.

          The phrase "diagnosing" indicates that it is determined whether the sample has the disorder. A "disorder" means, e.g., any abnormal condition as in a disease or malady. "Determining a subject's susceptibility to a disease or disorder" indicates that the subject is  
20   assessed for whether s/he is predisposed to get such a disease or disorder, where the predisposition is indicated by abnormal expression of the gene (e.g., gene mutation, gene expression pattern is not normal, etc.). Predisposition or susceptibility to a disease may result when a such disease is influenced by epigenetic, environmental, etc., factors. Diagnosing includes prenatal screening where samples from the fetus or embryo (e.g., via amniocentesis  
25   or CV sampling) are analyzed for the expression of the gene.

          By the phrase "assessing expression of a gene or polynucleotide," it is meant that the functional status of the gene is evaluated. This includes, but is not limited to, measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of  
30   polypeptide coded for by said gene. Thus, the term "assessing expression" includes evaluating the all aspects of the transcriptional and translational machinery of the gene. For

instance, if a promoter defect causes, or is suspected of causing, the disorder, then a sample can be evaluated (i.e., "assessed") by looking (e.g., sequencing or restriction mapping) at the promoter sequence in the gene, by detecting transcription products (e.g., RNA), by detecting translation product (e.g., polypeptide). Any measure of whether the gene is functional can be used, including, polypeptide, polynucleotide, and functional assays for the gene's biological activity.

In making the assessment, it can be useful to compare the results to a normal gene, e.g., a gene which is not associated with the disorder. The nature of the comparison can be determined routinely, depending upon how the assessing is accomplished. If, for example, the mRNA levels of a sample is detected, then the mRNA levels of a normal can serve as a comparison, or a gene which is known not to be affected by the disorder. Methods of detecting mRNA are well known, and discussed above, e.g., but not limited to, Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, etc. Similarly, if polypeptide production is used to evaluate the gene, then the polypeptide in a normal tissue sample can be used as a comparison, or, polypeptide from a different gene whose expression is known not to be affected by the disorder. These are only examples of how such a method could be carried out.

The genes and polypeptides of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions as mentioned above. The present invention relates to methods of identifying a genetic basis for a disease or disease-susceptibility, comprising, e.g., determining the association of a disease or disease-susceptibility with a gene of the present invention. An association between a disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target. Any region of the gene can be used as a source of the DNA marker, exons, introns, intergenic regions, etc.

Human linkage maps can be constructed to establish a relationship between a gene and a disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the

various individual molecular markers. Maps can be produced for an individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identify the gene responsible for the phenotype. See, e.g., Kruglyak et al., *Am. J. Hum. Genet.*, 58, 1347-1363, 1996; Matise et al., *Nat. Genet.*, 6(4):384-90, 1994.

Assessing the effects of therapeutic and preventative interventions (e.g., administration of a drug, chemotherapy, radiation, etc.) on disorders is a major effort in drug discovery, clinical medicine, and pharmacogenomics. The evaluation of therapeutic and preventative measures, whether experimental or already in clinical use, has broad applicability, e.g., in clinical trials, for monitoring the status of a patient, for analyzing and assessing animal models, and in any scenario involving disease treatment and prevention. Analyzing the expression profiles of polynucleotides of the present invention can be utilized as a parameter by which interventions are judged and measured. Treatment of a disorder can change the expression profile in some manner which is prognostic or indicative of the drug's effect on it. Changes in the profile can indicate, e.g., drug toxicity, return to a normal level, etc. Accordingly, the present invention also relates to methods of monitoring or assessing a therapeutic or preventative measure (e.g., chemotherapy, radiation, anti-neoplastic drugs, antibodies, etc.) in a subject having a disorder, or, susceptible to such a disorder, comprising, e.g., detecting the expression levels of one or more tissue selective genes. A subject can be a cell-based assay system, non-human animal model, human patient, etc. Detecting can be accomplished as described for the methods above and below. By "therapeutic or preventative intervention," it is meant, e.g., a drug administered to a patient, surgery, radiation, chemotherapy, and other measures taken to prevent, treat, or diagnose a disorder.

The present invention also relates to methods of using binding partners, such as antibodies, to deliver active agents to the tissue (e.g., kidney or pancreas or an immune cells) for a variety of different purposes, including, e.g., for diagnostic, therapeutic, and research purposes. Methods can involve delivering or administering an active agent to the tissue, comprising, e.g., administering to a subject in need thereof, an effective amount of an active agent coupled to a binding partner specific for a tissue selective polypeptide, wherein said binding partner is effective to deliver said active agent specifically to the target tissue.

Any type of active agent can be used in combination with it, including, therapeutic, cytotoxic, cytostatic, chemotherapeutic, anti-neoplastic, anti-proliferative, anti-biotic, etc., agents. A chemotherapeutic agent can be, e.g., DNA-interactive agent, alkylating agent, antimetabolite, tubulin-interactive agent, hormonal agent, hydroxyurea, Cisplatin,

- 5 Cyclophosphamide, Altretamine, Bleomycin, Dactinomycin, Doxorubicin, Etoposide, Teniposide, paclitaxel, cytoxan, 2-methoxy-carbonyl-amino-benzimidazole, Plicamycin, Methotrexate, Fluorouracil, Fluorodeoxyuridin, CB3717, Azacitidine, Floxuridine, Mercaptopurine, 6-Thioguanine, Pentostatin, Cytarabine, Fludarabine, etc. Agents can also be contrast agents useful in imaging technology, e.g., X-ray, CT, CAT, MRI, ultrasound,  
10 PET, SPECT, and scintographic.

- An active agent can be associated in any manner with a binding partner which is effective to achieve its delivery specifically to the target. Specific delivery or targeting indicates that the agent is provided to the tissue, without being substantially provided to other tissues. This is useful especially where an agent is toxic, and specific targeting to the tissue  
15 enables the majority of the toxicity to be aimed at the tissue, with as small as possible effect on other tissues in the body. The association of the active agent and the binding partner ("coupling") can be direct, e.g., through chemical bonds between the binding partner and the agent, or, via a linking agent, or the association can be less direct, e.g., where the active agent is in a liposome, or other carrier, and the binding partner is associated with the liposome  
20 surface. In such case, the binding partner can be oriented in such a way that it is able to bind to tissue selective polypeptide, e.g., exposed on the cell surface. Methods for delivery of DNA via a cell-surface receptor is described, e.g., in U.S. Pat. No. 6,339,139.

#### Identifying agent methods

- 25 The present invention also relates to methods of identifying agents, and the agents themselves, which modulate tissue selective genes. These agents can be used to modulate the biological activity of the polypeptide encoded for the gene, or the gene, itself. Agents which regulate the gene or its product are useful in variety of different environments, including as medicinal agents to treat or prevent disorders associated with genes and as research reagents  
30 to modify the function of tissues and cell.

Methods of identifying agents generally comprise steps in which an agent is placed in contact with the gene, its transcription product, its translation product, or other target, and then a determination is performed to assess whether the agent "modulates" the target. The specific method utilized will depend upon a number of factors, including, e.g., the target (i.e.,  
5 is it the gene or polypeptide encoded by it), the environment (e.g., in vitro or in vivo), the composition of the agent, etc.

For modulating the expression of tissue selective genes, a method can comprise, in any effective order, one or more of the following steps, e.g., contacting a gene (e.g., in a cell population) with a test agent under conditions effective for said test agent to modulate the  
10 expression of tissue selective genes, and determining whether said test agent modulates said genes. An agent can modulate expression of a tissue selective gene at any level, including transcription (e.g., by modulating the promoter), translation, and/or perdurance of the nucleic acid (e.g., degradation, stability, etc.) in the cell.

For modulating the biological activity of polypeptides, a method can comprise, in any  
15 effective order, one or more of the following steps, e.g., contacting a polypeptide (e.g., in a cell, lysate, or isolated) with a test agent under conditions effective for said test agent to modulate the biological activity of said polypeptide, and determining whether said test agent modulates said biological activity.

Contacting a gene or polypeptide with the test agent can be accomplished by any  
20 suitable method and/or means that places the agent in a position to functionally control expression or biological activity. Functional control indicates that the agent can exert its physiological effect through whatever mechanism it works. The choice of the method and/or means can depend upon the nature of the agent and the condition and type of environment in which the gene or polypeptide is presented, e.g., lysate, isolated, or in a cell population (such  
25 as, *in vivo*; *in vitro*, organ explants, etc.). For instance, if the cell population is an *in vitro* cell culture, the agent can be contacted with the cells by adding it directly into the culture medium. If the agent cannot dissolve readily in an aqueous medium, it can be incorporated into liposomes, or another lipophilic carrier, and then administered to the cell culture. Contact can also be facilitated by incorporation of agent with carriers and delivery molecules  
30 and complexes, by injection, by infusion, etc.

Agents can be directed to, or targeted to, any part of the polypeptide which is

effective for modulating it. For example, agents, such as antibodies and small molecules, can be targeted to cell-surface, exposed, extracellular, ligand binding, functional, etc., domains of the polypeptide. Agents can also be directed to intracellular regions and domains, e.g., regions where the polypeptide couples or interacts with intracellular or intramembrane

5 binding partners.

After the agent has been administered in such a way that it can gain access, it can be determined whether the test agent modulates expression or biological activity. Modulation can be of any type, quality, or quantity, e.g., increase, facilitate, enhance, up-regulate, stimulate, activate, amplify, augment, induce, decrease, down-regulate, diminish, lessen, 10 reduce, etc. The modulatory quantity can also encompass any value, e.g., 1%, 5%, 10%, 50%, 75%, 1-fold, 2-fold, 5-fold, 10-fold, 100-fold, etc. To modulate expression means, e.g., that the test agent has an effect on its expression, e.g., to effect the amount of transcription, to effect RNA splicing, to effect translation of the RNA into polypeptide, to effect RNA or polypeptide stability, to effect polyadenylation or other processing of the RNA, to effect post- 15 transcriptional or post-translational processing, etc. To modulate biological activity means, e.g., that a functional activity of the polypeptide is changed in comparison to its normal activity in the absence of the agent. This effect includes, increase, decrease, block, inhibit, enhance, etc.

A test agent can be of any molecular composition, e.g., chemical compounds, 20 biomolecules, such as polypeptides, lipids, nucleic acids (e.g., antisense), carbohydrates, antibodies, ribozymes, double-stranded RNA, aptamers, etc. For example, if a polypeptide to be modulated is a cell-surface molecule, a test agent can be an antibody that specifically recognizes it and, e.g., causes the polypeptide to be internalized, leading to its down regulation on the surface of the cell. Such an effect does not have to be permanent, but can 25 require the presence of the antibody to continue the down-regulatory effect. Antibodies can also be used to modulate the biological activity of a polypeptide in a lysate or other cell-free form.

Additional cell-based test systems suitable for the analysis of GPCR polypeptides are summarized in Marchese et al. (1999, Trends in Pharmacol. Sci. 20: 370-375) and comprise 30 so-called "ligand screening assays." For example in yeast cells the pheromon receptor can be replaced by a GPCR according to the invention. The effect of test substances on the receptor



can be determined upon modulation of histidine synthesis, i.e. by growing in histidine-free medium. In addition using cells transfected with nucleic acids according to the invention it can be analyzed whether test substances mediate translocation of a detectable arrestins, for example of an arrestin-GFP-fusion protein. Moreover, it can be analyzed whether test substances mediate GPCR-mediated dispersion or aggregation of *Xenopus laevis* melanophores. Another test system utilizes the universal adapter G-protein G  $\alpha_{\text{h}6}$ , which mobilizes  $\text{Ca}_{\text{sup.}2+}$ . Other screening test systems are described in Lemer et al., supra; WO96/41169; U.S. Pat. No. 5,482,835; WO99/06535; EP 0 939 902; WO99/66326; WO98/34948; EP 0 863 214; U.S. Pat. No. 5,882,944 and U.S. Pat. No. 5,891,641.

#### 10 Therapeutics

Selective polynucleotides, polypeptides, and specific-binding partners thereto, can be utilized in therapeutic applications, especially to treat diseases and conditions described herein. Useful methods include, but are not limited to, immunotherapy (e.g., using specific-binding partners to polypeptides), vaccination (e.g., using a selective polypeptide or a naked DNA encoding such polypeptide), protein or polypeptide replacement therapy, gene therapy (e.g., germ-line correction, antisense), etc.

Various immunotherapeutic approaches can be used. For instance, unlabeled antibody that specifically recognizes a tissue-specific antigen can be used to stimulate the body to destroy or attack a cancer or other diseased tissue, to cause down-regulation, to produce complement-mediated lysis, to inhibit cell growth, etc., of target cells which display the antigen, e.g., analogously to how c-erbB-2 antibodies are used to treat breast cancer. In addition, antibody can be labeled or conjugated to enhance its deleterious effect, e.g., with radionuclides and other energy emitting entities, toxins, such as ricin, exotoxin A (ETA), and diphtheria, cytotoxic or cytostatic agents, immunomodulators, chemotherapeutic agents; etc. See, e.g., U.S. Pat. No. 6,107,090.

An antibody or other specific-binding partner can be conjugated to a second molecule, such as a cytotoxic agent, and used for targeting the second molecule to a tissue-antigen positive cell (Vitetta, E. S. et al., 1993, Immunotoxin therapy, in DeVita, Jr., V. T. et al., eds, Cancer: Principles and Practice of Oncology, 4th ed., J.B. Lippincott Co., Philadelphia, 2624-2636). Examples of cytotoxic agents include, but are not limited to, antimetabolites, alkylating agents, anthracyclines, antibiotics, anti-mitotic agents, radioisotopes and

chemotherapeutic agents. Further examples of cytotoxic agents include, but are not limited to ricin, doxorubicin, daunorubicin, taxol, ethidium bromide, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicine, dihydroxy anthracin dione, actinomycin D, 1-dehydrotestosterone, diphtheria toxin, Pseudomonas exotoxin (PE) A, PE40, abrin, elongation factor-2 and glucocorticoid. Techniques for conjugating therapeutic agents to antibodies are well.

In addition to immunotherapy, polynucleotides and polypeptides can be used as targets for non-immunotherapeutic applications, e.g., using compounds which interfere with function, expression (e.g., antisense as a therapeutic agent), assembly, etc. RNA interference can be used in vitro and in vivo to silence a gene when its expression contributes to a disease (but also for other purposes, e.g., to identify the gene's function to change a developmental pathway of a cell, etc.). See, e.g., Sharp and Zamore, *Science*, 287:2431-2433, 2001; Grishok et al., *Science*, 287:2494, 2001.

Delivery of therapeutic agents can be achieved according to any effective method, including, liposomes, viruses, plasmid vectors, bacterial delivery systems, orally, systemically, etc. Therapeutic agents of the present invention can be administered in any form by any effective route, including, e.g., oral, parenteral, enteral, intraperitoneal, topical, transdermal (e.g., using any standard patch), intravenously, ophthalmic, nasally, local, non-oral, such as aerosol, inhalation, subcutaneous, intramuscular, buccal, sublingual, rectal, vaginal, intra-arterial, and intrathecal, etc. They can be administered alone, or in combination with any ingredient(s), active or inactive.

In addition to therapeutics, *per se*, the present invention also relates to methods of treating a disease showing altered expression of a tissue selective gene, comprising, e.g., administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of said gene and/or which is effective in treating said disease. The term "treating" is used conventionally, e.g., the management or care of a subject for the purpose of combating, alleviating, reducing, relieving, improving the condition of, etc., of a disease or disorder. By the phrase "altered expression," it is meant that the disease is associated with a mutation in the gene, or any modification to the gene (or corresponding product) which affects its normal function. Thus, expression refers to, e.g., transcription, translation, splicing, stability of the mRNA or protein product, activity of the gene product, differential

expression, etc.

Any agent which "treats" the disease can be used. Such an agent can be one which regulates the expression of a tissue selective gene. Expression refers to the same acts already mentioned, e.g. transcription, translation, splicing, stability of the mRNA or protein product, activity of the gene product, differential expression, etc. For instance, if the condition was a result of a complete deficiency of the gene product, administration of gene product to a patient would be said to treat the disease and regulate the gene's expression. Many other possible situations are possible, e.g., where the gene is aberrantly expressed, and the therapeutic agent regulates the aberrant expression by restoring its normal expression pattern.

#### Antisense

Antisense polynucleotide (e.g., RNA) can also be prepared from a polynucleotide according to the present invention. Antisense polynucleotide can be used in various ways, such as to regulate or modulate expression of the polypeptides they encode, e.g., inhibit their expression, for in situ hybridization, for therapeutic purposes, for making targeted mutations (in vivo, triplex, etc.) etc. For guidance on administering and designing anti-sense, see, e.g., U.S. Pat. Nos. 6,200,960, 6,200,807, 6,197,584, 6,190,869, 6,190,661, 6,187,587, 6,168,950, 6,153,595, 6,150,162, 6,133,246, 6,117,847, 6,096,722, 6,087,343, 6,040,296, 6,005,095, 5,998,383, 5,994,230, 5,891,725, 5,885,970, and 5,840,708. An antisense polynucleotides can be operably linked to an expression control sequence. A total length of about 35 bp can be used in cell culture with cationic liposomes to facilitate cellular uptake, but for *in vivo* use, preferably shorter oligonucleotides are administered, e.g. 25 nucleotides.

Antisense polynucleotides can comprise modified, nonnaturally-occurring nucleotides and linkages between the nucleotides (e.g., modification of the phosphate-sugar backbone; methyl phosphonate, phosphorothioate, or phosphorodithioate linkages; and 2'-O-methyl ribose sugar units), e.g., to enhance in vivo or in vitro stability, to confer nuclease resistance, to modulate uptake, to modulate cellular distribution and compartmentalization, etc. Any effective nucleotide or modification can be used, including those already mentioned, as known in the art, etc., e.g., disclosed in U.S. Pat. Nos. 6,133,438; 6,127,533; 6,124,445; 6,121,437; 5,218,103 (e.g., nucleoside thiophosphoramidites); 4,973,679; Sproat et al., "2'-O-Methyloligoribonucleotides: synthesis and applications," Oligonucleotides and Analogs A

Practical Approach, Eckstein (ed.), IRL Press, Oxford, 1991, 49-86; Iribarren et al., "2'-O-Alkyl Oligoribonucleotides as Antisense Probes," Proc. Natl. Acad. Sci. USA, 1990, 87, 7747-7751; Cotton et al., "2'-O-methyl, 2'-O-ethyl oligoribonucleotides and phosphorothioate oligodeoxyribonucleotides as inhibitors of the in vitro U7 snRNP-dependent mRNA processing event," Nucl. Acids Res., 1991, 19, 2629-2635.

## Arrays

The present invention also relates to an ordered array of polynucleotide probes and specific-binding partners (e.g., antibodies) for detecting the expression of tissue selective genes or polypeptides encoded thereby, in a sample, comprising, one or more polynucleotide probes or specific binding partners associated with a solid support or in separate receptacles, wherein each probe is specific for a tissue selective gene or a specific-binding partner which is specific for a polypeptide.

The phrase "ordered array" indicates that the probes are arranged in an identifiable or position-addressable pattern, e.g., such as the arrays disclosed in U.S. Pat. Nos. 6,156,501, 6,077,673, 6,054,270, 5,723,320, 5,700,637, WO9919711, WO00023803. The probes are associated with the solid support in any effective way. For instance, the probes can be bound to the solid support, either by polymerizing the probes on the substrate, or by attaching a probe to the substrate. Association can be, covalent, electrostatic, noncovalent, hydrophobic, hydrophilic, noncovalent, coordination, adsorbed, absorbed, polar, etc. When fibers or hollow filaments are utilized for the array, the probes can fill the hollow orifice, be absorbed into the solid filament, be attached to the surface of the orifice, etc. Probes can be of any effective size, sequence identity, composition, etc., as already discussed.

## Transgenic animals

The present invention also relates to transgenic animals comprising tissue selective genes, and homologs thereof. (Methods of making transgenic animals, and associated recombinant technology, can be accomplished conventionally, e.g., as described in *Transgenic Animal Technology*, Pinkert et al., 2<sup>nd</sup> Edition, Academic Press, 2002.) Such genes, as discussed in more detail below, include, but are not limited to, functionally-disrupted genes, mutated genes, ectopically or selectively-expressed genes, inducible or

regulatable genes, etc. These transgenic animals can be produced according to any suitable technique or method, including homologous recombination, mutagenesis (e.g., ENU, Rathkolb et al., *Exp. Physiol.*, 85(6):635-644, 2000), and the tetracycline-regulated gene expression system (e.g., U.S. Pat. No. 6,242,667). The term "gene" as used herein includes  
5 any part of a gene, i.e., regulatory sequences, promoters, enhancers, exons, introns, coding sequences, etc. The nucleic acid present in the construct or transgene can be naturally-occurring wild-type, polymorphic, or mutated. Where the animal is a non-human animal, its homolog can be used instead. Transgenic animals can have structural and/or functional defects in any of the tissues described herein, e.g., pancreas, kidney, retina, and immune cells,  
10 as well as having or being susceptible to any of the associated disorders or diseases mentioned herein.

Along these lines, polynucleotides of the present invention can be used to create transgenic animals, e.g. a non-human animal, comprising at least one cell whose genome comprises a functional disruption of one or tissue selective genes, or homologs thereof (e.g.,  
15 a mouse homolog when a mouse is used). By the phrases "functional disruption" or "functionally disrupted," it is meant that the gene does not express a biologically-active product. It can be substantially deficient in at least one functional activity coded for by the gene. Expression of a polypeptide can be substantially absent, i.e., essentially undetectable amounts are made. However, polypeptide can also be made, but which is deficient in  
20 activity, e.g., where only an amino-terminal portion of the gene product is produced.

The transgenic animal can comprise one or more cells. When substantially all its cells contain the engineered gene, it can be referred to as a transgenic animal "whose genome comprises" the engineered gene. This indicates that the endogenous gene loci of the animal has been modified and substantially all cells contain such modification.

25 Functional disruption of the gene can be accomplished in any effective way, including, e.g., introduction of a stop codon into any part of the coding sequence such that the resulting polypeptide is biologically inactive (e.g., because it lacks a catalytic domain, a ligand binding domain, etc.), introduction of a mutation into a promoter or other regulatory sequence that is effective to turn it off, or reduce transcription of the gene, insertion of an  
30 exogenous sequence into the gene which inactivates it (e.g., which disrupts the production of a biologically-active polypeptide or which disrupts the promoter or other transcriptional

machinery), deletion of sequences from the gene (or homolog thereof), etc. Examples of transgenic animals having functionally disrupted genes are well known, e.g., as described in U.S. Pat. Nos. 6,239,326, 6,225,525, 6,207,878, 6,194,633, 6,187,992, 6,180,849, 6,177,610, 6,100,445, 6,087,555, 6,080,910, 6,069,297, 6,060,642, 6,028,244, 6,013,858, 5,981,830, 5,866,760, 5,859,314, 5,850,004, 5,817,912, 5,789,654, 5,777,195, and 5,569,824. A transgenic animal which comprises the functional disruption can also be referred to as a "knock-out" animal, since the biological activity of its gene has been "knocked-out." Knock-outs can be homozygous or heterozygous.

For creating functionally disrupted genes, and other gene mutations, homologous recombination technology is of special interest since it allows specific regions of the genome to be targeted. Using homologous recombination methods, genes can be specifically-inactivated, specific mutations can be introduced, and exogenous sequences can be introduced at specific sites. These methods are well known in the art, e.g., as described in the patents above. See, also, Robertson, *Biol. Reproduc.*, 44(2):238-245, 1991. Generally, the genetic engineering is performed in an embryonic stem (ES) cell, or other pluripotent cell line (e.g., adult stem cells, EG cells), and that genetically-modified cell (or nucleus) is used to create a whole organism. Nuclear transfer can be used in combination with homologous recombination technologies. For example, a gene locus can be disrupted in mouse ES cells using a positive-negative selection method (e.g., Mansour et al., *Nature*, 336:348-352, 1988). In this method, a targeting vector can be constructed which comprises a part of the gene to be targeted. A selectable marker, such as neomycin resistance genes, can be inserted into an exon present in the targeting vector, disrupting it. When the vector recombines with the ES cell genome, it disrupts the function of the gene. The presence in the cell of the vector can be determined by expression of neomycin resistance. See, e.g., U.S. Pat. No. 6,239,326. Cells having at least one functionally disrupted gene can be used to make chimeric and germline animals, e.g., animals having somatic and/or germ cells comprising the engineered gene. Homozygous knock-out animals can be obtained from breeding heterozygous knock-out animals. See, e.g., U.S. Pat. No. 6,225,525.

The present invention also relates to non-human, transgenic animal whose genome comprises recombinant tissue selective nucleic acid (and homologs thereof) operatively linked to an expression control sequence effective to express said coding sequence in a target

tissue. Such a transgenic animal can also be referred to as a "knock-in" animal since an exogenous gene has been introduced, stably, into its genome. "Operable linkage" has the meaning used through the specification, i.e., placed in a functional relationship with another nucleic acid. When a gene is operably linked to an expression control sequence, as explained  
5 above, it indicates that the gene (e.g., coding sequence) is joined to the expression control sequence (e.g., promoter) in such a way that facilitates transcription and translation of the coding sequence. As described above, the phrase "genome" indicates that the genome of the cell has been modified. In this case, the recombinant gene has been stably integrated into the genome of the animal. The nucleic acid (e.g., a coding sequence) in operable linkage with  
10 the expression control sequence can also be referred to as a construct or transgene.

Any expression control sequence can be used depending on the purpose. For instance, if selective expression is desired, then expression control sequences which limit its expression can be selected. These include, e.g., tissue or cell-specific promoters, introns, enhancers, etc. For various methods of cell and tissue-specific expression, see, e.g., U.S. Pat.  
15 Nos. 6,215,040, 6,210,736, and 6,153,427. These also include the endogenous promoter, i.e., the coding sequence can be operably linked to its own promoter. Inducible and regulatable promoters can also be utilized.

The present invention also relates to a transgenic animal which contains a functionally disrupted and a transgene stably integrated into the animals genome. Such an animal can be  
20 constructed using combinations any of the above- and below-mentioned methods. Such animals have any of the aforementioned uses, including permitting the knock-out of the normal gene and its replacement with a mutated gene. Such a transgene can be integrated at the endogenous gene locus so that the functional disruption and "knock-in" are carried out in the same step.

25 In addition to the methods mentioned above, transgenic animals can be prepared according to known methods, including, e.g., by pronuclear injection of recombinant genes into pronuclei of 1-cell embryos, incorporating an artificial yeast chromosome into embryonic stem cells, gene targeting methods, embryonic stem cell methodology, cloning methods, nuclear transfer methods. See, also, e.g., U.S. Patent Nos. 4,736,866; 4,873,191;  
30 4,873,316; 5,082,779; 5,304,489; 5,174,986; 5,175,384; 5,175,385; 5,221,778; Gordon et al., Proc. Natl. Acad. Sci., 77:7380-7384, 1980; Palmiter et al., Cell, 41:343-345, 1985; Palmiter

et al., *Ann. Rev. Genet.*, 20:465-499, 1986; Askew et al., *Mol. Cell. Bio.*, 13:4115-4124, 1993; Games et al. *Nature*, 373:523-527, 1995; Valancius and Smithies, *Mol. Cell. Bio.*, 11:1402-1408, 1991; Stacey et al., *Mol. Cell. Bio.*, 14:1009-1016, 1994; Hasty et al., *Nature*, 350:243-246, 1995; Rubinstein et al., *Nucl. Acid Res.*, 21:2613-2617, 1993; Cibelli et al.,  
 5 Science, 280:1256-1258, 1998. For guidance on recombinase excision systems, see, e.g., U.S. Pat. Nos. 5,626,159, 5,527,695, and 5,434,066. See also, Orban, P.C., et al., "Tissue- and Site-Specific DNA Recombination in Transgenic Mice," *Proc. Natl. Acad. Sci. USA*, 89:6861-6865 (1992); O'Gorman, S., et al., "Recombinase-Mediated Gene Activation and Site-Specific Integration in Mammalian Cells," *Science*, 251:1351-1355 (1991); Sauer, B., et  
 10 al., "Cre-stimulated recombination at loxP-Containing DNA sequences placed into the mammalian genome," *Polynucleotides Research*, 17(1):147-161 (1989); Gagneten, S. et al. (1997) *Nucl. Acids Res.* 25:3326-3331; Xiao and Weaver (1997) *Nucl. Acids Res.* 25:2985-2991; Agah, R. et al. (1997) *J. Clin. Invest.* 100:169-179; Barlow, C. et al. (1997) *Nucl. Acids Res.* 25:2543-2545; Araki, K. et al. (1997) *Nucl. Acids Res.* 25:868-872; Mortensen,  
 15 R. N. et al. (1992) *Mol. Cell. Biol.* 12:2391-2395 (G418 escalation method); Lakhani, P. P. et al. (1997) *Proc. Natl. Acad. Sci. USA* 94:9950-9955 ("hit and run"); Westphal and Leder (1997) *Curr. Biol.* 7:530-533 (transposon-generated "knock-out" and "knock-in"); Templeton, N. S. et al. (1997) *Gene Ther.* 4:700-709 (methods for efficient gene targeting, allowing for a high frequency of homologous recombination events, e.g., without selectable  
 20 markers); PCT International Publication WO 93/22443 (functionally-disrupted).

A polynucleotide according to the present invention can be introduced into any non-human animal, including a non-human mammal, mouse (Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1986), pig (Hammer et al., *Nature*, 315:343-345, 1985), sheep (Hammer et al.,  
 25 *Nature*, 315:343-345, 1985), cattle, rat, or primate. See also, e.g., Church, 1987, *Trends in Biotech.* 5:13-19; Clark et al., *Trends in Biotech.* 5:20-24, 1987); and DePamphilis et al., *BioTechniques*, 6:662-680, 1988. Transgenic animals can be produced by the methods described in U.S. Pat. No. 5,994,618, and utilized for any of the utilities described therein.

### 30 Database

The present invention also relates to electronic forms of polynucleotides,



polypeptides, etc., of the present invention, including computer-readable medium (e.g., magnetic, optical, etc., stored in any suitable format, such as flat files or hierarchical files) which comprise such sequences, or fragments thereof, e-commerce-related means, etc.

Along these lines, the present invention relates to methods of retrieving nucleic acid and/or

- 5 polypeptide sequences from a computer-readable medium, comprising, one or more of the following steps in any effective order, e.g., selecting a cell or gene expression profile, e.g., a profile that specifies that said gene is differentially expressed in a tissue as described herein, and retrieving said differentially expressed nucleic acid or polypeptide.

- 10 A "gene expression profile" means the list of tissues, cells, etc., in which a defined gene is expressed (i.e, transcribed and/or translated). A "cell expression profile" means the genes which are expressed in the particular cell type. The profile can be a list of the tissues in which the gene is expressed, but can include additional information as well, including level of expression (e.g., a quantity as compared or normalized to a control gene), and information on temporal (e.g., at what point in the cell-cycle or developmental program) and
- 15 spatial expression. By the phrase "selecting a gene or cell expression profile," it is meant that a user decides what type of gene or cell expression pattern he is interested in retrieving, e.g., he may require that the gene is differentially expressed in a tissue, or he may require that the gene is not expressed in blood, but must be expressed in pancreas. Any pattern of expression preferences may be selected. The selecting can be performed by any effective method. In
- 20 general, "selecting" refers to the process in which a user forms a query that is used to search a database of gene expression profiles. The step of retrieving involves searching for results in a database that correspond to the query set forth in the selecting step. Any suitable algorithm can be utilized to perform the search query, including algorithms that look for matches, or that perform optimization between query and data. The database is information that has been
- 25 stored in an appropriate storage medium, having a suitable computer-readable format. Once results are retrieved, they can be displayed in any suitable format, such as HTML.

- For instance, the user may be interested in identifying genes that are differentially expressed in a pancreas or kidney. He may not care whether small amounts of expression occur in other tissues, as long as such genes are not expressed in peripheral blood
- 30 lymphocytes. A query is formed by the user to retrieve the set of genes from the database

having the desired gene or cell expression profile. Once the query is inputted into the system, a search algorithm is used to interrogate the database, and retrieve results.

#### Advertising, licensing, etc., methods

5           The present invention also relates to methods of advertising, licensing, selling, purchasing, brokering, etc., genes, polynucleotides, specific-binding partners, antibodies, etc., of the present invention. Methods can comprises, e.g., displaying tissue selective polynucleotide or polypeptide sequences, or antibody specific thereto, in a printed or computer-readable medium (e.g., on the Web or Internet), accepting an offer to purchase said  
10   gene, polypeptide, or antibody.

#### Other

          A polynucleotide, probe, polypeptide, antibody, specific-binding partner, etc., according to the present invention can be isolated. The term "isolated" means that the  
15   material is in a form in which it is not found in its original environment or in nature, e.g., more concentrated, more purified, separated from component, etc. An isolated polynucleotide includes, e.g., a polynucleotide having the sequenced separated from the chromosomal DNA found in a living animal, e.g., as the complete gene, a transcript, or a cDNA. This polynucleotide can be part of a vector or inserted into a chromosome (by  
20   specific gene-targeting or by random integration at a position other than its normal position) and still be isolated in that it is not in a form that is found in its natural environment. A polynucleotide, polypeptide, etc., of the present invention can also be substantially purified. By substantially purified, it is meant that polynucleotide or polypeptide is separated and is essentially free from other polynucleotides or polypeptides, i.e., the polynucleotide or  
25   polypeptide is the primary and active constituent. A polynucleotide can also be a recombinant molecule. By "recombinant," it is meant that the polynucleotide is an arrangement or form which does not occur in nature. For instance, a recombinant molecule comprising a promoter sequence would not encompass the naturally-occurring gene, but would include the promoter operably linked to a coding sequence not associated with it in  
30   nature, e.g., a reporter gene, or a truncation of the normal coding sequence.

The term "marker" is used herein to indicate a means for detecting or labeling a target. A marker can be a polynucleotide (usually referred to as a "probe"), polypeptide (e.g., an antibody conjugated to a detectable label), PNA, or any effective material.

The topic headings set forth above are meant as guidance where certain information  
5 can be found in the application, but are not intended to be the only source in the application where information on such topic can be found. Reference materials

For other aspects of the polynucleotides, reference is made to standard textbooks of molecular biology. See, e.g., Hames et al., Polynucleotide Hybridization, IL Press, 1985; Davis et al., Basic Methods in Molecular Biology, Elsevir Sciences Publishing, Inc., New  
10 York, 1986; Sambrook et al., Molecular Cloning, CSH Press, 1989; Howe, Gene Cloning and Manipulation, Cambridge University Press, 1995; Ausubel et al., Current Protocols in Molecular Biology, John Wiley & Sons, Inc., 1994-1998.

Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The following  
15 preferred specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever. The entire disclosure of all applications, patents and publications, cited above and in the figures are hereby incorporated by reference in their entirety, including U.S. Application Serial Nos. 60/372,669 April 16, 2003, 60/374,823 filed April 24, 2002, 60/376,558 filed May 1, 2002, 60/381,366  
20 filed May 20, 2002, 60/403,648 filed August 16, 2002, 60/411,882 filed September 20, 2002, and 60/424,336 filed November 7, 2002.

TABLE 1

Clone ID (gene code)	ACCN	Predominant sites of expression	Other expression sites	Cytogenetic sites
TMD0024	XM_060945	thymus	none	1q22
TMD1779	XM_060946	thymus and PBL	none	1q22
TMD0884	XM_060947	thymus	skin and ovary	1q22
TMD0025	XM_060948	thymus	none	1q22
TMD1780	XM_089422	thymus	none	1q22
TMD1781	XM_089421	PBL	thymus	1q22
TMD0304	XM_060956	bone marrow and muscle	testis	1q22
TMD0888	XM_060957	bone marrow	lung, muscle and testis	1q22
TMD0890	XM_060959	bone marrow	lung and PBL	1q22

TABLE 2

5

10

15

20

25

30

35

40

Clone ID (gene code)	ACCN	Protein seq length	Domain Description
TMD1779	XM_060946	264	Transmembrane domain: 26 - 48 Transmembrane domain: 55 - 77 Transmembrane domain: 92 - 114 Transmembrane domain: 134 - 156 Transmembrane domain: 197 - 219
TMD0024	XM_060945	268	Transmembrane domain: 16 - 38 Transmembrane domain: 53 - 75 Transmembrane domain: 96 - 118 Transmembrane domain: 156 - 178 Transmembrane domain: 191 - 213 Transmembrane domain: 228 - 246
TMD0025	XM_060948	313	Transmembrane domain: 29 - 51 Transmembrane domain: 58 - 77 Transmembrane domain: 92 - 114 Transmembrane domain: 135 - 157 Transmembrane domain: 197 - 219 Transmembrane domain: 240 - 262 Transmembrane domain: 272 - 294
TMD0304	XM_060956	319	Transmembrane domain: 28 - 50 Transmembrane domain: 63 - 82 Transmembrane domain: 102 - 124 Transmembrane domain: 144 - 166 Transmembrane domain: 205 - 227 Transmembrane domain: 240 - 262 Transmembrane domain: 272 - 294
TMD0884	XM_060947	299	Transmembrane domain: 20 - 42 Transmembrane domain: 54 - 76 Transmembrane domain: 91 - 113 Transmembrane domain: 126 - 148

-95-

				Transmembrane domain: 183 - 205
				Transmembrane domain: 226 - 248
				Transmembrane domain: 258 - 277
5	TMD0888	XM_060957	312	Transmembrane domain: 25 - 47
				Transmembrane domain: 59 - 78
				Transmembrane domain: 98 - 120
				Transmembrane domain: 141 - 163
10				Transmembrane domain: 207 - 229
				Transmembrane domain: 241 - 260
				Transmembrane domain: 270 - 292
	TMD0890	XM_060959	280	Transmembrane domain: 26 - 48
15				Transmembrane domain: 122 - 144
				Transmembrane domain: 180 - 202
				Transmembrane domain: 215 - 237
				Transmembrane domain: 252 - 269
20	TMD1780	XM_089422	491	Transmembrane domain: 20 - 42
				Transmembrane domain: 54 - 76
				Transmembrane domain: 91 - 113
				Transmembrane domain: 137 - 159
				Transmembrane domain: 190 - 212
25				Transmembrane domain: 231 - 253
				Transmembrane domain: 266 - 283
				Transmembrane domain: 304 - 326
				Transmembrane domain: 336 - 358
				Transmembrane domain: 379 - 401
30				Transmembrane domain: 437 - 459
	TMD1781	XM_089421	91	Transmembrane domain: 63 - 85
35				

-96-

	TMD0024 XM_060945	TMD1779 XM_060946	TMD0884 XM_060947	TMD0025 XM_060948	TMD1780 XM_089422	TMD1781 XM_089421	TMD0304 XM_060956	TMD0888 XM_060957
TMD0024 XM_060945								
TMD1779 XM_060946	no significant similarity							
TMD0884 XM_060947	74%(371nt)	no significant similarity						
TMD0025 XM_060948	71%(222nt) 80%(73nt)	90%(605nt)	83%(54nt)					
TMD1780 XM_089422	81%(114nt) 74%(186nt) 79%(113nt) 77%(99nt)	83%(71nt)	78%(90nt)	80%(84nt)				
TMD1781 XM_089421	91%(35nt) 77%(80nt)	no significant similarity	no significant similarity	no significant similarity	77%(179nt) 82%(46nt)			
TMD0304 XM_060956	no significant similarity	no significant similarity	no significant similarity	no significant similarity	84%(39nt)	no significant similarity		
TMD0888 XM_060957	no significant similarity	no significant similarity	no significant similarity	84%(38nt)	no significant similarity	no significant similarity	73%(241nt)	
TMD0890 XM_060959	no significant similarity	no significant similarity	no significant similarity	no significant similarity	no significant similarity	no significant similarity	no significant similarity	84%(39nt)

TABLE 3

-97-

	TMD0024 XP_060945	TMD1779 XP_060946	TMD0884 XP_060947	TMD0025 XP_060948	TMD1780 XP_089422	TMD1781 XP_089421	TMD0304 XP_060956	TMD0888 XP_060957
TMD0024 XP_060945								
TMD1779 XP_060946	47%(200aa)							
TMD0884 XP_060947	62%(171aa)	36%(92aa)						
TMD0025 XP_060948	53%(252aa)	73%(213aa)	46%(166aa)					
TMD1780 XP_089422	59%(261aa) 59%(181aa)	46%(227aa) 46%(169aa)	55%(165aa) 47%(111aa)	52%(300aa)				
TMD1781 XP_089421	40%(94aa)	35%(82aa)	52%(40aa)	37%(94aa)	51%(93aa) 49%(77aa)			
TMD0304 XP_060956	40%(257aa)	37%(229aa)	36%(163aa)	39%(299aa)	39%(300aa)	34%(89aa)		
TMD0888 XP_060957	49%(251aa)	37%(239aa)	41%(157aa)	40%(305aa)	45%(304aa) 43%(189aa)	41%(82aa)	50%(301aa)	
TMD0890 XP_060959	41%(196)	32%(132aa)	32%(156aa)	36%(179aa)	42%(200aa)	38%(72aa)	36%(196aa)	46%(196aa)

TABLE 4





-99-

TABLE 5

CLONE ID	Forward	Reverse	PROMOTER
TMD179 (SEQ ID NO 1-2)	GGTCAATGAGACTGTGG TGAGAGAGGTCATCT (SEQ ID NO 3)	CTATCACTCCCAAGTGGAA GGAAACTGAAG (SEQ ID NO 4)	CTCTTCAGATTAAATGGCCAGACTAGTTTATGTGGTGCAGACATT (SEQ ID NO 5)
TMD024 (SEQ ID NO 6-7)	CCAGCTGCTCAGACA CCAAAGACC (SEQ ID NO 8)	GGCACCATAATTACCAGGAT GCTGAGG (SEQ ID NO 9)	GAGTGCCAAATATATAAGAGGTTATGTTCAATGCAACATGTTAAATGCCAA (SEQ ID NO 10) ACTCTTAGATATAAAGGGGAGATTATTAAGAAACCCCTGATTAAATCA (SEQ ID NO 11)
TMD025 (SEQ ID NO 12-13)	CCTGTTCACTCTGGGCA CCAATGC (SEQ ID NO 14)	CTGGTTGGAGGAGTGAAG GGCAG (SEQ ID NO 15)	TAATCTATGTAAATTCACCTGGAGTAGAATCAGCTGCTCTCATGTGCC (SEQ ID NO 19) TACCTTCTGTATATAAAAAATATACTAATAACACACACACTCATACAC (SEQ ID NO 16) CTCAGAGTATATAAATGAAGACTGGATACCAAGCAAGACATCTGGATG (SEQ ID NO 17) CCCTTGGAGATATAAAGTTCCCAAGTAAATAGATGTGTGCTCACATCTT (SEQ ID NO 18)
TMD0304 (SEQ ID NO 20-21)	CTGTATGTTCCCGCATGC GCACAG (SEQ ID NO 22)	GCAAGGTGGAAATCCATGCA ATCTCAG (SEQ ID NO 23)	AGACAGCGTTAAAAATGACCAACCTACAGAAAAATATTTCCAGATAAT (SEQ ID NO 24)
TMD0884 (SEQ ID NO 25-26)	TGTCAATATCCTGGTGT CAGTGTGCTCC (SEQ ID NO 27)	CATCTACCCAGAACCTTTCT CAGAGCCATC (SEQ ID NO 28)	GTCACTGGTGTATAAGCAGCGAGTGCACAAAGGAAATATTTAAACTAGAACC (SEQ ID NO 29) TTCTTCATTATAACATCAGGGGGCTTGGCTAGATATTTAACAGCTGC (SEQ ID NO 30) GCTAGATTTAAACGCTGCTGTATGAGAGAGCTGGGTACATCTTTTACTGTTTT (SEQ ID NO 31) ATTCAGTTATGTATATGAGAGAGCTGGGTACATCTTTTACTGTTTT (SEQ ID NO 32)
TMD0888 (SEQ ID NO 33-34)	GGAACGTGAGCCAGGTA GCAGAAATCATC (SEQ ID NO 35)	GGAGCAGAGGATCAGCAGG AAGGTG (SEQ ID NO 36)	ACACTGCACTTATATAGGTGGCCAGGTAGTTGAGCTGGTGAATTTGA (SEQ ID NO 37) GCACGTGCACATTAAAGGATGGGGCATGGAGGAGAACTAAAGTTGGAG (SEQ ID NO 38) ATTCAAATTATATATTTGTCCAGTACGGTATCAATATATTATCAGTA (SEQ ID NO 39)
TMD0890 (SEQ ID NO 40-41)	TCACCACCACTGGGACC GTACAACCT (SEQ ID NO 42)	GGCCACACCAATCACTGTGG CAT (SEQ ID NO 43)	CAATCTGTTATTTATACGGCCTCTACATCCATCCAGTACCTGCTTATGTA (SEQ ID NO 44) GTTCTCTTTTATAAAGGCTATGTGGGACTTGGCAAACTTCTAGTGGCC (SEQ ID NO 45) CAACATGAATATAAGTAGGGGAGTATCTTGGGTAGAAAGGATGCCGAG (SEQ ID NO 46)
TMD1780 (SEQ ID NO 47-48)	CTCTGAATCTTCTACAC AACTGTTATCTGCCCA (SEQ ID NO 49)	ATGAGATGGGAAGCACAGGT GGAGAAG (SEQ ID NO 50)	ATCAATATGTTAAATGGCCGTACTGTCAAAAGCAAATTTACAGATTCAA (SEQ ID NO 51) ATATGAAACCAAAAAAGCCCTCAAAATAGCCCAAGTAACCCCTAAAGAAAA (SEQ ID NO 52) CGCCTATTCATAAATGGTGGGAAATAGCTGGCTAGCCATCTGCAGAA (SEQ ID NO 53) CATAGGGTCTTAAAAATGGGAGAGAGAAATCAGAAAGTCAGAGAAAGAG (SEQ ID NO 54)
TMD1781 (SEQ ID NO 55-56)	ATGACAGTTTATGATTCC TATGTGCCATCTGC (SEQ ID NO 57)	TCAGGATGGTGTGAACAATG AAGCCATAG (SEQ ID NO 58)	TTCCCTATTTAATAATGGTGTGGAAAACTGGCTAGCCATATGTAGAA (SEQ ID NO 59) AACAACCCCATCAAAAGTGGGGCCCAAGATATGAACAGACACTTCTCAA (SEQ ID NO 60) AATGGCGATCAATAAAGAGTCAAGAAACAAACAGGTGCTGGAGAGGATGTG (SEQ ID NO 61) CCAGAGGATTATAATCATGTGCTGTAAAGACACATGCCACCGTATGT (SEQ ID NO 62)

-100-

TABLE 6

SEQ ID NO	GENE NUMBER	GENBANK IDENTIFIER	PREDOMINANT SITES OF EXPRESSION	PROMOTER (SEQ ID NO)	PRIMER (FOR, REV) (SEQ ID NO)
63,64	TMD0785	XM_060310	kidney	65-68	69,70

	XM_062147	XM_061676
outside	1-27	1-28
TM (1)	28-50	29-51
inside	51-61	52-62
TM (2)	62-84	63-85
outside	85-98	86-99
TM (3)	99-121	100-122
inside	122-140	123-133
TM (4)	141-163	134-156
outside	164-203	157-201
TM (5)	204-226	202-224
inside	227-237	225-236
TM (6)	238-260	237-259
outside	261-274	260-273
TM (7)	275-293	274-296
inside	294-313	297-314

TABLE 7

-101-

Clone ID (gene code)	Accession	Gene Name/Description	Predominant tissue/ expression	Other expression sites
TMD0049	XM_057351	Homo sapiens similar to organic anion transporter 4 like protein (LOC116085) mRNA	kidney	none
TMD0190	XM_087157	Homo sapiens similar to sodium-coupled ascorbic acid transporter 2 (LOC151295) mRNA	kidney	colon and liver
TMD0242	XM_086369	Homo sapiens similar to unnamed protein product (LOC157724) mRNA	kidney	none
TMD0335	XM_089960	Homo sapiens similar to sodium iodide symporter (LOC159963) mRNA	kidney	adrenal gland, heart, intestine (small), liver, muscle, testis
TMD0371 (new)	XM_089732	Homo sapiens similar to CG8271 gene product (LOC196023) mRNA	kidney	pancreas and testis
TMD0374 (new)	XM_085595	Homo sapiens similar to unnamed protein product (LOC148802) mRNA	kidney	brain, muscle, ovary, skin, testis
TMD0469	XM_038736	Homo sapiens solute carrier family 4 sodium bicarbonate cotransporter member 9 (SLC4A9) mRNA	kidney	none
TMD0719	XM_059548	Homo sapiens hypothetical gene supported by XM_059548 (LOC131920) mRNA	kidney	none
TMD0731	XM_059703	Homo sapiens similar to putative (H. sapiens) (LOC134288) mRNA	kidney	adrenal gland, muscle, thyroid
TMD0785	XM_060310	Homo sapiens similar to olfactory receptor MOR275-2 (LOC127069) mRNA	kidney	none
TMD0841	XM_060623	Homo sapiens similar to KIAA0711 gene product (H. sapiens) (LOC127707) mRNA	kidney	lung
TMD1114	NM_019841	Homo sapiens transient receptor potential cation channel subfamily V member 5 (TRPV5) mRNA	kidney	none
TMD1148	XM_087108	Homo sapiens similar to calcium channel voltage-dependent gamma subunit 6 (LOC151151) mRNA	kidney	none

TABLE 8

-102-

TABLE 9

Gene Code	SEQ ID NO	Protein seq length(aa)	domain description
TMD0049	2	332	Sugar (and other) transporter: 2 - 302 Transmembrane domain: 12 - 34 Transmembrane domain: 39 - 58 Transmembrane domain: 131 - 153 Transmembrane domain: 157 - 179 Transmembrane domain: 186 - 205 Transmembrane domain: 215 - 237
TMD0190	4	243	Permease family: 91 - 224
TMD0242	6	470	AA-permease: 27 - 356 Transmembrane domain: 13 - 35 Transmembrane domain: 50 - 72 Transmembrane domain: 93 - 115 Transmembrane domain: 137 - 154 Transmembrane domain: 161 - 183 Transmembrane domain: 207 - 229 Transmembrane domain: 242 - 264 Transmembrane domain: 286 - 308 Transmembrane domain: 335 - 357 Transmembrane domain: 362 - 379 Transmembrane domain: 392 - 414 Transmembrane domain: 420 - 442

-103-

TMD0335	8	178	Sodium solute symporter family: 41 - 172
TMD0371	10	516	Transmembrane domain: 45 - 67
			Transmembrane domain: 87 - 109
			Transmembrane domain: 116 - 138
			Transmembrane domain: 143 - 165
			Transmembrane domain: 174 - 196
			Transmembrane domain: 201 - 223
			Transmembrane domain: 283 - 305
			Transmembrane domain: 320 - 339
			Transmembrane domain: 351 - 370
			Transmembrane domain: 375 - 397
			Transmembrane domain: 404 - 426
			Transmembrane domain: 441 - 463
TMD0374	12	566	Transmembrane domain: 31 - 53
			Transmembrane domain: 68 - 90
			Transmembrane domain: 116 - 138
			Transmembrane domain: 153 - 171
			Transmembrane domain: 184 - 206
			Transmembrane domain: 211 - 233
			Transmembrane domain: 254 - 273
			Transmembrane domain: 288 - 310
			Transmembrane domain: 331 - 353
			Transmembrane domain: 373 - 395
			Transmembrane domain: 404 - 426
			Transmembrane domain: 431 - 453
			Transmembrane domain: 542 - 564

-104-

TMD0469	14	983	HCO3- transporter family: 108 - 891
			Transmembrane domain: 413 - 435
			Transmembrane domain: 447 - 469
			Transmembrane domain: 498 - 520
			Transmembrane domain: 532 - 554
			Transmembrane domain: 623 - 645
			Transmembrane domain: 665 - 684
			Transmembrane domain: 712 - 731
			Transmembrane domain: 751 - 773
			Transmembrane domain: 813 - 832
			Transmembrane domain: 839 - 858
			Transmembrane domain: 897 - 919
TMD0719	16	146	Transmembrane domain: 7 - 29
			Transmembrane domain: 49 - 71
TMD0731	18	218	Transmembrane domain: 38 - 60
			Transmembrane domain: 70 - 92
TMD0785	20	312	7 transmembrane receptor (rhodopsin family): 58 - 290
			Transmembrane domain: 29 - 51
			Transmembrane domain: 61 - 83
			Transmembrane domain: 140 - 162
			Transmembrane domain: 197 - 219
			Transmembrane domain: 240 - 262
			Transmembrane domain: 272 - 294
TMD0841	22	1161	Kelch motif: 850 - 895
			Kelch motif: 897 - 938

-105-

TMD1114	24	729		Transmembrane domain: 327 - 349
				Transmembrane domain: 383 - 405
				Transmembrane domain: 420 - 438
				Transmembrane domain: 451 - 473
				Transmembrane domain: 493 - 512
				Transmembrane domain: 519 - 541
				Transmembrane domain: 554 - 576
TMD1148	26	103		Transmembrane domain: 7 - 24
				Transmembrane domain: 39 - 61
				Transmembrane domain: 68 - 90

-106-

Gene ID (gene code)	ACCN	Cytogenetic locus	Disease/Linkage
TMD0049	XM_057351	11q12.1	osteoporosis-pseudoglioma syndrome; spastic paraplegia 1 7
TMD0190	XM_087157	2q36.2	none
TMD0242	XM_088369	8q21.2	none
TMD0335	XM_089960	11p14.2	none
TMD0371A	XM_089732	10q23.33	epilepsy, partial, with auditory features; spastic paraplegia 9, autosomal dominant
TMD0374	XM_085595	17p11.2	smith-magenis syndrome
TMD0469	XM_038736	5q31	paget disease of bone 4
TMD0719	XM_059548	3q29	none
TMD0731	XM_059703	5q13.2	spastic paraplegia 11, autosomal recessive; corpus callosum, agenesis of, with neuropathy
TMD0785	XM_060310	1q44-tel	familial cold urticaria (FCU); Muckle-Wells syndrome (MWS); prostate cancer susceptibility
TMD0841	XM_060623	1p36.13	breast cancer, ductal, 2; prostate cancer/brain cancer susceptibility; melanoma, cutaneous
TMD1114	NM_019841	7q35	glaucoma 1, open angle, f
TMD1148	XM_087108	2q14.1	motor neuropathy, distal hereditary, with vocal cord paralysis; cardiomyopathy, dilated, 1h

TABLE 10



-107-

CODE (SEQ ID NO)	SEQUENCE (SEQ ID NO)	PROMOTERS (SEQ ID NO)
TMD0049 (78, 79)	CGGTTCCGACCTGTATCTCCAC (104)	AAAGAGCCTCTAAAGAGGGTTCAGACTACAGGAGCTCACTGGAATA (106)
TMD0190 (80, 81)	CAAGCTCTGGGTCTGGGCGAAG (105)	GCTTTATGTATGAAAACCCCTGTTTATCTGAGCCTAGAACTGCTTTGC (109)
TMD0242 (82, 83)	ACCATCTGCAAACTTGGATGGC (107)	AGTCATAGTTTTAAATGGGAGGGAATTAAGTCTGCAAAATTTCCCATAT (110)
TMD0335 (84, 85)	AAGAGCCGGAAGACAGGGAGAG (108)	AGTCCCAGCTTAAAGAGACACACACAGAGAGAGAGAGACAGAG (113)
TMD0371 (86, 87)	GAGTCTCCCTGTGCGTTTGGCTG (111)	TTAGTGATTTAAAAAATGTGAAGAGAGAGTCAAGGAGTAAAGGA (114)
TMD0374 (88, 89)	AAGTGTAAAGCATGCCCGCCTGA (112)	GATACAAATAATTAAAGCCAGGTTAAGTAAATATATTAAAGACCAAG (117)
TMD0469 (90, 91)	GTTCGCTATGCTGCCACGGTCATC (115)	ATCTCAGCAATTAAAAATGCTGAGGTGGTAAATTTGTTATCAATTTATGT (118)
TMD0719 (92, 93)	AGTCTGGCAGTCCCTGGCATTTGTG (116)	CTAGACTATTTAAAAAACCCCTGGCTTGCACAGTGGCTCAAGCCTGTAA (121)
TMD0731 (94, 95)	CAGGATTAGCGACAAACGGCATGG (119)	AGCTGTCTCATTTAAAGTGACCTGGAGTGGATGGATTTCTTCTGCCTAT (124)
TMD0785 (96, 97)	TGGAGGCGAGATAGCAGAGCCC (120)	CCAAATCTTCTGAAAAAGGGAGTCACTGTGGCACCACATCACGCCCGGGT (125)
TMD0841 (98, 99)	CTGTCCTGGGCACCCCTGATAAGC (122)	TAAACAAATACATAAATGAGGCAGTTACTAGTAGTGGTAACTGCTAGGNA (128)
TMD1114 (100, 101)	CCCAGGCTGTTGCGAGTGTCTC (123)	ACTAAATAATAAAATCAGCCAGGCTGGTGGCAGATGCTGTAAATCTC (129)
TMD1148 (102, 103)	CTGAGGTGTCCTCCCAAGCAGGT (126)	GGGATGCATTATAAATGCAACCCAGCCAGAGGGCCCTGGCTTCAGAACCT (130)
	TACGCCGAGAGAGCACTGGAGATG (127)	ATATACCTTGTTTAAAGAGGGGTATTATCACAATAAACAAAGGAAGCT (133)
	GTCACCTCAGCGATCTCAACGATAGGG (131)	ACCCTACTTTTAAAGGCCCTTGACAAACAGTCTAAAGTTCTCAGCTTAA (134)
	TGGAGCAGGAACAGGATATAGGTCAGGG (132)	TTATTGGCATAAATAATGCAAGAGAGGTCCCGAGAGTCCCTAGGTCT (137)
	GGGTGGGAAGGAAGCAGGGAGAG (135)	AAGCAATTTGTTAAAACTGGCATTACTTTACTTCTTATGCTTTCTGTGTC (140)
	CCAGCTAGTTCATGTTGGCGCAG (136)	ACTTTAAATTTTAAAGAGAGGTTTCAATCAAGAAATTCCAAGTGAGGTTT (141)
	CTGTTGGCAATCTTCAGCCAGATCTCACAC (138)	AAGGCTTCTTCAAAAAAGCGGGCTTGTCTGGGCCAGAAATCAGAGTG (144)
	ATGAGAGTTCTGACGCTCAGCA (139)	
	GGGCCACTTCCACAGACAGGAAGC (142)	
	TGGCCTGAGAGGTAGATTCCACATAGTAGTCGT (143)	
	CTCCTTCTGCTCAGAGAACAGACTGGAC (145)	
	GTGATGCTCGAGAATGAGTGGGTTG (146)	
	GCAGATACCCGACCTGACTGTTCTTC (149)	
	TGGCTGTCAGCTAGCTCAGGTACCAG (150)	

TABLE 11

-108-

SEQ ID NO	GENE NUMBER	GENBANK IDENTIFIER	PREDOMINANT SITES OF EXPRESSION	OTHER SITES OF EXPRESSION	PROMOTER (SEQ ID NO)	PRIMER (FOR, REV) (SEQ ID NO)
152, 153	TMD0986	XM_061779	pancreas	low levels in testis	156-161	154,155
162, 163	TMD0987	XM_061780	pancreas	low levels in testis	166	164,165
167, 168	TMD0353	XM_061781	pancreas			169,170
171, 172	TMD0989	XM_061784	pancreas			173,174
175, 176	TMD058	XM_061785	pancreas	low levels in testis	179,180	177,178

TABLE 12

-109-

	XM_061779	XM_061780	XM_061781	XM_061784	XM_061785
outside	1-23	1-25	1-22		1-24
TM (1)	24-46	26-48	23-45		25-47
inside	47-58	49-60	46-65		48-59
TM (2)	59-78	61-83	66-88		60-82
outside	79-97	84-97	89-97		83-96
TM (3)	98-120	98-120	98-120		97-119
inside	121-140	121-139	121-140		120-139
TM (4)	141-163	140-162	141-163		140-162
outside	164-198	163-202	164-203		163-201
TM (5)	199-221	203-25	204-226		202-224
inside	222-240	226-237	227-237		225-236
TM (6)	241-260	238-260	238-260		237-259
outside	261-274	261-269	261-272		260-268
TM (7)	75-292	270-289	273-292		269-291
inside	293-314	290-318	293-323		292-311

TABLE 13

GENBANK IDENTIFIER	MOUSE HOMOLOG	061779	061780	061781	061784	061785
XM 061779			42% (63%)	36% (57%)	43% (64%)	40% (61%)
XM_061780	MOR239-6 (AY073489) 90% (93%)	42% (63%)		41% (60%)	44% (62%)	46% (67%)
XM 061781		36% (57%)	41% (60%)		43% (63%)	40% (61%)

-110-

XM_061784	MOR223 ~>85%	43% (64%)	44% (62%)	43% (63%)	81% (87%)
XM_061785	MOR223 ~>85%	40% (61%)	46% (67%)	40% (61%)	81% (87%)

TABLE 14

TABLE 15

Clone ID (Gene code)	ACCN	Predominant sites of expression	Other expression sites	Cytogenetic locus
TMD1030 (SEQ ID NO 185-188)	XM_166853	spleen	liver	11q12.2
TMD1029 (SEQ ID NO 187-188)	XM_166854	spleen, lymphocytes, liver	brain, heart, lung, lymph node	11q12.2
TMD1028 (SEQ ID NO 189-190)	XM_166855	spleen, lymphocytes	liver	11q12.2
TMD0621 (SEQ ID NO 191-192)	XM_166205	spleen	brain, heart, liver, lung and pancreas	11q12.2

TABLE 16

Clone ID	ACCN	Protein length (aa)	domain description
TMD1030	XM_166853	298	Transmembrane domain: 27 - 49 Transmembrane domain: 98 - 120 Transmembrane domain: 140 - 162 Transmembrane domain: 175 - 197 Transmembrane domain: 207 - 226

-111-

TMD1029	XM_16684	309	Transmembrane domain: 238 - 260 Transmembrane domain: 275 - 292  Transmembrane domain: 26 - 48 Transmembrane domain: 61 - 78 Transmembrane domain: 98 - 120 Transmembrane domain: 140 - 162 Transmembrane domain: 196 - 218 Transmembrane domain: 238 - 260 Transmembrane domain: 275 - 292
TMD1028	XM_166855	173	Transmembrane domain: 18 - 40 Transmembrane domain: 61 - 83 Transmembrane domain: 103 - 125 Transmembrane domain: 137 - 156
TMD0621	XM_166205	109	Transmembrane domain: 9-31 Transmembrane domain: 69 - 91

-112-

TABLE 17

Clone ID	Accession	5'-3'	3'-5'
TMD1030	XM_166853	GGGATTGGTGTCACACGAAATTCA (SEQ ID NO 197)	GAGCTATAATATATAGCCAGCTACGAGTTGGA (SEQ ID NO 198)
TMD1029	XM_166854	GTCACGAAATTCATCTCTGGGATTGGTGC (SEQ ID NO 199)	AAACCTGTTGTACAGAGGCATTTATTGAGCC (SEQ ID NO 200)
TMD1028	XM_166855	GATATCATTTTGGGGCTGCATGATACAATTATTGG (SEQ ID NO 201)	CTCCAACCCAGTGAACATCAAGTTAAATCCCAC (SEQ ID NO 202)
TMD0621	XM_166205	TTAAGCTATTAGTTAGTTCATATGTCATGGGTTTCC (SEQ ID NO 203)	CTCATTAAACGATGGCATACATGTAAGAGAG (SEQ ID NO 204)

TABLE 18

Clone ID	Accession	Promoter Sequence (5' to 3')
TMD1030	XM_166853	ATGTTCCATCTAAATGAAGCCTGAGAAACCCAGCACTACCCACTTGTAG (0.94) (SEQ ID NO 205) ACATCCATTATATAACAGGGTTAATATACITGTAAAGAAATAGCACCTAGA (0.95) (SEQ ID NO 206)
TMD1029	XM_166854	AAATGTATAAATTCCTGCATGAAATTGGGGTGGGCTTGCTACTACTTTTG (0.98) (SEQ ID NO 207)
TMD1028	XM_166855	ATGTTCCATCTAAATGAAGCCTGAGAAACCCAGCACTACCCACTTGTAG (0.94) (SEQ ID NO 208) ACATCCATTATATAACAGGGTTAATATACITGTAAAGAAATAGCACCTAGA (0.95) (SEQ ID NO 209)

-113-

TND0621	XM_166205	AAATATATATTTTAAATTGGCCAGCGCGGTGGCTCAGCCCTATAATCCC GGCTCAGCGCTATAATCCAGCACCTTTGGAGGCGCGAGGCGGTGATCA TCCCAAATATATATATACACACACACACACACACACACATATATAT CACACACATATATATACACACACATATATTTATAATCATTTAAACA (0.99) (SEQ ID NO 210) (0.97) (SEQ ID NO 211) (1.00) (SEQ ID NO 212) (0.91) (SEQ ID NO 213)
---------	-----------	---

TABLE 19

-114-



**TABLE 19**

*(from Principles of Internal Medicine, Volume 1, Page 357, 12<sup>th</sup> Edition, McGraw-Hill Inc.)*



-117-

Table 20

Clone ID	ACCN	Gene Name/Description	Predominant sites of expression	Other expression sites
TMD0077	XM_166914	Homo sapiens olfactory receptor MOR212-1 (LOC219956). mRNA.	pancreas and testis	brain, heart and kidney
TMD0233	XM_069616	Homo sapiens similar to olfactory receptor (LOC135941) mRNA.	pancreas	none
TMD0256	XM_066725	Homo sapiens similar to olfactory receptor (LOC139478) mRNA	pancreas	skin and testis
TMD0258	XM_066873	Homo sapiens similar to beta-2 adrenergic receptor (LOC139760) mRNA	pancreas	colon, stomach and testis
TMD0267	XM_089550	Homo sapiens similar to CG5281 gene product (LOC159371) mRNA	pancreas and testis	adrenal gland, bone marrow, colon, heart, intestine (small), kidney, liver, pituitary, prostate, skin, stomach and thyroid
TMD0271	XM_061815	Homo sapiens similar to odorant receptor S18 gene (LOC120010) mRNA	pancreas and testis	PBL, prostate, thymus and uterus
TMD0290	XM_065813	Homo sapiens similar to unnamed protein product (LOC130644) mRNA	pancreas and testis	none
TMD0530	XM_048304	Homo sapiens hypothetical protein DKFZp564A1164 (DKFZP564A1164) mRNA	pancreas	brain, kidney, lung, lymph node, PBL, mammary gland, pituitary, stomach, testis and thyroid
TMD0574	XM_055514	Homo sapiens KIAA1910 protein (KIAA1910) mRNA	brain and pancreas	pituitary
TMD0608	XM_058332	Homo sapiens similar to putative (H. sapiens) (LOC118670) mRNA	pancreas and testis	stomach
TMD0639	XM_058690	Homo sapiens similar to data source:MGD, source key:MG196073, evidence:ISS-hexosaminidase A-putative (LOC204249). mRNA.	pancreas and testis	liver, PBL and prostate
TMD0645	XM_085376	Homo sapiens LOC146225 (LOC146225). mRNA.	pancreas and testis	bone marrow, brain, heart, kidney, liver, lung, lymph node, PBL, muscle, pituitary, prostate, skin, spleen, stomach and thymus
TMD0674	XM_059132	Homo sapiens similar to RIKEN cDNA 4930549C01 gene (LOC127309) mRNA	pancreas and testis	brain, pituitary, prostate and stomach
TMD0675	XM_059134	Homo sapiens similar to putative (H. sapiens) (LOC127348) mRNA	pancreas and testis	prostate and stomach
TMD0677	XM_059140	Homo sapiens similar to dJ39G22.2 (novel protein) (H. sapiens) (LOC127391) mRNA	pancreas and testis	prostate and stomach
TMD0726	XM_059639	Homo sapiens similar to hypothetical protein (H. sapiens) (LOC133309) mRNA	pancreas and testis	adrenal gland, brain, prostate and stomach
TMD0727	XM_059654	Homo sapiens similar to testis-specific transporter TST1 (H. sapiens) (LOC133482) mRNA	pancreas and testis	stomach
TMD0739	XM_059812	Homo sapiens similar to putative (H. sapiens) (LOC135886) mRNA	pancreas and testis	liver, lung, mammary gland, ovary, pituitary, prostate and stomach
TMD0753	XM_059954	Homo sapiens similar to putative (H. sapiens) (LOC138240) mRNA	pancreas and testis	stomach
TMD1111	NM_014386	Homo sapiens polycystic kidney disease 2-like 2 (PKD2L2) mRNA	pancreas and testis	none
TMD1127	NM_054020	Homo sapiens putative ion channel protein CATSPER2 (CATSPER2). mRNA.	pancreas and testis	none

Table 21

Clone ID	ACCN	Protein seq length (aa)	Domain description
TMD0077	XM_166914	310	7 transmembrane receptor (rhodopsin family)
			Transmembrane domains: 27 - 49
			Transmembrane domains: 61 - 83
			Transmembrane domains: 98 - 120
			Transmembrane domains: 141 - 163
			Transmembrane domains: 202 - 224
			Transmembrane domains: 237 - 259
			Transmembrane domains: 274 - 291
TMD0233	XM_069616	310	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 26 - 48
			Transmembrane domain: 60 - 77
			Transmembrane domain: 97 - 119
			Transmembrane domain: 140 - 162
			Transmembrane domain: 196 - 218
			Transmembrane domain: 239 - 261
			Transmembrane domain: 272 - 291
TMD0256	XM_066725	308	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 27 - 49
			Transmembrane domain: 61 - 83
			Transmembrane domain: 98 - 120
			Transmembrane domain: 140 - 162
			Transmembrane domain: 196 - 218
			Transmembrane domain: 239 - 258
			Transmembrane domain: 273 - 291
TMD0258	XM_066873	335	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 10 - 32
			Transmembrane domain: 39 - 61
			Transmembrane domain: 79 - 101
			Transmembrane domain: 121 - 143
			Transmembrane domain: 163 - 185
			Transmembrane domain: 226 - 248
			Transmembrane domain: 263 - 282
TMD0267	XM_089550	324	Integral membrane protein DUF6: 49-161
			Transmembrane domain: 59 - 78
			Transmembrane domain: 91 - 110
			Transmembrane domain: 115 - 137
			Transmembrane domain: 146 - 168
			Transmembrane domain: 183 - 201
			Transmembrane domain: 214 - 236
			Transmembrane domain: 246 - 265

			Transmembrane domain: 270 - 292
			Transmembrane domain: 297 - 316
TMD0271	XM_061815	291	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 29 - 51
			Transmembrane domain: 56 - 78
			Transmembrane domain: 83 - 105
			Transmembrane domain: 120 - 142
			Transmembrane domain: 163 - 185
			Transmembrane domain: 190 - 207
			Transmembrane domain: 220 - 239
			Transmembrane domain: 249 - 271
TMD0290	XM_065813	245	Transmembrane domain: 24 - 46
			Transmembrane domain: 61 - 83
			Transmembrane domain: 96 - 118
			Transmembrane domain: 128 - 150
			Transmembrane domain: 162 - 184
			Transmembrane domain: 221 - 243
TMD0530	XM_048304	708	Immunoglobulin domain: 139-206
			Immunoglobulin domain: 326-377
			Transmembrane domain: 511 - 533
TMD0574	XM_055514	696	Leucine rich repeat C-terminal domain: 212-262
			Leucine rich repeat C-terminal domain: 529-579
			Transmembrane domain: 621 - 643
TMD0608	XM_058332	105	Transmembrane domain: 13 - 35
TMD0639	XM_058690	127	Transmembrane domain: 12 - 34
			Transmembrane domain: 44 - 66
TMD0645	XM_085376	248	Transmembrane domain: 113 - 135
			Transmembrane domain: 150 - 169
			Transmembrane domain: 176 - 198
TMD0674	XM_059132	134	Transmembrane domain: 5 - 22
TMD0675	XM_059134	206	Transmembrane domain: 15 - 37
TMD0677	XM_059140	182	Transmembrane: 49 - 71
TMD0726	XM_059639	96	Transmembrane domain: 13 - 35
			Transmembrane domain: 50 - 72
TMD0727	related to XM_059654	719	Transmembrane domain: 108 - 130

			Transmembrane domain: 145 - 164
			Transmembrane domain: 171 - 193
			Transmembrane domain: 229 - 251
			Transmembrane domain: 264 - 286
			Transmembrane domain: 314 - 336
			Transmembrane domain: 421 - 443
			Transmembrane domain: 453 - 475
			Transmembrane domain: 580 - 602
			Transmembrane domain: 668 - 690
			Organic Anion Transporter Polypeptide (OATP) family, C-terminus: 125-473
			Organic Anion Transporter Polypeptide (OATP) family, N-terminus: 558-717
TMD0739	XM_059812	265	Transmembrane domain: 126 - 148
			Transmembrane domain: 185 - 207
TMD0753	XM_059954	161	Transmembrane domain: 26 - 48
TMD1111	NM_014386	609	Ion transporter domain: 284-490
			Transmembrane domain: 34 - 56
			Transmembrane domain: 274 - 296
			Transmembrane domain: 315 - 337
			Transmembrane domain: 364 - 386
			Transmembrane domain: 407 - 429
			Transmembrane domain: 469 - 491
TMD1127	NM_054020	528	Ion transporter domain: 172-340
			Transmembrane domain: 113 - 132
			Transmembrane domain: 147 - 169
			Transmembrane domain: 176 - 198
			Transmembrane domain: 241 - 263
			Transmembrane domain: 276 - 295
			Transmembrane domain: 315 - 337

Table 22

Clone ID	ACCN	Cytogenetic locus	Disease linkage
TMD0077	XM_166914	11q12.2	angioedema, hereditary; spastic paraplegia 17; osteoporosis-pseudoglioma syndrome; pancreatic tumor
TMD0233	XM_069616	7q35	glaucoma 1, open angle, f;
TMD0256	XM_066725	Xq26.1	x inactivation, familial skewed, 2; panhypopituitarism; thoracoabdominal syndrome; dandy-walker malformation with mental retardation, basal ganglia disease, and seizures; split-hand/foot malformation 2; mental retardation with optic atrophy, deafness
TMD0258	XM_066873	Xq26.1	x inactivation, familial skewed, 2; panhypopituitarism; thoracoabdominal syndrome; dandy-walker malformation with mental retardation, basal ganglia disease, and seizures; split-hand/foot malformation 2; mental retardation with optic atrophy, deafness
TMD0267	XM_089550	10q24.1	corneal dystrophy of bowman layer, type ii; alzheimer disease 6
TMD0271	XM_061815	11p15.4	charcot-marie-tooth disease, type 4b, form 2; deafness, neurosensory, autosomal recessive 18;
TMD0290	XM_065813	2p23.1	none
TMD0530	XM_048304	19q13.13	hypocalciuric hypercalcemia, familial, type iii; deafness, autosomal dominant nonsyndromic sensorineural 4; microcephaly, primary autosomal recessive, 2
TMD0574	XM_055514	13q31.1	microcoria, congenital; schizophrenia 7;
TMD0608	XM_058332	10q26.3	endometrial carcinoma
TMD0639	XM_058690	15q22.32	cataract, central sacular, with sutural opacities; obesity syndrome
TMD0645	XM_085376	16q23.1	dehydrated hereditary stomatocytosis; pancreatic acinar cancer
TMD0674	XM_059132	1p36.11	breast cancer, ductal, 2; prostate cancer/brain cancer susceptibility, melanoma, cutaneous malignant; inflammatory bowel disease 7;
TMD0675	XM_059134	1p33	carcinoma of pancreas
TMD0677	XM_059140	1p34.2	deafness, autosomal dominant nonsyndromic sensorineural 2; porphyria cutanea tarda; hypercholesterolemia, familial, ptosis, hereditary congenital 1;
TMD0726	XM_059639	10q11.22	none
TMD0727	related to XM_059654	5q21.1	anemia, dyserythropoietic congenital, type iii; dyslexia, specific, 1; colorectal cancer, hereditary nonpolyposis, type 7; cataract, central sacular, with sutural opacities
TMD0739	XM_059812	7q11.23	autism, susceptibility to, 1; muscular dystrophy, limb-girdle, type 1d; aneurysm, intracranial
TMD0753	XM_059954	9q21.12	hemophagocytic lymphohistiocytosis, familial, 1; amyotrophic lateral sclerosis with frontotemporal dementia
TMD1111	NM_014386	5q31	none
TMD1127	NM_054020	15q13-q15	nanophthalmos 2; spastic paraplegia 11, autosomal recessive; corpus callosum, agenesis of, with neuronopathy; pancreatic acinar carcinoma

-122-

TABLE 23

CODE	ACCN	PRIMERS	PROMOTER
TMD0077 (SEQ ID NO 214-215)	XM_166914	TCATGGATCACCACTCCACGCTC (Forward) (SEQ ID NO 256) CACCAAGATCACCACTCCACGCA (Reverse) (SEQ ID NO 257)	GGATTGAGGCTTTTAAACCCCACTCAGTGGTGCAATGGCAGGGCTTTGA (0.88) (SEQ ID NO 258)
TMD0233 (SEQ ID NO 216-217)	XM_069616	TGCTGACGAATCTTATGAACCAAG (Forward) (SEQ ID NO 259) TCACGTCAGCCTCTCCTTCCTCAGTG (Reverse) (SEQ ID NO 260)	TCACAAATCATATAAATTAGGGGAAAGAGAGAGGCGAGGTATACTCTAAAA (0.96) (SEQ ID NO 261) AATTCTTATTTTAAAGACCTCAGAAATGTCACCATGCTTAGTTATTTTA (0.95) (SEQ ID NO 262)
TMD0256 (SEQ ID NO 218-219)	XM_066725	GGCCATGGACAAATGTCACAGCAG (Forward) (SEQ ID NO 263) AGCAGACACATCTGGGCCATTCTAACCAAC (Reverse) (SEQ ID NO 264)	GGTACTATTCTATATTTTGGGCACACAGCAATGAAGAAACAGAAAAACC (0.93) (SEQ ID NO 265) CTGGGTTTCATAAAATATGGAGCAGAAAGTTTTTACAAATATAGAACAGCA (0.92) (SEQ ID NO 266) TAGAATGTGTATATAAAAAATGAAGCAGGGCTAGGGGAAAGAGATGGGTGA (0.91) (SEQ ID NO 267)
TMD0258 (SEQ ID NO 220-221)	XM_066873	CCTCATTTGGCTTCTCCCACTCG (Forward) (SEQ ID NO 268) GCCATCAAACTCTGAGCTGGAGATAGTGAC (Reverse) (SEQ ID NO 269)	CCAAAGAACTTTTAAAAAATCCCAATTCACAGTTACCAACCAAGAAATTA (0.97) (SEQ ID NO 270) CATCTCTGGAATATA TTGCGTCCAACTCTGCACTTCTCTCTATTCCT (0.96) (SEQ ID NO 271) CTGGGCCCCCTCAAAAAGCTCACTTCCCTCACTTCCCACTTCAACTGAT (0.91) (SEQ ID NO 272)
TMD0267 (SEQ ID NO 222-223)	XM_089550	TGGCCTCGTTGAAAGTGTCATCATCC (Forward) (SEQ ID NO 273) TTGGTACCAATTTACGAA TGGCCGC (Reverse) (SEQ ID NO 274)	AAAAGGCA TTTTAAAAATGCAGGTTTAAA TTGTTATCCTCATCTATGGTT (0.98) (SEQ ID NO 275)
TMD0271 (SEQ ID NO 224-225)	XM_061815	CTGGACTTGAGCAGTACCACTCTGGATC (Forward) (SEQ ID NO 276) CATATTTCCACAGCAATTTTGACAAATGG (Reverse) (SEQ ID NO 277)	ATTTTGGTTATATAGAGGAGTCTAGGAAAGAGCTCGTGGGTCTGATTC (0.97) (SEQ ID NO 278) TACTCATATTTTATATAGCAGCAACTTACATTGACCCAGGGAGAACTCAGT (0.94) (SEQ ID NO 279)
TMD0290 (SEQ ID NO 226-227)	XM_065813	GTTACCAACCAACCGTCAAGACC (Forward) (SEQ ID NO 280) CAGGCGATGCCAGAGAAAGACGATG (Reverse) (SEQ ID NO 281)	CTAGAA TTTACATATAAAGGAGCTGGAGGAGCTTTTGCAGCAACTTTGCAT (0.97) (SEQ ID NO 282) TTTTCTCTTTTAAAAACACGCTTTTCACTCTCAAAAACAGCAGAGAAATGAA (0.98) (SEQ ID NO 283) AACTGGGCTCTATAAGAGAGCCAGGGCACTTATTCATCCAAAGGGCAGATG (0.99) (SEQ ID NO 284)
TMD0330 (SEQ ID NO 228-229)	XM_048304	CTATGACTTCAAGCCCACTGGGCA (Forward) (SEQ ID NO 285) AAGGTCGCCAACTTGTCTCTGGCTC (Reverse) (SEQ ID NO 286)	GGGCGGGAGTAAAGGAGAGTCCAA TCCACGGCCCCCAGTGTGGGTG (0.86) (SEQ ID NO 287)



-123-

CODE	ACCN	PRIMERS	PROMOTER
TMD0374 (SEQ ID NO 230-231)	XM_055514	TCAATGCCATGCCAACTGAGGA (Forward) (SEQ ID NO 288) CAACACCGAGATGGACACCCCTGCT (Reverse) (SEQ ID NO 289)	CTTTAAGGTTTAAAAATGTGGGTTTATAGATGATGTCCTTTCTAAACAGC (0.99) (SEQ ID NO 290) TCAGGATGTCTAAAAAAGATCTCTCTAGTGTACACACGTGCACACACACA (0.97) (SEQ ID NO 291) AGTAACTCTATTTTAAAAAGACCTAAAAATTTCAAAATCCTAAAAATGATCTAT (0.90) (SEQ ID NO 292) AATAAATGTTTTTAAAAAGCACCTCTCTTCCGAATGGTGGAGCTGGTGGGGC (0.91) (SEQ ID NO 293)
TMD0608 (SEQ ID NO 232-233)	XM_058332	CTCAGGACGAAGTCATGATCGGCATC (Forward) (SEQ ID NO 294) GAAGATTTTGTGCCACGCTTTCCCAAG (Reverse) (SEQ ID NO 295)	TATCTCACCTTATAAGTGGGAGCTAAGCCATGAGGGCACCAAGGCATAAG (0.99) (SEQ ID NO 296) TTACATATGTATACATGTGCCATGCTGGTGTGCTGCACCCCATTAACCTCGT (0.96) (SEQ ID NO 297)
TMD0639 (SEQ ID NO 234-235)	XM_058690	TCCATGCTCAGCTTCATCTCAGCTACC (Forward) (SEQ ID NO 298) TCCATCTCAGACCTTTGGCCCTTCA (Reverse) (SEQ ID NO 299)	AAATAACCCCATTAATAAAGTGGGCAAAAGGCGCATGAACACTTTTCAAAAGA (1.00) (SEQ ID NO 300)
TMD0645 (SEQ ID NO 236-237)	XM_083376	AGGACGGTAAGGAGCCATCGGACA (Forward) (SEQ ID NO 301) CTTGCCACAGGTTCTGTGGCTTGG (Reverse) (SEQ ID NO 302)	TCCTTTGTCTATAAATAGGACTTTTGAATTTTCTGGACTAGAGAAATTGTAT (0.94) (SEQ ID NO 303)
TMD0674 (SEQ ID NO 238-239)	XM_059132	ACGACTCCAAGAACAGCAAGGCCG (Forward) (SEQ ID NO 304) AAGGTAACATCGGCAGAGGCCAGC (Reverse) (SEQ ID NO 305)	GCTAGCATTTTTTAAAGCTGATGTCTTCACTGGGCGACGGGACTCACAC (0.94) (SEQ ID NO 306)
TMD0675 (SEQ ID NO 240-241)	XM_059134	CGGCCAGGTACCAAGGCTCAGCTG (Forward) (SEQ ID NO 307) GCCAGATTCAGGAGGGGAATGGAAAGAGAAC (Reverse) (SEQ ID NO 308)	TGATCTACTTTTTTAAAAAGGATCATGCTGGCTGCTGGGATTTAGGATA (0.91) (SEQ ID NO 309) TGATAGTGATAAAAAAAGTGGCCAGATTTTGGTTATATTTTGAATAAAA (0.99) (SEQ ID NO 310) TATAGTGATATTTAAAGCCAGGGTCTGGTGAGATAAAGTGAATGA (0.93) (SEQ ID NO 311) ATTGGAGGAGCTATAAAGAGGGGAGTCATTAATAATGGTCTAAGAAAGCTGA (0.96) (SEQ ID NO 312) AGAGGGGAGTCAATTAATAATGGTGTAAAGAGCTGAGCTACAAAGCAGTGGT (0.97) (SEQ ID NO 313) GACATTCCACCCCAAAAAATGCCACTGGATGAAGTCCCTCTTCCATTAA (0.92) (SEQ ID NO 314)

XOCID: &lt;WO . . . 030B9583A2 | &gt;

CODE	ACC#	PRIMERS	PROMOTER
TMD0677 (SEQ ID NO 242-243)	XM_059140	TTGGGAGAGACTAGTGCACCTCAGCA (Forward) (SEQ ID NO 315) GAGCAATCCCTCTTCTGTCGACAGT (Reverse) (SEQ ID NO 316)	AAAAGTGCCTTTAAACAGGGGGGTGGAGGGCTTATGAGAAAGGGACCA (1.00) (SEQ ID NO 317) CCAATTTCTACTAAAAATGACAGATGACCCAGGGGTGGCAGCTGCCTGTA (0.95) (SEQ ID NO 318) AAAAAATTTTAAAAAAGCCCTGTTTATATCTCTACCTCTTCTGGGTGC (0.98) (SEQ ID NO 319) AAAAAATTTTAAAAATCCCATCTCTCTCAATTTTCCAATCAACCTCAAT (0.93) (SEQ ID NO 320)
TMD0726 (SEQ ID NO 244-245)	XM_059639	ACTTCCAAACATCTCAACCTCTCAGAGTCTCAT (Forward) (SEQ ID NO 321) TGCAGCACCATCATGTAAAGGACAA (Reverse) (SEQ ID NO 322)	TTTTTAACTATAAAAAAGTGGGATGACAGAAAAACAGTCATAAAGGAAA (0.97) (SEQ ID NO 323) GTATATGCTATATATACAGGATTCACCTTTAAATGGCATTGAGTTCCAGGA (0.98) (SEQ ID NO 324) ATAACAAATTTAAAAATTAGCCACCATGGTGGTACACACCTGTCTGTTCT (0.99) (SEQ ID NO 325) AAAAAGTAAAAAAGGTGAGGGAGACTTTAACTTTCTGAAATATATT (0.92) (SEQ ID NO 326)
TMD0727 (SEQ ID NO 246-247)	XM_059634 (related to)	CCAGAAAGCCGGGAGAAAGTGGATG (Forward) (SEQ ID NO 327) TGACAGAGCTAGGCATATAGCACTGGA (Reverse) (SEQ ID NO 328)	CTAAAGAGCTTATATATCAGCCTAAAGAAAAAGAAAAATAGAAAGTTGC (0.96) (SEQ ID NO 329)
TMD0739 (SEQ ID NO 248-249)	XM_059812	GCAGTTGGTTCAGAAACGAGATCACC (Forward) (SEQ ID NO 330) GGCAGATGGGATACATTTATCTCTGGG (Reverse) (SEQ ID NO 331)	ACTAAAAATACAAAAAAGTAGCCGGGTATGTTGGTAGGGCGCTATAATCC (0.93) (SEQ ID NO 332) GGTAGGGCGCTATAATCCAGCTACTTGGGAGGCTGAGGCAGGAGAAATG (0.92) (SEQ ID NO 333)
TMD0753 (SEQ ID NO 250-251)	XM_059934	TCGGCTTGGAAATCAGAAATGAGAAAG (Forward) (SEQ ID NO 334) TGCACAAAGATGATTCAGCAGTGAAGTAG (Reverse) (SEQ ID NO 335)	AAAAGCTTATATAAAAAAGGTTTGTGTTGTTGTTGAGACGGAGTT (0.97) (SEQ ID NO 336) GGCAACTTATATAAAAGTTTATGTTTTGTTCTGTATAATTCGTTTCT (0.91) (SEQ ID NO 337) AAGTTAAGTTTAAAAAAGAACAGGCTACAAAAGTTATAGCTATGGGTGAT (0.96) (SEQ ID NO 338)
TMD1111 (SEQ ID NO 252-253)	NM_014386	GGCGGTGTAGTGCAGGTCGG (Forward) (SEQ ID NO 339) CCTCCAGTTGCAGGGAATTCGTGCC (Reverse) (SEQ ID NO 340)	AATCAAAATATTTAAACGGGACTGTCTCTCTTTCACAAAAAGTCTAGATCT (0.92) (SEQ ID NO 341)
TMD1127 (SEQ ID NO 254-255)	NM_054020	GGCTGTGAGCAGGCTTCATGTGC (Forward) (SEQ ID NO 342) CTCCTCTGGATGATCTGCCGCTTG (Reverse) (SEQ ID NO 343)	ATTGGTGCATATATTTAGGATAGTTAGCTCTTCTTGTGTAATGATC (0.89) (SEQ ID NO 344)



**CLAIMS:**

1. A method of detecting an immune system cell, comprising:

contacting a sample comprising cells with a polynucleotide specific for TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), or TMD0890 (XM\_060959) of claim 28, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

2. A method of claim 1, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

3. A method of detecting an immune system cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), or TMD0890 (XM\_060959) of claim 28, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.

4. A method of claim 3, wherein said detecting is performed by:

immunocytochemistry, immunoprecipitation, or Western blot.

5. A method of delivering an agent to an immune cell, comprising:

contacting an immune cell with an agent coupled to binding partner specific for a polypeptide coded for by TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), or TMD0890 (XM\_060959) of claim 28, whereby said agent is delivered to said cell.

6. A method of claim 5, wherein the agent is a therapeutic agent or an imaging agent.

7. A method of claim 5, wherein the agent is cytotoxic.

8. A method of claim 5, wherein the binding partner is an antibody.

5

9. A method of modulating the maturation of an immune system cell, comprising:

contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28, whereby the maturation of an immune cell is modulated.

10

10. A method of modulating interactions between lymphoid and non-lymphoid immune system cells, comprising:

contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28, whereby the interaction is modulated.

15

20

11. A method of expressing a heterologous polynucleotide in immune system cells, comprising:

expressing a nucleic acid construct in immune system cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected from SEQ ID NOS 5, 10, 11, 16-19, 29-32, 37-39, 44-46, 51-54, and 59-62.

25

12. A method of treating an immune system disease, comprising:

administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of a gene, or polypeptide encoded thereby, selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025

30

-128-

(XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28.

13. A method of claim 12, wherein said agent is an antibody or an antisense which is effective to inhibit translation of said gene.

14. A method of diagnosing an immune disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:

assessing the expression of a gene, or polypeptide encoded thereby, selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28 in a tissue sample comprising immune system cells.

15. A method of claim 14, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

16. A method of claim 14, wherein said assessing detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a sequence selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28, or a polynucleotide probe having 95% sequence identity or more to a sequence set forth in SEQ ID NOS 1, 6, 12, 20, 25, 33, 40, 47, or 55, effective specific fragments thereof, or complements thereto.

17. A method of assessing a therapeutic or preventative intervention in a subject having an

immune system disease, comprising,

determining the expression levels of a gene, or polypeptide encoded thereby, selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28 in a tissue sample comprising immune system cells.

18. A method of claim 17, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

19. A method for identifying an agent that modulates the expression of a gene or polypeptide in the immune system gene complex, comprising,

contacting an immune system cell with a test agent under conditions effective for said test agent to modulate the expression of a gene selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28, or the biological activity of a polypeptide encoded thereby, in said immune system cell, and determining whether said test agent modulates said gene or polypeptide.

20. A method of claim 19, wherein said agent is an antisense polynucleotide which is effective to inhibit translation of said gene or an antibody specific for said polypeptide.

21. A method of detecting polymorphisms in a gene in the immune system gene complex, comprising: comparing the structure of:

genomic DNA or RNA or cDNA or a polypeptide comprising all or part of a gene selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) of claim 28 with the structure of SEQ ID NOS 1, 6, 12, 20, 25, 33, 40, 47, or 55.

22. A method of claim 20, wherein said polymorphism is a nucleotide deletion, substitution, inversion, or transposition.

5 23. A method of identifying a genetic basis for an immune disease or disease-susceptibility, comprising:

determining the association of an immune disease or disease-susceptibility with a nucleotide sequence present in a genome comprising the gene complex of claim 28.

10 24. A method of claim 23, wherein determining is performed by producing a human-linkage map of said complex.

25. A method of claim 23, wherein determining is performed by comparing the nucleotide sequences between normal subjects and subjects having an immune system disease.

15

26. A non-human, transgenic mammal, or a cell thereof, whose genome comprises a functional disruption of a gene selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888

20 (XM\_060957), and TMD0890 (XM\_060959) of claim 28, or a mouse homolog thereof, and which has a defect in immune system function.

27. A method of selecting a gene predominantly expressed in immune system cells from a database comprising polynucleotide sequences for genes, comprising:



-131-

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for a gene selected from TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890

5 (XM\_060959), or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

28. A composition consisting essentially of the 1q22 immune gene complex, comprising  
10 TMD0024 (XM\_060945), TMD1779 (XM\_060946), TMD0884 (XM\_060947), TMD0025 (XM\_060948), TMD1780 (XM\_089422), TMD1781 (XM\_089421), TMD0304 (XM\_060956), TMD0888 (XM\_060957), and TMD0890 (XM\_060959) genes, or a fragment thereof comprising at least two said genes.

15 29. A composition of claim 28, wherein said complex consists essentially of the chromosome region between STS markers SHGC-81033 and SHGC-145403, or a fragment thereof comprising at least two said genes.

30. A composition of claim 28, wherein said complex consists essentially of the  
20 chromosome region between STS markers SHGC-81033 and DIS3249, G15944, GDB:191077, or GDB:196442, or a fragment thereof comprising at least two said genes.

31. A composition of claim 28, wherein said complex consists essentially of the  
25 chromosome region between STS markers RH118729 and DIS2577 or SHGC-145403, or a fragment thereof comprising at least two said genes.

32. A method of detecting an immune system cell, comprising:  
contacting a sample comprising cells with a polynucleotide specific for a XM\_062147 (SEQ ID NO 63) or XM\_061676 (SEQ ID NO 69) of claim 59 under conditions effective for  
30 said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

-132-

33. A method of claim 32, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

5 34. A method of detecting an immune system cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for XM\_062147 (SEQ ID NO 64) or XM\_061676 (SEQ ID NO 70) of claim 59 under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.

10

35. A method of claim 34, wherein said detecting is performed by:

immunocytochemistry, immunoprecipitation, or Western blot.

36. A method of delivering an agent to an immune cell, comprising:

15

contacting an immune cell with an agent coupled to binding partner specific for XM\_062147 (SEQ ID NO 64) or XM\_061676 (SEQ ID NO 70) of claim 59, whereby said agent is delivered to said cell.

37. A method of claim 36, wherein the agent is a therapeutic agent or an imaging agent.

20

38. A method of claim 36, wherein the agent is cytotoxic.

39. A method of claim 36, wherein the binding partner is an antibody.

25 40. A method of modulating the maturation of an immune system cell, comprising:

contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59, whereby the maturation of an immune cell is modulated.

30 41. A method of modulating interactions between lymphoid and non-lymphoid immune system cells, comprising:

contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59, whereby the interaction is modulated.

- 5 42. A method of expressing a heterologous polynucleotide in immune system cells, comprising:

expressing a nucleic acid construct in immune system cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is SEQ ID NOS 65, 66, 72, 73, 74, or 75.

10

43. A method of treating an immune system disease, comprising:

administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of a gene, or polypeptide encoded thereby, selected from XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59.

15

44. A method of claim 43, wherein said agent is an antibody or an antisense which is effective to inhibit translation of said gene.

- 20 45. A method of diagnosing an immune disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:

assessing the expression of a gene, or polypeptide encoded thereby, selected from XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59 in a tissue sample comprising immune system cells.

- 25 46. A method of claim 45, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

- 30 47. A method of claim 45, wherein said assessing detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,

-134-

RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a sequence selected from SEQ ID NOS 67, 68, 76, and 77.

- 5 48. A method of assessing a therapeutic or preventative intervention in a subject having an immune system disease, comprising,
- determining the expression levels of a gene, or polypeptide encoded thereby, selected from XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59 in a tissue sample comprising immune system cells.

10

49. A method of claim 48, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

15

50. A method for identifying an agent that modulates the expression of a gene or polypeptide in the immune system gene complex, comprising,

contacting an immune system cell with a test agent under conditions effective for said test agent to modulate the expression of XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59, or a polypeptide encoded thereby, in said immune system cell, and

20

determining whether said test agent modulates said gene.

51. A method of claim 50, wherein said agent is an antisense polynucleotide to a target polynucleotide sequence selected from SEQ ID NOS 63 or 69 and which is effective to inhibit translation of said gene.

25

52. A method of detecting polymorphisms in a gene in the immune system gene complex, comprising:

comparing the structure of: genomic DNA or RNA or cDNA comprising all or part of an allele of XM\_062147 or XM\_061676 with SEQ ID NOS 63 or 69 of claim 59.

30

53. A method of claim 52, wherein said polymorphism is a nucleotide deletion, substitution,

inversion, or transposition.

54. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by XM\_062147 (SEQ ID NO 63) or XM\_061676 (SEQ ID NO 69) of claim 59, and which has a defect in immune system function.

55. A mammalian immune system cell whose genome comprises a functional disruption of a gene represented by XM\_062147 (SEQ ID NO 63) or XM\_061676 (SEQ ID NO 69) of claim 59, and which has a defect in immune system function.

10

56. A mammalian cell of claim 55, wherein said cell is a mouse cell.

57. A non-human, transgenic mammal, or a cell thereof, comprising a gene operatively linked to an expression control sequence effective to express said gene in immune system, wherein said sequence is SEQ ID NOS 65, 66, 71, 72, 73, 74, or 75.

15

58. A method of selecting a gene predominantly expressed in immune system cells from a database comprising polynucleotide sequences for genes, comprising:

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for XM\_062147 (SEQ ID NO 63 or 64) or XM\_061676 (SEQ ID NO 69 or 70) of claim 59, or complements to the polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.

20

25 59. A composition comprising:

bone marrow specific genes consisting essentially of XM\_062147 (SEQ ID NO 63 or 64) and XM\_061676 (SEQ ID NO 69 or 70), or polypeptides thereof.

60. A method of detecting a kidney cell, comprising:

contacting a sample comprising cells with a polynucleotide specific for a polynucleotide, or a naturally-occurring polymorphisms thereof, of claim 81 under conditions effective for said polynucleotide to hybridize specifically to said gene, and

30

detecting specific hybridization.

61. A method of claim 60, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,

5 RACE PCR, or *in situ* hybridization.

62. A method of detecting an kidney cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide

coded for by a polynucleotide of claim 81, or a naturally-occurring polymorphism thereof,

10 under conditions effective for said binding partner bind specifically to said polypeptide, and  
detecting specific binding.

63. A method of claim 62, wherein said detecting is performed by: immunocytochemistry,  
immunoprecipitation, or Western blot.

15

64. A method of delivering an agent to a kidney cell, comprising:

contacting a kidney cell with an agent coupled to binding partner specific for

polypeptide coded for by a polynucleotide of claim 81, or a naturally-occurring

polymorphism thereof, whereby said agent is delivered to said cell.

20

65. A method of claim 64, wherein the agent is a therapeutic agent, a cytotoxic agent, or an  
imaging agent.

66. A method of claim 64, wherein the binding partner is an antibody.

25

67. A method of modulating a kidney cell, comprising:

contacting said cell with an agent effective to modulate a polynucleotide, or

polypeptide encoded thereby, or a naturally-occurring polymorphism thereof, of claim 81,  
whereby the kidney cell is modulated.

30

68. A method of assessing kidney function, comprising:

-137-

detecting a polypeptide coded for by a polynucleotide of claim 81, or a naturally-occurring polymorphism thereof, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of kidney function.

5 69. A method of claim 68, wherein said detecting is performed using an antibody which is specific for said polypeptide.

70. A method of claim 69, wherein said detecting is performed by RIA, ELISA, or Western blot.

10

71. A method of expressing a heterologous polynucleotide in kidney cells, comprising:  
expressing a nucleic acid construct in kidney cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected from SEQ ID NOS. 106, 109, 110, 113, 114, 117, 118, 121,  
15 124, 125, 128-130, 133, 134, 137, 140, 141, 144, 147, 148, and 151.

72. A method of diagnosing a kidney disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:

20 assessing the expression of a polynucleotide of claim 81, or a polypeptide encoded thereby, or naturally-occurring polymorphisms thereof, in a tissue sample comprising kidney cells.

73. A method of claim 72, wherein assessing is:

25 measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

74. A method of assessing a therapeutic or preventative intervention in a subject having a kidney disease, comprising,

30 determining the expression levels of a polynucleotide of claim 81, a naturally-occurring polymorphism thereof, or polypeptide encoded thereby, in a tissue sample

comprising kidney cells.

75. A method of claim 74, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

5

76. A method for identifying an agent that modulates the expression of a polynucleotide or polypeptide selectively expressed in kidney cells, comprising,

contacting an kidney cell with a test agent under conditions effective for said test agent to modulate the expression of a polynucleotide of claim 81, or a naturally-occurring polymorphism thereof, or the biological activity of a polypeptide encoded thereby, in said kidney cell, and

10

determining whether said test agent modulates said gene or polypeptide.

77. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by a polynucleotide of claim 81, or a homolog thereof, and which has a defect in kidney function.

15

78. A mammalian kidney cell whose genome comprises a functional disruption of a gene represented by a polynucleotide of claim 81, or a homolog thereof, and which has a defect in kidney function.

20

79. A mammalian cell of claim 78, wherein said cell is a mouse cell.

80. A method of selecting a gene predominantly expressed in kidney cells from a database comprising polynucleotide sequences for genes, comprising:

25



displaying, in a computer-readable medium, a polynucleotide sequence, or a polypeptide encoded thereby, of claim 81, or complements to the polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.

5

81. A composition comprising two or more of the following polynucleotides expressed selectively in kidney:

TMD0049 (XM\_057351), TMD0190 (XM\_087157), TMD0242 (XM\_088369), TMD0335 (XM\_089960), TMD0371, TMD0374, TMD0469 (XM\_038736), TMD0719 (XM\_059548), TMD0731 (XM\_059703), TMD0785 (XM\_060310), TMD0841 (XM\_060623), TMD1114 (NM\_019841), and/or TMD 1148 (XM\_087108).

10

82. A method of detecting a pancreas cell, comprising:

contacting a sample comprising cells with a polynucleotide specific for TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, of claim 113 under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

15

83. A method of claim 82, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

20

84. A method of detecting a pancreas cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, of claim 113 under conditions effective for said binding partner bind specifically to said polypeptide, and, detecting specific binding.

25

85. A method of claim 84, wherein said detecting is performed by:

immunocytochemistry, immunoprecipitation, or Western blot.

30

86. A method of delivering an agent to a pancreas cell, comprising:

contacting a pancreas cell with an agent coupled to binding partner specific for

TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, of claim 113, whereby said agent is delivered to said cell.

87. A method of claim 86, wherein the agent is a therapeutic agent or an imaging agent.

5

88. A method of claim 86, wherein the agent is cytotoxic.

89. A method of claim 86, wherein the binding partner is an antibody.

10 90. A method of modulating a pancreas cell, comprising:

contacting said cell with an agent effective to modulate TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, or the biological activity of a polypeptide encoded thereby, of claim 113, whereby the pancreas cell is modulated.

15 91. A method of assessing pancreas function, comprising:

detecting a polypeptide coded for TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of pancreas function.

20 92. A method of claim 91, wherein said detecting is performed using an antibody which is specific for said polypeptide.

93. A method of claim 91, wherein said detecting is performed by RIA, ELISA, or Western blot.

25

94. A method of expressing a heterologous polynucleotide in pancreas cells, comprising:

expressing a nucleic acid construct in pancreas cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is SEQ ID NOS 156-161, 166, 179, or 180.

30

95. A method of diagnosing a pancreas disease associated with abnormal gene expression,

or determining a subject's susceptibility to such disease, comprising:

assessing the expression of TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, or polypeptide encoded thereby, of claim 113 in a tissue sample comprising pancreas cells.

5

96. A method of claim 95, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

10

97. A method of claim 95, wherein said assessing is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a sequence selected from SEQ ID NOS 154, 155, 164, 165, 169, 170, 173, 174, 177, 178, or a complement thereto.

15

98. A method of assessing a therapeutic or preventative intervention in a subject having a pancreas disease, comprising,

determining the expression levels of TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, or a polypeptide encoded thereby, of claim 113 in a tissue sample comprising pancreas cells.

20

99. A method of claim 98, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

25

100. A method for identifying an agent that modulates the expression of TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785, or the biological activity of a polypeptide encoded thereby, comprising,

contacting a pancreas cell with a test agent under conditions effective for said test agent to modulate the expression of TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785 of claim 113, or the biological activity of a polypeptide encoded thereby, in said

30

pancreas cell, and

determining whether said test agent modulates said gene or polypeptide.

101. A method of claim 100, wherein said agent is an antisense polynucleotide to a target  
5 polynucleotide sequence selected from SEQ ID NO 152, 162, 167, 171, or 175 and which is  
effective to inhibit translation of said gene.

102. A method of detecting polymorphisms in TMD0986, XM\_061780, XM\_061781,  
XM\_061784, or XM\_061785, comprising,

10 comparing the structure of: genomic DNA or RNA or cDNA comprising all or part  
of an allele of TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785,  
with SEQ ID NOS 152, 153, 162, 163, 167, 168, 171, 172, 175, or 176 of claim 113.

103. A method of claim 102, wherein said polymorphism is a nucleotide deletion,  
15 substitution, inversion, or transposition.

104. A method of identifying a pancreatic disease or pancreatic disease-susceptibility,  
comprising:

determining the association of a pancreatic disease or pancreatic disease-susceptibility  
20 with a nucleotide sequence present within the pancreatic gene complex of claim 113.

105. A method of claim 104, wherein the pancreatic gene complex is from LOC160025-  
LOC119954.

106. A method of claim 104, wherein determining is performed by producing a human-  
25 linkage map of said complex.

107. A method of claim 104, wherein determining is performed by comparing the  
nucleotide sequences between normal subjects and subjects having a pancreas disorder.

30 108. A non-human, transgenic mammal whose genome comprises a functional disruption of  
a gene represented by TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785

-143-

of claim 113, and which has a defect in pancreas function.

109. A mammalian pancreas cell whose genome comprises a functional disruption of a gene represented by TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785 of claim

5 113, and which has a defect in pancreas function.

110. A mammalian cell of claim 109, wherein said cell is a mouse cell.

111. A pancreas cell, comprising a gene operatively linked to an expression control sequence  
10 effective to express said gene in pancreas, wherein said sequence is SEQ ID NOS 156-161,  
179, or 180.

112. A method of selecting a gene predominantly expressed in pancreas cells from a database comprising polynucleotide sequences for genes, comprising:

15 displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for TMD0986, XM\_061780, XM\_061781, XM\_061784, or XM\_061785 of claim 113, or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

20

113. A composition comprising: a pancreas specific gene consisting essentially of TMD0986, XM\_061780, XM\_061781, XM\_061784, and/or XM\_061785, or a polypeptide encoded thereby.

25 114. An isolated polynucleotide comprising a polynucleotide sequence which codes without interruption for a human TMD0986 having an amino acid sequence set forth in SEQ ID NO 153, or a complement thereto.

115. An isolated polynucleotide comprising,

30 a human TMD0986 polynucleotide sequence having 90% or more nucleotide sequence identity to the polynucleotide sequence set forth in SEQ ID NO 152 along its entire

-144-

length, which codes without interruption for human TMD0986, or a complement thereto, and which has G-protein coupling activity.

116. An isolated human TMD0986 polypeptide comprising the amino acid sequence of a human TMD0986 as set forth in SEQ ID NO 153.

117. An isolated human TMD0986 polypeptide consisting essentially of amino acids 1-117 of a human TMD0986 as set forth in SEQ ID NO 153.

118. An isolated polypeptide which is human TMD0986 having 90% or more amino acid sequence identity to the amino acid sequence set forth in SEQ ID NO 153, and which has protein binding activity.

119. An antibody specific for an epitope selected from the polypeptide of claim 117.

120. A method of detecting an retinal cell, comprising:  
contacting a sample comprising cells with a polynucleotide specific for NM\_013941 (SEQ ID NO 181), or a naturally-occurring polymorphisms thereof, of claim 142 under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

121. A method of claim 120, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

122. A method of detecting an retinal cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by NM\_013941 (SEQ ID NO 182), or a naturally-occurring polymorphism thereof, of claim 142 under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.

-145-

123. A method of claim 122, wherein said detecting is performed by:  
immunocytochemistry, immunoprecipitation, or Western blot.

124. A method of delivering an agent to a retinal cell, comprising:

5       contacting a retinal cell with an agent coupled to binding partner specific for by  
NM\_013941 (SEQ ID NO 182), or naturally-occurring polymorphism thereof, of claim 142,  
whereby said agent is delivered to said cell.

125. A method of claim 124, wherein the agent is a therapeutic agent or an imaging agent.

10

126. A method of claim 124, wherein the agent is cytotoxic.

127. A method of claim 124, wherein the binding partner is an antibody.

15   128. A method of modulating a retinal cell, comprising:

      contacting said cell with an agent effective to modulate NM\_013941 (SEQ ID NO  
181 or 182), or the biological activity of a polypeptide encoded thereby, of claim 142,  
whereby the retinal cell is modulated.

20   129. A method of diagnosing a retinal disease associated with abnormal gene expression, or  
determining a subject's susceptibility to such disease, comprising:

      assessing the expression of NM\_013941, a polymorphism thereof, or polypeptide  
encoded thereby, of claim 142 in a tissue sample comprising retinal cells.

25   130. A method of claim 129, wherein assessing is:

      measuring expression levels of said gene, determining the genomic structure of said  
gene, determining the mRNA structure of transcripts from said gene, or measuring the  
expression levels of polypeptide coded for by said gene.

30   131. A method of claim 129, wherein said assessing detecting is performed by:

      Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,

-146-

RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a sequence selected from SEQ ID NOS 183 or 184, or a complement thereto.

5 132. A method of assessing a therapeutic or preventative intervention in a subject having an retinal disease, comprising,

determining the expression levels of NM\_013941, a polymorphism thereof, or polypeptide encoded thereby, of claim 142 in a tissue sample comprising retinal cells.

10 133. A method of claim 132, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

134. A method for identifying an agent that modulates the expression of NM\_013941 or the biological activity of a polypeptide encoded thereby, comprising,

15 contacting an retinal cell with a test agent under conditions effective for said test agent to modulate the expression of NM\_013941 or a polymorphism thereof, of claim 142, or the biological activity of a polypeptide encoded thereby, in said retinal cell, and determining whether said test agent modulates said gene or polypeptide.

20 135. A method of claim 134, wherein said agent is an antisense polynucleotide to a target polynucleotide sequence selected from SEQ ID NO 181 and which is effective to inhibit translation of said gene.

25 136. A method of detecting polymorphisms in NM\_013941, comprising:  
comparing the structure of: genomic DNA or RNA or cDNA comprising all or part of an allele of NM\_013941, with SEQ ID NOS 181 or 182 of claim 142.

137. A method of claim 136, wherein said polymorphism is a nucleotide deletion, substitution, inversion, or transposition.

30 138. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by NM\_013941 (SEQ ID NO 181) of claim 142, and which has a defect in



retinal function.

139. A mammalian retinal cell whose genome comprises a functional disruption of a gene represented by NM\_013941 (SEQ ID NO 181) of claim 142, and which has a defect in retinal  
5 function.

140. A mammalian cell of claim 139, wherein said cell is a mouse cell.

141. A method of selecting a gene predominantly expressed in retinal cells from a database  
10 comprising polynucleotide sequences for genes, comprising:  
displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide  
sequence for NM\_013941 (SEQ ID NO 181 or 182) of claim 142, or complements to the  
polynucleotides sequence,  
wherein said displayed sequences have been retrieved from said database upon  
15 selection by a user.

142. A composition comprising:  
a retinal specific gene consisting essentially of NM\_013941 (SEQ ID NO 181 or  
182), or a polypeptide encoded thereby.

20

143. A method of detecting a spleen cell, comprising:  
contacting a sample comprising cells with a polynucleotide specific for TMD1030  
(XM\_166853) or TMD0621 (XM\_166205) of claim 170 under conditions effective for said  
polynucleotide to hybridize specifically to said gene, and  
25 detecting specific hybridization.

144. A method of claim 143, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,  
RACE PCR, or *in situ* hybridization.

30

145. A method of detecting a spleen cell, comprising:  
contacting a sample comprising cells with a binding partner specific for a polypeptide

-148-

coded for by TMD1030 (XM\_166853) or TMD0621 (XM\_166205) of claim 170 under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.

5 146. A method of claim 145, wherein said detecting is performed by:  
immunocytochemistry, immunoprecipitation, or Western blot.

147. A method of delivering an agent to a spleen cell, comprising:  
contacting a spleen with an agent coupled to binding partner specific for TMD1030  
10 (XM\_166853) or TMD0621 (XM\_166205) of claim 170, whereby said agent is delivered to  
said cell.

148. A method of claim 147, wherein the agent is a therapeutic agent or an imaging agent.

15 149. A method of claim 148, wherein the agent is cytotoxic.

150. A method of claim 147, wherein the binding partner is an antibody.

151. A method of modulating a spleen, immune, or reticuloendothelial cell, comprising:  
20 contacting said cell with an agent effective to modulate TMD1030 (XM\_166853),  
TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), or the  
biological activity of a polypeptide encoded thereby, of claim 170, whereby the cell is  
modulated.

25 152. A method of assessing spleen function, comprising:  
detecting a polypeptide coded for by TMD1030 (XM\_166853) or TMD0621  
(XM\_166205) of claim 170, or fragments thereof, in a body fluid, whereby the amount of  
said polypeptide in said fluid is a measure of spleen function.

30 153. A method of claim 152, wherein said detecting is performed using an antibody which is  
specific for said polypeptide.

154. A method of claim 152, wherein said detecting is performed by RIA, ELISA, or Western blot.

5 155. A method of expressing a heterologous polynucleotide in spleen cells, comprising:  
expressing a nucleic acid construct in spleen cell, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is SEQ ID NO 205-213.

10 156. A method of assessing a therapeutic or preventative intervention in a subject having a spleen or lymphoid disease, comprising,  
determining the expression levels of TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), or a polypeptide encoded thereby, of claim 170 in a tissue sample comprising spleen, lymphoid, or  
15 reticuloendothelial cells.

157. A method of claim 156, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

20 158. A method for identifying an agent that modulates the expression of TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), comprising,  
contacting a spleen, lymphoid, or reticuloendothelial cell, with a test agent under conditions effective for said test agent to modulate the expression of TMD1030  
25 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), of claim 170, and  
determining whether said test agent modulates said gene.

30 159. A method of claim 158, wherein said agent is an antisense which is effective to inhibit translation of said gene.

160. A method for identifying an agent that modulates the expression of a polypeptide coded for by TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), comprising,

contacting a polypeptide coded for by TMD1030 (XM\_166853), TMD1029

- 5 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205) of claim 170, with a test agent under conditions effective for said test agent to modulate said polypeptide, and determining whether said test agent modulates said polypeptide.

161. A method of detecting polymorphisms in comprising, comparing the structure of :

- 10 genomic DNA or RNA or cDNA comprising all or part of an allele of TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205), with SEQ ID NOS 185, 187, 189, or 191 of claim 170.

162. A method of claim 161, wherein said polymorphism is a nucleotide deletion,

- 15 substitution, inversion, or transposition.

163. A method of identifying a genetic basis for a spleen, lymphoid, and/or reticuloendothelial disease or disease-susceptibility, comprising: determining the association of a spleen, lymphoid, and/or reticuloendothelial disease or disease-susceptibility with a

- 20 nucleotide sequence present in the gene complex of claim 170.

164. A method of claim 163, wherein determining is performed by producing a human-linkage map of said complex.

- 25 165. A method of claim 163, wherein determining is performed by comparing the nucleotide sequences between normal subjects and subjects having a spleen, lymphoid, and/or reticuloendothelial disease.

166. A non-human, transgenic mammal, or a cell thereof, whose genome comprises a

- 30 functional disruption of a gene represented by TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205) of claim 170, and

which has a defect in spleen, lymphoid, and/or reticuloendothelial disease function.

167. A mammalian cell of claim 166, wherein said cell is a mouse cell.

5 168. A spleen, lymphoid, and/or reticuloendothelial cell, comprising a gene operatively linked to an expression control sequence effective to express said gene in spleen, lymphoid, and/or reticuloendothelial, wherein said sequence is SEQ ID NO 205-213.

10 169. A method of selecting a gene predominantly expressed in spleen, lymphoid, and/or reticuloendothelial cells from a database comprising polynucleotide sequences for genes, comprising:  
displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), or TMD0621 (XM\_166205) of claim 170, or complements to the  
15 polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.

170. A composition consisting essentially of the 11q12.2 spleen gene complex, comprising  
TMD1030 (XM\_166853), TMD1029 (XM\_166854), TMD1028 (XM\_166855), and  
20 TMD0621 (XM\_166205).

171. A composition of claim 170, wherein said complex consists essentially of the chromosome region between STS markers G62658 and SHGC-154002.

25 172. A method of detecting a pancreas cell, comprising:  
contacting a sample comprising cells with a polynucleotide specific TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199  
30 under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

173. A method of claim 172, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

5 174. A method of detecting a pancreas cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or

10 TMD1127

of claim 199 under conditions effective for said binding partner bind specifically to said polypeptide, and

detecting specific binding.

15 175. A method of claim 174, wherein said detecting is performed by:

immunocytochemistry, immunoprecipitation, or Western blot.

176. A method of delivering an agent to a pancreas cell, comprising:

20 contacting a pancreas with an agent coupled to binding partner specific for TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199, whereby said agent is delivered to said cell.

25 177. A method of claim 176, wherein the agent is a therapeutic agent or an imaging agent.

178. A method of claim 176, wherein the agent is cytotoxic.

179. A method of claim 176, wherein the binding partner is an antibody.

30

180. A method of modulating a pancreas, immune, or reticuloendothelial cell, comprising:

contacting said cell with an agent effective to modulate TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, or the biological activity of  
5 a polypeptide encoded thereby, of claim 199, whereby the cell is modulated.

181. A method of assessing pancreas function, comprising:

detecting a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639,  
10 TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of pancreas function.

182. A method of claim 181, wherein said detecting is performed using an antibody which is specific for said polypeptide.

15

183. A method of claim 181, wherein said detecting is performed by RIA, ELISA, or Western blot.

184. A method of expressing a heterologous polynucleotide in pancreas cells, comprising:

20 expressing a nucleic acid construct in pancreas cell, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NO 258, 261, 262, 265-267, 270-272, 275, 278, 279, 282-284, 287, 290-293, 296, 297, 300, 303, 306, 309-314, 317-320, 323-326, 329, 332-333, 336-338, 341, and 344.

25

185. A method of assessing a therapeutic or preventative intervention in a subject having a pancreas or lymphoid disease, comprising,

determining the expression levels of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639,  
30 TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, or a polypeptide encoded thereby, of claim 199 in

a tissue sample comprising pancreas, lymphoid, or reticuloendothelial cells.

186. A method of claim 185, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

5

187. A method for identifying an agent that modulates the expression of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, comprising,

10

contacting a pancreas, lymphoid, or reticuloendothelial cell, with a test agent under conditions effective for said test agent to modulate the expression of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, of claim 199, and

15

determining whether said test agent modulates said gene.

188. A method of claim 187, wherein said agent is an antisense which is effective to inhibit translation of said gene.

20

189. A method for identifying an agent that modulates the expression of a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, comprising,

25

contacting a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199, with a test agent under conditions effective for said test agent to modulate said polypeptide, and

30

determining whether said test agent modulates said polypeptide.



190. A method of claim 189, wherein said test agent is an antibody.

191. A method of detecting polymorphisms in comprising, comparing the structure of :  
genomic DNA or RNA or cDNA comprising all or part of an allele of

5 TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290,  
TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675,  
TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127,  
with SEQ ID NOS of Table 23 of claim 199.

10 192. A method of claim 191, wherein said polymorphism is a nucleotide deletion,  
substitution, inversion, or transposition.

193. A method of identifying a genetic basis for a pancreas disease or disease-susceptibility,  
comprising: determining the association of a pancreas disease or disease-susceptibility with a  
15 gene of claim 199.

194. A method of claim 193, wherein determining is performed by producing a human-  
linkage map of said gene.

20 195. A method of claim 193, wherein determining is performed by comparing the  
nucleotide sequences between normal subjects and subjects having a pancreas disease.

196. A non-human, transgenic mammal, or a cell thereof, whose genome comprises a  
functional disruption of a gene represented by TMD0077, TMD0233, TMD0256, TMD0258,  
25 TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639,  
TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739,  
TMD0753, TMD1111, and/or TMD1127, of claim 199, and which has a defect in pancreas,  
lymphoid, and/or reticuloendothelial disease function.

30 197. A mammalian cell of claim 196, wherein said cell is a mouse cell.

198. A method of selecting a gene predominantly expressed in pancreas tissue from a

database comprising polynucleotide and amino acid sequences for genes, comprising:

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, of claim 199, or complements to the polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.

199. A composition comprising genes and/or polypeptide which are expressed predominantly in pancreas tissue comprising:

TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127.

STS	RNA	Accn	locus	Gene code
55520K	RH79928 155920K			
55530K	SHGC-545 155930K	XM_173381	LOC254079	
55540K	RH93848 155940K			
55550K	RH04445 155950K	XM_086610	CD1D	
55560K	SHGC-8275 155960K			
55570K	D1S3312 155970K			
55580K	RH66323 155980K			
55590K	155990K			
55600K	156000K			
55610K	156010K			
55620K	RH120517 156020K	XM_048792	CD1A	
55630K	D1S3258 156030K			
55640K	RH11438 156040K			
55650K	156050K			
55660K	156060K	NM_001765.1	CD1C	
55670K	D1S3359 156070K			
55680K	156080K			
55690K	DMS7690 156090K			
55700K	SHGC-1278 156100K	NM_001764.1	CD1B	
55710K	156110K			
55720K	RH009529 156120K	NM_030893.1	CD1E	
55730K	RH70621 156130K			
55740K	RH66963 156140K			
55750K	156150K			
55760K	SHGC-61023 156160K	XM_060945	LOC128360	TMD0024
55770K	156170K			
55780K	156180K	XM_060946	LOC128361	TMD1779
55790K	156190K			
55800K	156200K	XM_060947	LOC128362	TMD0884
55810K	156210K			
55820K	156220K	XM_060948	LOC128363	TMD0025
55830K	SHGC-1558 156230K			
55840K	SHGC-1552 156240K			
55850K	156250K	XM_089422	LOC164169	TMD1780
55860K	156260K			
55870K	156270K	XM_089421	LOC149631	TMD1781
55880K	156280K			
55890K	156290K	XM_060949	LOC128364	
55900K	156300K	XM_089420	LOC164168	
55910K	156310K			
55920K	156320K	XM_060950	LOC128365	
55930K	156330K			
55940K	156340K			
55950K	D1S3249 156350K	XM_060951	LOC128366	
55960K	G15944 156360K			
55970K	CDR11510 156370K	XM_060952	LOC128367	
55980K	RH60453 156380K			
55990K	RH102597 156390K	XM_060953	LOC128368	
56000K	RH69625 156400K			
56010K	RH65132 156410K			
56020K	156420K	NM_003126.1	SPTA1	
56030K	156430K			
56040K	156440K			
56050K	156450K			
56060K	RH118729 156460K			
56070K	156470K	XM_060954	LOC128369	
56080K	156480K			
56090K	156490K	XM_060955	LOC128370	
56100K	156500K			
56110K	156510K	XM_060956	LOC128371	TMD0304
56120K	AL033983 156520K			
56130K	156530K	XM_060957	LOC128372	TMD0888
56140K	156540K			
56150K	156550K			
56160K	156560K	XM_060958	LOC128373	
56170K	156570K			
56180K	156580K	XM_060959	LOC128374	TMD0890
56190K	SHGC-145 156590K			
56200K	156600K	NM_002432.1	MNDA	
56210K	RH17742 156610K			
56220K	D1S2385 156620K			
56230K	156630K			
56240K	156640K			
56250K	156650K			
56260K	156660K			
56270K	156670K	XM_089418	LOC149629	
56280K	156680K			
56290K	156690K			
56300K	156700K			
56310K	156710K			
56320K	156720K			

Fig. 1





Fig. 2



XM\_062147



XM\_061676




FIG. 4

Fig. 5a





Fig. 5b








Fig. 6




Fig 5A




Fig 1B






Fig. 8

XM\_061779



XM\_061780



XM\_061781





Fig. 9A

XM\_061784



XM\_061785




Fig. 9B




Fig.10




Fig. 11



FIG. 12A




FIG. 12B





FIG. 12C



16U 200 PCT FINAL.ST25  
SEQUENCE LISTING

<110> OriGene Technologies, Inc

<120> TISSUE SPECIFIC GENES AND GENE CLUSTERS

<130> 16U 200 PCT

<150> US 60/372,669

<151> 2002-04-16

<150> US 60/411,882

<151> 2002-09-20

<150> US 60/424,336

<151> 2002-11-07

<150> US 60/374,823

<151> 2002-04-24

<150> US 60/376,558

<151> 2002-05-01

<150> US 60/381,366

<151> 2002-05-20

<150> US 60/403,648

<151> 2002-08-16

<160> 344

<170> PatentIn version 3.1

<210> 1

<211> 795

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(795)

<223>

<400> 1

atg gag cgg gtc aat gag act gtg gtg aga gag gtc atc ttc ctc ggc	48
Met Glu Arg Val Asn Glu Thr Val Val Arg Glu Val Ile Phe Leu Gly	
1 5 10 15	
ttc tca tcc ctg gcc agg ctg cag cag ctg ctc ttt gtt atc ttc ctg	96
Phe Ser Ser Leu Ala Arg Leu Gln Gln Leu Leu Phe Val Ile Phe Leu	
20 25 30	
ctc ctc tac ctg ttc act ctg ggc acc aat gca atc atc att tcc acc	144
Leu Leu Tyr Leu Phe Thr Leu Gly Thr Asn Ala Ile Ile Ile Ser Thr	
35 40 45	
att gtc ctg gac agg gcc ctt cat atc ccc atg tac ttc ttc ctt gcc	192
Ile Val Leu Asp Arg Ala Leu His Ile Pro Met Tyr Phe Phe Leu Ala	
50 55 60	
atc ctc tct tgc tct gag att tgc tac acc ttc atc att gta ccc aag	240
Ile Leu Ser Cys Ser Glu Ile Cys Tyr Thr Phe Ile Ile Val Pro Lys	
65 70 75 80	
atg ctg gtt gac ctg ctg tcc cag aag aag acc att tct ttc ctg ggc	288
Met Leu Val Asp Leu Leu Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly	
85 90 95	
tgt gcc atc caa atg ttt tcc ttc ctc ttc ctt ggc tgc tct cac tcc	336
Cys Ala Ile Gln Met Phe Ser Phe Leu Phe Leu Gly Cys Ser His Ser	
100 105 110	
ttt ctg ctg gca gtc atg ggt tat gat cgt tac ata gcc atc tgt aac	384
Phe Leu Leu Ala Val Met Gly Tyr Asp Arg Tyr Ile Ala Ile Cys Asn	
115 120 125	
cca ctg cgc tac tca gtg cta atg gga cat ggg gtg tgt atg gga cta	432
Pro Leu Arg Tyr Ser Val Leu Met Gly His Gly Val Cys Met Gly Leu	
130 135 140	

160 200 PCT FINAL.ST25

gtg gct gct gcc tgt gcc tgt ggc ttc act gtt gca cag atc atc aca 480  
 Val Ala Ala Ala Cys Ala Cys Gly Phe Thr Val Ala Gln Ile Ile Thr  
 145 150 155 160

tcc ttg gta ttt cac ctg cct ttt tat tcc tcc aat caa cta cat cac 528  
 Ser Leu Val Phe His Leu Pro Phe Tyr Ser Ser Asn Gln Leu His His  
 165 170 175

ttc ttc tgt gac att gct cct gtc ctc aag ctg gca tct cac cat aac 576  
 Phe Phe Cys Asp Ile Ala Pro Val Leu Lys Leu Ala Ser His His Asn  
 180 185 190

cac ttt agt cag att gtc atc ttc atg ctc tgt aca ttg gtc ctg gct 624  
 His Phe Ser Gln Ile Val Ile Phe Met Leu Cys Thr Leu Val Leu Ala  
 195 200 205

atc ccc tta ttg ttg atc ttg gtg tcc tat gtt cac atc ctc tct gcc 672  
 Ile Pro Leu Leu Leu Ile Leu Val Ser Tyr Val His Ile Leu Ser Ala  
 210 215 220

ata ctt cag ttt cct tcc aca ctg gga gtg ata gca aaa agg aag ttt 720  
 Ile Leu Gln Phe Pro Ser Thr Leu Gly Val Ile Ala Lys Arg Lys Phe  
 225 230 235 240

cac aat agt gat gat ttc tca cat tat aac tct ttt caa gat cca cct 768  
 His Asn Ser Asp Asp Phe Ser His Tyr Asn Ser Phe Gln Asp Pro Pro  
 245 250 255

gtc aat aaa agt ctc ctg att gat taa 795  
 Val Asn Lys Ser Leu Leu Ile Asp  
 260

<210> 2  
 <211> 264  
 <212> PRT  
 <213> Homo sapiens

<400> 2

Met Glu Arg Val Asn Glu Thr Val Val Arg Glu Val Ile Phe Leu Gly  
 1 5 10 15

Phe Ser Ser Leu Ala Arg Leu Gln Gln Leu Leu Phe Val Ile Phe Leu  
 20 25 30

Leu Leu Tyr Leu Phe Thr Leu Gly Thr Asn Ala Ile Ile Ile Ser Thr  
 35 40 45

Ile Val Leu Asp Arg Ala Leu His Ile Pro Met Tyr Phe Phe Leu Ala  
 50 55 60

Ile Leu Ser Cys Ser Glu Ile Cys Tyr Thr Phe Ile Ile Val Pro Lys  
 65 70 75 80

Met Leu Val Asp Leu Leu Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly  
 85 90 95

Cys Ala Ile Gln Met Phe Ser Phe Leu Phe Leu Gly Cys Ser His Ser  
 100 105 110

Phe Leu Leu Ala Val Met Gly Tyr Asp Arg Tyr Ile Ala Ile Cys Asn  
 115 120 125

Pro Leu Arg Tyr Ser Val Leu Met Gly His Gly Val Cys Met Gly Leu  
 130 135 140

Val Ala Ala Ala Cys Ala Cys Gly Phe Thr Val Ala Gln Ile Ile Thr  
 145 150 155 160

16U 200 PCT FINAL.ST25

Ser Leu Val Phe His Leu Pro Phe Tyr Ser Ser Asn Gln Leu His His  
165 170 175

Phe Phe Cys Asp Ile Ala Pro Val Leu Lys Leu Ala Ser His His Asn  
180 185 190

His Phe Ser Gln Ile Val Ile Phe Met Leu Cys Thr Leu Val Leu Ala  
195 200 205

Ile Pro Leu Leu Leu Ile Leu Val Ser Tyr Val His Ile Leu Ser Ala  
210 215 220

Ile Leu Gln Phe Pro Ser Thr Leu Gly Val Ile Ala Lys Arg Lys Phe  
225 230 235 240

His Asn Ser Asp Asp Phe Ser His Tyr Asn Ser Phe Gln Asp Pro Pro  
245 250 255

Val Asn Lys Ser Leu Leu Ile Asp  
260

<210> 3  
<211> 32  
<212> DNA  
<213> Homo sapiens

<400> 3  
ggcgaatgag actgtggtga gagaggtcat ct 32

<210> 4  
<211> 31  
<212> DNA  
<213> Homo sapiens

<400> 4  
ctatcactcc cagtgtggaa ggaaactgaa g 31

<210> 5  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 5  
ctctttcaga tttaaatggg ccagacttag ttttatgtgg tgcagacatt 50

<210> 6  
<211> 807  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(807)  
<223>

<400> 6  
atg gcc gtt att cgc ttc agc tgg act ctc cac act ccc atg tat ggc 48  
Met Ala Val Ile Arg Phe Ser Trp Thr Leu His Thr Pro Met Tyr Gly  
1 5 10 15

ttt cta ttc atc ctt tca ttt tct gag tcc tgc tac act ttt gtc atc 96  
Phe Leu Phe Ile Leu Ser Phe Ser Glu Ser Cys Tyr Thr Phe Val Ile  
20 25 30

atc cct cag ctg ctg gtc cac ctg ctc tca gac acc aag acc atc tcc 144  
Ile Pro Gln Leu Leu Val His Leu Leu Ser Asp Thr Lys Thr Ile Ser  
35 40 45

## 160 200 PCT FINAL.ST25

ttc atg gcc tgt gcc acc cag ctg ttc ttt ttc ctt ggc ttt gct tgc 192  
 Phe Met Ala Cys Ala Thr Gln Leu Phe Phe Phe Leu Gly Phe Ala Cys  
 50 55 60  
 acc aac tgc ctc ctc att gct gtg atg gga tat gat cgc tat gta gca 240  
 Thr Asn Cys Leu Leu Ile Ala Val Met Gly Tyr Asp Arg Tyr Val Ala  
 65 70 75 80  
 att tgt cac cct ctg agg tac aca ctc atc ata aac aaa agg ctg ggg 288  
 Ile Cys His Pro Leu Arg Tyr Thr Leu Ile Ile Asn Lys Arg Leu Gly  
 85 90 95  
 ttg gag ttg att tct ctc tca gga gcc aca ggt ttc ttt att gct ttg 336  
 Leu Glu Leu Ile Ser Leu Ser Gly Ala Thr Gly Phe Phe Ile Ala Leu  
 100 105 110  
 gtg gcc acc aac ctc att tgt gac atg cgt ttt tgt ggc ccc aac agg 384  
 Val Ala Thr Asn Leu Ile Cys Asp Met Arg Phe Cys Gly Pro Asn Arg  
 115 120 125  
 gtt aac cac tat ttc tgt gac atg gca cct gtt atc aag tta gcc tgc 432  
 Val Asn His Tyr Phe Cys Asp Met Ala Pro Val Ile Lys Leu Ala Cys  
 130 135 140  
 act gac acc cat gtg aaa gag ctg gct tta ttt agc ctc agc atc ctg 480  
 Thr Asp Thr His Val Lys Glu Leu Ala Leu Phe Ser Leu Ser Ile Leu  
 145 150 155 160  
 gta att atg gtg cct ttt ctg tta att ctc ata tcc tat ggc ttc ata 528  
 Val Ile Met Val Pro Phe Leu Leu Ile Leu Ile Ser Tyr Gly Phe Ile  
 165 170 175  
 gtt aac acc atc ctg aag atc ccc tca gct gag ggc aag aag gcc ttt 576  
 Val Asn Thr Ile Leu Lys Ile Pro Ser Ala Glu Gly Lys Lys Ala Phe  
 180 185 190  
 gtc acc tgt gcc tca cat ctc act gtg gtc ttt gtc cac tat ggc tgt 624  
 Val Thr Cys Ala Ser His Leu Thr Val Val Phe Val His Tyr Gly Cys  
 195 200 205  
 gcc tct atc atc tat ctg cgg ccc aag tcc aag tct gcc tca gac aag 672  
 Ala Ser Ile Ile Tyr Leu Arg Pro Lys Ser Lys Ser Ala Ser Asp Lys  
 210 215 220  
 gat cag ttg gtg gca gtg acc tac aca gtg gtt act ccc tta ctt aat 720  
 Asp Gln Leu Val Ala Val Thr Tyr Thr Val Val Thr Pro Leu Leu Asn  
 225 230 235 240  
 cct ctt gtc tac agt ctg agg aac aaa gag gta aaa act gca ttg aaa 768  
 Pro Leu Val Tyr Ser Leu Arg Asn Lys Glu Val Lys Thr Ala Leu Lys  
 245 250 255  
 aga gtt ctt gga atg cct gtg gca acc aag atg agc taa 807  
 Arg Val Leu Gly Met Pro Val Ala Thr Lys Met Ser  
 260 265

<210> 7  
 <211> 268  
 <212> PRT  
 <213> Homo sapiens

<400> 7

Met Ala Val Ile Arg Phe Ser Trp Thr Leu His Thr Pro Met Tyr Gly  
1 5 10 15

Phe Leu Phe Ile Leu Ser Phe Ser Glu Ser Cys Tyr Thr Phe Val Ile  
20 25 30

Ile Pro Gln Leu Leu Val His Leu Leu Ser Asp Thr Lys Thr Ile Ser  
35 40 45

Phe Met Ala Cys Ala Thr Gln Leu Phe Phe Phe Leu Gly Phe Ala Cys  
50 55 60

16U 200 PCT FINAL.ST25

Thr Asn Cys Leu Leu Ile Ala Val Met Gly Tyr Asp Arg Tyr Val Ala  
65 70 75 80

Ile Cys His Pro Leu Arg Tyr Thr Leu Ile Ile Asn Lys Arg Leu Gly  
85 90 95

Leu Glu Leu Ile Ser Leu Ser Gly Ala Thr Gly Phe Phe Ile Ala Leu  
100 105 110

Val Ala Thr Asn Leu Ile Cys Asp Met Arg Phe Cys Gly Pro Asn Arg  
115 120 125

Val Asn His Tyr Phe Cys Asp Met Ala Pro Val Ile Lys Leu Ala Cys  
130 135 140

Thr Asp Thr His Val Lys Glu Leu Ala Leu Phe Ser Leu Ser Ile Leu  
145 150 155 160

Val Ile Met Val Pro Phe Leu Leu Ile Leu Ile Ser Tyr Gly Phe Ile  
165 170 175

Val Asn Thr Ile Leu Lys Ile Pro Ser Ala Glu Gly Lys Lys Ala Phe  
180 185 190

Val Thr Cys Ala Ser His Leu Thr Val Val Phe Val His Tyr Gly Cys  
195 200 205

Ala Ser Ile Ile Tyr Leu Arg Pro Lys Ser Lys Ser Ala Ser Asp Lys  
210 215 220

Asp Gln Leu Val Ala Val Thr Tyr Thr Val Val Thr Pro Leu Leu Asn  
225 230 235 240

Pro Leu Val Tyr Ser Leu Arg Asn Lys Glu Val Lys Thr Ala Leu Lys  
245 250 255

Arg Val Leu Gly Met Pro Val Ala Thr Lys Met Ser  
260 265

<210> 8  
<211> 25  
<212> DNA  
<213> Homo sapiens

<400> 8  
-ccacctgctc tcagacacca agacc 25

<210> 9  
<211> 27  
<212> DNA  
<213> Homo sapiens

<400> 9  
ggcaccataa ttaccaggat gctgagg 27

<210> 10  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 10  
gagtgcacaaa tatataaaga ggtatgttca atgcaacatg ttaaattgcaa 50



160 200 PCT FINAL.ST25

<210> 11  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 11  
 actccttaga taaaaaaggg cagatttatt aaagaaccct gatttaatca 50

<210> 12  
 <211> 4982  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (2019)..(2960)  
 <223>

<400> 12  
 gtactccttc agaatcagag aattccagct tccatgggtt acattattca tcatattcag 60  
 tcaagtgagg gcctagtggc gggttaaagg tgattagttg aaagaagatt caaatgaaag 120  
 tcttttggga aagcaatgag gcaaggctaa gcaatgacca taagttaga tttcctcatt 180  
 gttttgaata gacaggaaat catttgtcca gaaggaggta ttatgtaggg aaacttttac 240  
 ctttctgtat ataaaaacat ataactaata cacacacact catacacaaa tatcaatgga 300  
 ggtatacatt gtgtttactt tttctatgtt tatgtacaat agtaatatct ttatagttat 360  
 actaacgtta ttaaaataag taatttatatt aactaagttt aggaccagtt tctagtaagt 420  
 aagaagaaaa aaaatcatc tccaaattct atgaatagat ataatgaatt tcaagaatgc 480  
 ctgatgaatt aacttaggat tcaggaaaca aaaaaagttg ctattgaata gaaaaatgga 540  
 aaagtaacag caacaaaatt ctggtagcag atgccaataa tttccaaga caaatgatg 600  
 tagtaacttc agaagtatat aaatgaagac tggataccag caagacatac tggatgattt 660  
 tgtatccaga tagtgctttt ttacttatt aggttgggtt attgaaaaat gttccagtga 720  
 aaaaaattag gcctaagatg attttagaaa taattttaa tggcagtttg caaatattt 780  
 ttagtggcag aatgttcaaa agaaatctta ttaacataac aacatacaaa agatacaaa 840  
 cctatgggtt acagcaggag aggggaaact ggcaaaatc ccaagtgtgc cattctctct 900  
 cacactctgt agcaagctct gtcatttcta caaaactctt atttctctga gtttctccaa 960  
 gttagctcag catgaaaaag tgaagtgtgt taaaaatgc cacaaagtca gtcattcttc 1020  
 tttaccaccc tggtgactat tctcttctctg aaagaagaat tttttcttt atactaatgc 1080  
 actaatgtta tttattttta tttattttta tttatttatt tttgagacag atttctactg 1140  
 tgtcaccag tctggagtgc agaggcacia tcttggctca ctgcaacctc cgcctcccg 1200  
 gctcaagtga atctcatgcc tcagcctccc gagtagctgg gattacaggt gtgtgctgcc 1260  
 atacctggct aatttttcta cttttagtaa agaccagggt ttgccatgtt gccgaggctg 1320  
 gtcttgaacc cctggcctca agcaatccac ccacctggc ttctcaaagt gctgggatta 1380  
 cagggtgtgag ccaccacatc tggctaagt tttttttgt ttactgttg actcaatgtt 1440  
 tcaacttgtg gaacttccaa tagtatttct tattgttccc ttggagatat aaaaagttcc 1500  
 cagtaaatag atgtgtgctc acatctttac ttagagacca tggaaactt tatctccttt 1560  
 ctcatctcat ggttggataa actgaagtcc acatgattat gtctgaatat tttcattct 1620  
 ttcgttctat attctgatca gcttcaggta gctgaagtta acgttttcca ctttgagag 1680  
 tgagttgcct tgggtttata gtaagtgaaca aaaacaacaa tctctctgtt acataagaag 1740

gaaaactatt agcaaatttc ctaaacccttg gtcagagaga taacctgttc ttcacattag																	1800
agaaggcctc caaaactggct atcagttatt cttttgcata ttttgcctaa ttcttctttt																	1860
agcaggcatt ttaatggggg aatgaagaat tccatcaaat atctggaaat gcctgccacc																	1920
tgcaaacttt gtgtgaaatt tcccgtacat ttccactctc ctttctggat cctggtttct																	1980
acctctgtcc ctgactctcc tttatagaag tgctctcc atg gag caa gtc aat aag Met Glu Gln Val Asn Lys 1 5																	2036
act gtg gtg aga gag ttc gtc gtc ctc ggc ttc tca tcc ctg gcc agg Thr Val Val Arg Glu Phe Val Val Leu Gly Phe Ser Ser Leu Ala Arg 10 15 20																	2084
ctg cag cag ctg ctc ttt gtt atc ttc ctg ctc ctc tac ctg ttc act Leu Gln Gln Leu Leu Phe Val Ile Phe Leu Leu Leu Tyr 25 30 35																	2132
ctg ggc acc aat gca atc atc att tcc acc att gtg ctg gac aga gcc Leu Gly Thr Asn Ala Ile Ile Ser Thr Ile Val Leu Asp Arg Ala 40 45 50																	2180
ctt cat act ccc atg tac ttc ttc ctt gcc atc ctt tct tgc tct gag Leu His Thr Pro Met Tyr Phe Phe Leu Ala Ile Leu Ser Cys Ser Glu 55 60 65 70																	2228
att tgc tat acc ttt gtc att gta ccc aag atg ctg gtt gac ctg ctg Ile Cys Tyr Thr Phe Val Ile Val Pro Lys Met Leu Val Asp Leu Leu 75 80 85																	2276
tcc cag aag aag acc att tct ttc ctg ggc tgt gcc atc caa atg ttt Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly Cys Ala Ile Gln Met Phe 90 95 100																	2324
tcc ttc ctc ttc ttt ggc tcc tct cac tcc ttc ctg ctg gca gcc atg Ser Phe Leu Phe Phe Gly Ser Ser His Ser Phe Leu Leu Ala Ala Met 105 110 115																	2372
ggc tat gat cgc tat atg gcc atc tgt aac cca ctg cgc tac tca gtg Gly Tyr Asp Arg Tyr Met Ala Ile Cys Asn Pro Leu Arg Tyr Ser Val 120 125 130																	2420
ctc atg gga cat ggg gtg tgt atg gga cta atg gct gct gcc tgt gcc Leu Met Gly His Gly Val Cys Met Gly Leu Met Ala Ala Ala Cys Ala 135 140 145 150																	2468
tgt ggc ttc act gtc tcc ctg gtc acc acc tcc cta gta ttt cat ctg Cys Gly Phe Thr Val Ser Leu Val Thr Thr Ser Leu Val Phe His Leu 155 160 165																	2516
ccc ttc cac tcc tcc aac cag ctc cat cac ttc ttc tgt gac atc tcc Pro Phe His Ser Ser Asn Gln Leu His His Phe Phe Cys Asp Ile Ser 170 175 180																	2564
cct gtc ctt aaa ctg gca tct cag cac tcc ggc ttc agt cag ctg gtc Pro Val Leu Lys Leu Ala Ser Gln His Ser Gly Phe Ser Gln Leu Val 185 190 195																	2612
ata ttc atg ctt ggt gta ttt gcc ttg gtc att cct ctg cta ctt atc Ile Phe Met Leu Gly Val Phe Ala Leu Val Ile Pro Leu Leu Leu Ile 200 205 210																	2660
cta gtc tcc tac atc cgc atc atc tct gcc att ctg aaa atc cct tcc Val Val Ser Tyr Ile Arg Ile Ile Ser Ala Ile Leu Lys Ile Pro Ser 215 220 225 230																	2708
tcc gtt gga aga tac aag acc ttc tcc acc tgt gcc tcc cat ctc att Ser Val Gly Arg Tyr Lys Thr Phe Ser Thr Cys Ala Ser His Leu Ile 235 240 245																	2756
gtg gta act gtt cac tac agt tgt gcc tct ttc atc tac tta agg ccc Val Val Thr Val His Tyr Ser Cys Ala Ser Phe Ile Tyr Leu Arg Pro 250 255																	2804
aag act aat tac act tca agc caa gac acc cta ata tct gtg tca tac Lys Thr Asn Tyr Thr Ser Ser Gln Asp Thr Leu Ile Ser Val Ser Tyr 255 260 265 270 275 280																	2852

160 200 PCT FINAL.ST25  
275

265                      270

acc atc ctt acc cca ttg ttc aat cca atg att tat agt ctg aga aat      2900  
Thr ile Leu Thr Pro Leu Phe Asn Pro Met Ile Tyr Ser Leu Arg Asn  
280                      285                      290

aag gaa ttc aaa tca gcc cta cga aga aca atc ggc caa act ttc tat      2948  
Lys Glu Phe Lys Ser Ala Leu Arg Arg Thr ile Gly Gln Thr Phe Tyr  
295                      300                      305                      310

cct ctt agt taa agagctatTT tttaaactac taatgcctag tacatgccag      3000  
Pro Leu Ser

gcagaacgtg tgttttatac atttttttcc atttaattgt ccagctccac tgtaacataa      3060  
gaacatttta catatgagaa gaatgaggct cacagaagtt aagacagtct ggctttctac      3120  
tctccatgat actttaacaa gactaatcag atatgggaac agagcacaca gttccataac      3180  
aaatttaatt atattttact gcttttaaata ttgctaattt aaaaactaat atgagagcaa      3240  
agatgcatct aaactgatga gagctgtgtc ttgaagtaga gagcttggat acatcaggaa      3300  
agaaaagatg tatccaaaaa aaaaaaaaaga aagaaaaaag aaaaaaaaag ggaaaacagc      3360  
aggaaatcca tctatccgta cttttctttt cctaaagaca acagaaaact ttggtccac      3420  
acattctgct acaaatcttg gtgtctcttt ttgtcccaa ttcatctct taacctacat      3480  
attgaaatat cttggccttt acttgggggt gttttgttct tctttgttt gaggtggaac      3540  
cactttatgg ttctcttct gatgcacatg tatgtccttc acatactagt gtgtcttagc      3600  
ccccacattt gttcctgaga caccatacta atttgctctc ttcaaggaa ctactagcat      3660  
tgctacttg ctgaaatata tcaagtaatt ccaagcaaag ggcttgagtt aatattaata      3720  
gaaggctaga ttcttagaat gaccagaaaa ctcatggaaa accctccagt gactcccttt      3780  
gcctacaag ataatgccaa gggctcttca ttgtcatgaa tctatcatct agtttccacc      3840  
tacctcttca gtattatcat ttctaatttt gtattctctc attttctata tgcttttgt      3900  
acactctgaa gctaaccaac tatttgcttg ttttaaaaca aataaatgtg atgaacaaaa      3960  
taaatgtggt ctctgccctc ataggcctta ttgcctgggt caagatagtc ccagtaaaaa      4020  
gaaaaatgag ggaaaatacc ttaccagttt aagttgattc tctgaagaaa aagtgcatgc      4080  
aggcgataga ggagagaata ctaagataaa cctaatttag atcgaatggc atagggttg      4140  
tttccagag aaactgagag ttaacctgca tgtaacctga agggtaatta aaagtcttca      4200  
ggtaagggg atatccttta ggacagaaga aacaatgtgt acaaaacccc tgaagcaaga      4260  
actggatgag ttggagacaa gcaaagaagg cctgtataaa tgctgtttta aaaatgcttt      4320  
tcaattgaca aaattatata ttttatgggt gtaaaacatg atattttctc ccactctgta      4380  
ggttgcctgt tcaactctgat ggtattttct ttgctgtgc agaagctctt tagtttaatt      4440  
agatcccat tgtcaatttt ggcttttgtt gccattgcct ttggtgttta gacatgaagg      4500  
ccttgcccat gcctatgccc tgaatggtac tgcctagggt ttcttctagg gtttttatgg      4560  
ttttaggctt aacatgtaag tcttttatcc atctggaata aatttttgta taagggtgaa      4620  
ggaagggatc cagtttcaag tttctacata tggttagcca gttttccag caccatttat      4680  
taaataggga atcctttccc cttttcttgt tttgtcaga caaagggtta atatccagaa      4740  
tctacaatga actcaacaa atttacaaga aaaaaacaaa caacccatc aaaaagtggg      4800  
caaaggatat gaacagacac ttctcaaaa aagacattta tgcagccaga aaacacatga      4860  
aaaaatgctc atcactggcc atcagagaaa tgcaaatcaa aaccacaatg agataccatc      4920  
tcacaccagt tagaatggcg atcattaaaa agtcaggaaa caacagggtgc gggagaagat      4980

160 200 PCT FINAL.ST25

gt

4982

<210> 13  
 <211> 313  
 <212> PRT  
 <213> Homo sapiens

<400> 13

Met Glu Gln Val Asn Lys Thr Val Val Arg Glu Phe Val Val Leu Gly  
 1 5 10 15

Phe Ser Ser Leu Ala Arg Leu Gln Gln Leu Leu Phe Val Ile Phe Leu  
 20 25 30

Leu Leu Tyr Leu Phe Thr Leu Gly Thr Asn Ala Ile Ile Ile Ser Thr  
 35 40 45

Ile Val Leu Asp Arg Ala Leu His Thr Pro Met Tyr Phe Phe Leu Ala  
 50 55 60

Ile Leu Ser Cys Ser Glu Ile Cys Tyr Thr Phe Val Ile Val Pro Lys  
 65 70 75 80

Met Leu Val Asp Leu Leu Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly  
 85 90 95

Cys Ala Ile Gln Met Phe Ser Phe Leu Phe Phe Gly Ser Ser His Ser  
 100 105 110

Phe Leu Leu Ala Ala Met Gly Tyr Asp Arg Tyr Met Ala Ile Cys Asn  
 115 120 125

Pro Leu Arg Tyr Ser Val Leu Met Gly His Gly Val Cys Met Gly Leu  
 130 135 140

Met Ala Ala Ala Cys Ala Cys Gly Phe Thr Val Ser Leu Val Thr Thr  
 145 150 155 160

Ser Leu Val Phe His Leu Pro Phe His Ser Ser Asn Gln Leu His His  
 165 170 175

Phe Phe Cys Asp Ile Ser Pro Val Leu Lys Leu Ala Ser Gln His Ser  
 180 185 190

Gly Phe Ser Gln Leu Val Ile Phe Met Leu Gly Val Phe Ala Leu Val  
 195 200 205

Ile Pro Leu Leu Leu Ile Leu Val Ser Tyr Ile Arg Ile Ile Ser Ala  
 210 215 220

Ile Leu Lys Ile Pro Ser Ser Val Gly Arg Tyr Lys Thr Phe Ser Thr  
 225 230 235 240

Cys Ala Ser His Leu Ile Val Val Thr Val His Tyr Ser Cys Ala Ser  
 245 250 255

Phe Ile Tyr Leu Arg Pro Lys Thr Asn Tyr Thr Ser Ser Gln Asp Thr  
 260 265 270

## 16U 200 PCT FINAL.ST25

Leu Ile Ser Val Ser Tyr Thr Ile Leu Thr Pro Leu Phe Asn Pro Met  
 275 280 285

Ile Tyr Ser Leu Arg Asn Lys Glu Phe Lys Ser Ala Leu Arg Arg Thr  
 290 295 300

Ile Gly Gln Thr Phe Tyr Pro Leu Ser  
 305 310

<210> 14  
 <211> 24  
 <212> DNA  
 <213> Homo sapiens

<400> 14  
 cctgttcact ctgggcacca atgc 24

<210> 15  
 <211> 24  
 <212> DNA  
 <213> Homo sapiens

<400> 15  
 ctgggttgag gagggaagg gcag 24

<210> 16  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 16  
 tacctttctg tatataaaa catataacta atacacacac actcatacac 50

<210> 17  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 17  
 cttcagaagt atataaatga agactggata ccagcaagac atactggatg 50

<210> 18  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 18  
 cccttgagaga tataaaaagt tccagtaaa tagatgtgtg ctcacatctt 50

<210> 19  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 19  
 taatactatg taaaaatcca ctggactaga atcagctgtc ctcagtgtcc 50

<210> 20  
 <211> 960  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(960)  
 <223>

<400> 20  
 atg aca cag ttg acg gcc agt ggg aat cag aca atg gtg act gag ttc 48  
 Met Thr Gln Leu Thr Ala Ser Gly Asn Gln Thr Met Val Thr Glu Phe

1	5	10	160	200	PCT	FINAL.ST25	15	
ctc ttc tct atg ttc ccg cat gcg cac aga ggt ggc ctc tta ttc ttt								96
Leu Phe Ser Met Phe Pro His Ala His Arg Gly Gly Leu Leu Phe Phe	20	25					30	
att ccc ttg ctt ctc atc tac gga ttt atc cta act gga aac cta ata								144
Ile Pro Leu Leu Leu Ile Tyr Gly Phe Ile Leu Thr Gly Asn Leu Ile	35	40					45	
atg ttc att gtc atc cag gtg ggc atg gcc ctg cac acc cct ttg tat								192
Met Phe Ile Val Ile Gln Val Gly Met Ala Leu His Thr Pro Leu Tyr	50	55					60	
ttc ttt atc agt gtc ctc tcc ttc ctg gag atc tgc tat acc aca acc								240
Phe Phe Ile Ser Val Leu Ser Phe Leu Glu Ile Cys Tyr Thr Thr Thr	65	70					80	
acc atc ccc aag atg ctg tcc tgc cta atc agt gag cag aag agc att								288
Thr Ile Pro Lys Met Leu Ser Cys Leu Ile Ser Glu Gln Lys Ser Ile	85	90					95	
tcc gtg gct ggc tgc ctc ctg cag atg tac ttt ttc cac tca ctt ggt								336
Ser Val Ala Gly Cys Leu Leu Gln Met Tyr Phe Phe His Ser Leu Gly	100	105					110	
atc aca gaa agc tgt gtc ctg aca gca atg gcc att gac agg tac ata								384
Ile Thr Glu Ser Cys Val Leu Thr Ala Met Ala Ile Asp Arg Tyr Ile	115	120					125	
gct atc tgc aat cca ctc cgt tac cca acc atc atg att ccc aaa ctt								432
Ala Ile Cys Asn Pro Leu Arg Tyr Pro Thr Ile Met Ile Pro Lys Leu	130	135					140	
tgt atc cag ctg aca gtt gga tcc tgc ttt tgt ggc ttc ctc ctt gtg								480
Cys Ile Gln Leu Thr Val Gly Ser Cys Phe Cys Gly Phe Leu Leu Val	145	150					155	160
ctt cct gag att gca tgg att tcc acc ttg cct ttc tgt ggc tcc aac								528
Leu Pro Glu Ile Ala Trp Ile Ser Thr Leu Pro Phe Cys Gly Ser Asn	165	170					175	
cag atc cac cag ata ttc tgt gat ttc aca cct gtg ctg agc ttg gcc								576
Gln Ile His Gln Ile Phe Cys Asp Phe Thr Pro Val Leu Ser Leu Ala	180	185					190	
tgc aca gat aca ttc cta gtg gtc att gtg gat gcc atc cat gca gcg								624
Cys Thr Asp Thr Phe Leu Val Val Ile Val Asp Ala Ile His Ala Ala	195	200					205	
gaa att gta gcc tcc ttc ctg gtc att gct cta tcc tac atc cgg att								672
Glu Ile Val Ala Ser Phe Leu Val Ile Ala Leu Ser Tyr Ile Arg Ile	210	215					220	
att ata gtg att ctg gga atg cac tca gct gaa ggt cat cac aag gcc								720
Ile Ile Val Ile Leu Gly Met His Ser Ala Glu Gly His His Lys Ala	225	230					235	240
ttt tcc acc tgt gct gct cac ctt gct gtg ttc ttg cta ttt ttt ggc								768
Phe Ser Thr Cys Ala Ala His Leu Ala Val Phe Leu Leu Phe Phe Gly	245	250					255	
agt gtg gct gtc atg tat ttg aga ttc tca gcc acc tac tca gtg ttt								816
Ser Val Ala Val Met Tyr Leu Arg Phe Ser Ala Thr Tyr Ser Val Phe	260	265					270	
tgg gac aca gca att gct gtc act ttt gtt atc ctt gct ccc ttt ttc								864
Trp Asp Thr Ala Ile Ala Val Thr Phe Val Ile Leu Ala Pro Phe Phe	275	280					285	
aac ccc atc atc tat agc ctg aaa aac aag gac atg aaa gag gct att								912
Asn Pro Ile Ile Tyr Ser Leu Lys Asn Lys Asp Met Lys Glu Ala Ile	290	295					300	
gga agg ctt ttc cac tat cag aag agg gct ggt tgg gct ggg aaa tag								960
Gly Arg Leu Phe His Tyr Gln Lys Arg Ala Gly Trp Ala Gly Lys	305	310					315	

16U 200 PCT FINAL.ST25

<210> 21  
 <211> 319  
 <212> PRT  
 <213> Homo sapiens

<400> 21

Met Thr Gln Leu Thr Ala Ser Gly Asn Gln Thr Met Val Thr Glu Phe  
 1 5 10 15

Leu Phe Ser Met Phe Pro His Ala His Arg Gly Gly Leu Leu Phe Phe  
 20 25 30

Ile Pro Leu Leu Leu Ile Tyr Gly Phe Ile Leu Thr Gly Asn Leu Ile  
 35 40 45

Met Phe Ile Val Ile Gln Val Gly Met Ala Leu His Thr Pro Leu Tyr  
 50 55 60

Phe Phe Ile Ser Val Leu Ser Phe Leu Glu Ile Cys Tyr Thr Thr Thr  
 65 70 75 80

Thr Ile Pro Lys Met Leu Ser Cys Leu Ile Ser Glu Gln Lys Ser Ile  
 85 90 95

Ser Val Ala Gly Cys Leu Leu Gln Met Tyr Phe Phe His Ser Leu Gly  
 100 105 110

Ile Thr Glu Ser Cys Val Leu Thr Ala Met Ala Ile Asp Arg Tyr Ile  
 115 120 125

Ala Ile Cys Asn Pro Leu Arg Tyr Pro Thr Ile Met Ile Pro Lys Leu  
 130 135 140

Cys Ile Gln Leu Thr Val Gly Ser Cys Phe Cys Gly Phe Leu Leu Val  
 145 150 155 160

Leu Pro Glu Ile Ala Trp Ile Ser Thr Leu Pro Phe Cys Gly Ser Asn  
 165 170 175

Gln Ile His Gln Ile Phe Cys Asp Phe Thr Pro Val Leu Ser Leu Ala  
 180 185 190

Cys Thr Asp Thr Phe Leu Val Val Ile Val Asp Ala Ile His Ala Ala  
 195 200 205

Glu Ile Val Ala Ser Phe Leu Val Ile Ala Leu Ser Tyr Ile Arg Ile  
 210 215 220

Ile Ile Val Ile Leu Gly Met His Ser Ala Glu Gly His His Lys Ala  
 225 230 235 240

Phe Ser Thr Cys Ala Ala His Leu Ala Val Phe Leu Leu Phe Phe Gly  
 245 250 255

Ser Val Ala Val Met Tyr Leu Arg Phe Ser Ala Thr Tyr Ser Val Phe  
 260 265 270

Trp Asp Thr Ala Ile Ala Val Thr Phe Val Ile Leu Ala Pro Phe Phe  
 275 280 285

16U 200 PCT FINAL.ST25  
 Asn Pro Ile Ile Tyr Ser Leu Lys Asn Lys Asp Met Lys Glu Ala Ile  
 290 295 300

Gly Arg Leu Phe His Tyr Gln Lys Arg Ala Gly Trp Ala Gly Lys  
 305 310 315

<210> 22  
 <211> 24  
 <212> DNA  
 <213> Homo sapiens

<400> 22  
 ctctatgttc ccgcatgcgc acag 24

<210> 23  
 <211> 27  
 <212> DNA  
 <213> Homo sapiens

<400> 23  
 gcaaggtgga aatccatgca atctcag 27

<210> 24  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 24  
 agacagacgt taaaaaatga ccaaacctac agaaaatatt tccagataat 50

<210> 25  
 <211> 900  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(900)  
 <223>

<400> 25  
 atg atc acc gag ttc atc ctt ata ggc ttc tca aac ctg ggg gat ctg 48  
 Met Ile Thr Glu Phe Ile Leu Ile Gly Phe Ser Asn Leu Gly Asp Leu  
 1 5 10 15

cag atc ctt ctc ttc ttt atc ttc cta tta gtc tac ctg acc act ctg 96  
 Gln Ile Leu Leu Phe Phe Ile Phe Leu Leu Val Tyr Leu Thr Thr Leu  
 20 25 30

atg gcc aac acc acc atc atg aca gtc att cac ctg gac agg gct ttg 144  
 Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu  
 35 40 45

cac act cct atg tac ttc ttc ctc ttt gtc ctt tca tgt tct gaa acc 192  
 His Thr Pro Met Tyr Phe Phe Leu Phe Val Leu Ser Cys Ser Glu Thr  
 50 55 60

tgc tac acc ttg gtc att gta ccc aaa atg ctt acc aac ctg cta tcc 240  
 Cys Tyr Thr Leu Val Ile Val Pro Lys Met Leu Thr Asn Leu Leu Ser  
 65 70 75 80

gca att cca act att tct ttc tct gga tgt gtg gtc cag ctc tat tta 288  
 Ala Ile Pro Thr Ile Ser Phe Ser Gly Cys Val Val Gln Leu Tyr Leu  
 85 90 95

ttt gtg ggc ttg gct tgt acc aac tgt ttt ctc att gct gtg atg ggc 336  
 Phe Val Gly Leu Ala Cys Thr Asn Cys Phe Leu Ile Ala Val Met Gly  
 100 105 110

tac gat cgc tat gtt gcc atc tgc aac ccc ctt aac tac aca ctc att 384  
 Tyr Asp Arg Tyr Val Ala Ile Cys Asn Pro Leu Asn Tyr Thr Leu Ile  
 115 120 125

ctg gtt cta gcc tcc agc ttt tgt ggc ttc ctg act tct gtg att gtc 432



160 200 PCT FINAL.ST25

Leu Val Leu Ala Ser Ser Phe Cys Gly Phe Leu Thr Ser Val Ile Val  
130 135 140

aat atc ctg gtg ttc agt gtg ctc ctc tgt gcc tcc aat cgg atc aac 480  
Asn Ile Leu Val Phe Ser Val Leu Leu Cys Ala Ser Asn Arg Ile Asn  
145 150 155 160

cac ttt ttc tgt gac att tcc cct gtc ata aaa ctg ggc tgc aca gac 528  
His Phe Phe Cys Asp Ile Ser Pro Val Ile Lys Leu Gly Cys Thr Asp  
165 170 175

acc aac ctg aag gag atg gtc atc ttt ttc ctc agc att ctg gta ttg 576  
Thr Asn Leu Lys Glu Met Val Ile Phe Phe Leu Ser Ile Leu Val Leu  
180 185 190

ctg gtt ccc ctt gtg ttg ata ttc atc tcc tac atc ttc ata gtt tcc 624  
Leu Val Pro Leu Val Leu Ile Phe Ile Ser Tyr Ile Phe Ile Val Ser  
195 200 205

acc atc ctc aag atc tcc tca gtg gaa gga cag tgc aaa gcc ttc gcc 672  
Thr Ile Leu Lys Ile Ser Ser Val Glu Gly Gln Cys Lys Ala Phe Ala  
210 215 220

acc tgt gct tcc cac ctc aca gtg gtc gtc gtc cac tat ggc tgt gct 720  
Thr Cys Ala Ser His Leu Thr Val Val Val Val His Tyr Gly Cys Ala  
225 230 235 240

tcc ttt atc tac ttg agg ccc aca tcc ctg tac tct tca gat aag gac 768  
Ser Phe Ile Tyr Leu Arg Pro Thr Ser Leu Tyr Ser Ser Asp Lys Asp  
245 250 255

cgg ctc gtg gca gtg act tat act gtg att act cca cta ctc aac ccc 816  
Arg Leu Val Ala Val Thr Tyr Thr Val Ile Thr Pro Leu Leu Asn Pro  
260 265 270

ctt gtc tat aca ctg aga aat aaa gaa gta aag atg gct ctg aga aag 864  
Leu Val Tyr Thr Leu Arg Asn Lys Glu Val Lys Met Ala Leu Arg Lys  
275 280 285

gtt ctg ggt aga tgc tta aat tcc aaa act gta tga 900  
Val Leu Gly Arg Cys Leu Asn Ser Lys Thr Val  
290 295

<210> 26  
<211> 299  
<212> PRT  
<213> Homo sapiens

<400> 26

Met Ile Thr Glu Phe Ile Leu Ile Gly Phe Ser Asn Leu Gly Asp Leu  
1 5 10 15

Gln Ile Leu Leu Phe Phe Ile Phe Leu Leu Val Tyr Leu Thr Thr Leu  
20 25 30

Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu  
35 40 45

His Thr Pro Met Tyr Phe Phe Leu Phe Val Leu Ser Cys Ser Glu Thr  
50 55 60

Cys Tyr Thr Leu Val Ile Val Pro Lys Met Leu Thr Asn Leu Leu Ser  
65 70 75 80

Ala Ile Pro Thr Ile Ser Phe Ser Gly Cys Val Val Gln Leu Tyr Leu  
85 90 95

Phe Val Gly Leu Ala Cys Thr Asn Cys Phe Leu Ile Ala Val Met Gly  
100 105 110

160 200 PCT FINAL.ST25

Tyr Asp Arg Tyr Val Ala Ile Cys Asn Pro Leu Asn Tyr Thr Leu Ile  
 115 120 125

Leu Val Leu Ala Ser Ser Phe Cys Gly Phe Leu Thr Ser Val Ile Val  
 130 135 140

Asn Ile Leu Val Phe Ser Val Leu Leu Cys Ala Ser Asn Arg Ile Asn  
 145 150 155 160

His Phe Phe Cys Asp Ile Ser Pro Val Ile Lys Leu Gly Cys Thr Asp  
 165 170 175

Thr Asn Leu Lys Glu Met Val Ile Phe Phe Leu Ser Ile Leu Val Leu  
 180 185 190

Leu Val Pro Leu Val Leu Ile Phe Ile Ser Tyr Ile Phe Ile Val Ser  
 195 200 205

Thr Ile Leu Lys Ile Ser Ser Val Glu Gly Gln Cys Lys Ala Phe Ala  
 210 215 220

Thr Cys Ala Ser His Leu Thr Val Val Val Val His Tyr Gly Cys Ala  
 225 230 235 240

Ser Phe Ile Tyr Leu Arg Pro Thr Ser Leu Tyr Ser Ser Asp Lys Asp  
 245 250 255

Arg Leu Val Ala Val Thr Tyr Thr Val Ile Thr Pro Leu Leu Asn Pro  
 260 265 270

Leu Val Tyr Thr Leu Arg Asn Lys Glu Val Lys Met Ala Leu Arg Lys  
 275 280 285

Val Leu Gly Arg Cys Leu Asn Ser Lys Thr Val  
 290 295

<210> 27  
 <211> 29  
 <212> DNA  
 <213> Homo sapiens

<400> 27  
 tgtcaatattc ctggtgttca gtgtgtctcc 29

<210> 28  
 <211> 30  
 <212> DNA  
 <213> Homo sapiens  
 <400> 28  
 catctaccga gaacctttct cagagccatc 30

<210> 29  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
 <400> 29  
 gtcactgggtg tataagcacg cagtgcacaaag gaaatattaa aactagaacc 50

<210> 30  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

## 16U 200 PCT FINAL.ST25

<400> 30  
 tttcttcatt tataacatga gggggccttg ctagatattt aacagcctgc 50

<210> 31  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 31  
 gctagatatt taacagcctg cctgtattga ccacttatgc atcaggaaat 50

<210> 32  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 32  
 atttgagtta tgtatatgag agactgggta catcactttt tacttgtttt 50

<210> 33  
 <211> 5086  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (2034)..(2972)  
 <223>

<400> 33  
 tatccaaatg gtgaaagaga ttctagaaca aggaaagagc tacagcaaag gttttaaatg 60  
 atatgtcact gaacacattt gatcgatgga aacgcagaac ctaattttaga atttaacagg 120  
 atcactctgg tgtgttgaga tgaggctaca agtgaacaaa tgcaagtagg gagatctgtt 180  
 aggagtcaat tacagtaaga ggggagagat aaaagtgact tggaccgagg tgggtcaaaca 240  
 tagtcagttc ctggatatat gagagaaaga tagaaacaag gatgactgca ggagtttagc 300  
 ttgtcagttg aaagattgca attgccatca ttgtgatgg ggaagactag gggtagagac 360  
 cccaggagtt cagtttgaga tggctcttcg actcccaaga ggagatgtga gtaggcagtg 420  
 aaatatatga gtctggagta gcagagaaaa atatcgcttg agatatggat ttagatgtct 480  
 tcaacacatt tatagtgttt aaagctctgg tattggatgg tatagagcag aggagttgag 540  
 tttatataga agagaaaaaa aaaagattaa aactgacca tgggcaactgt gacattaaaa 600  
 ggaatgggga tggaggagaa actaaagttg gagaatgaga aggaatgact aataagatag 660  
 aaagtaacca aaagtatagt accccgagaa tcaagtcaag gaagtgtgtg aacaggctgg 720  
 ataatcaat actgtcaaga aacagatagt ccaagtaagc tgaggaatga gaaatgacca 780  
 ttggatccag gaaatcttag ataattaatg tctatgagaa aggaggtttt aatggagtgg 840  
 tggtagtata aatctaatta gagtgggttt aagaagaaac ttaaagagag gcattaaagg 900  
 caatgcgtat agccgactct tggagagttt ttcttttagg gacatagaaa gaaatagagc 960  
 agtggctgtg ggaatgagta agagaaagaa tttaaggctc ttgctttttt gtttgtttag 1020  
 tagatgagaa taatagcatg tttttacatt gatagagtat tccatgaaag agctgtataa 1080  
 tagttagtgt tttctctata ctctgtatta caatattagt ttgttaacat cagggtccac 1140  
 attttatttg ttttagtccct gttctaagta taatgcccag agtactgaaa ataataaatt 1200  
 attgttacat tgacctcaac acagtagagc atgtatattt aatatctaca gaagcaataa 1260  
 accagaaaag agcatttgaa gttgatagag ggggaaatgg caggagaagc tgatgaagtg 1320  
 gccacagtct gaagttgaaa tgcagaaaga tagatttgcc tcctgtcttt ctttggtttt 1380

tttatttact	ctaaccttct	tatttttgac	tggagctctc	accagtgctc	aaaagaggtc		1440										
taaattctga	cctacatgcc	cctgaaagat	gctagcagac	ctgagttctc	ataaaggaat		1500										
aggaggggagc	agaaggggaaa	acaattgatt	ctttggtagc	cagaaagt	tgaagaaaa		1560										
caaattaaaa	tgagaaatta	gaaaataata	ttcaaattat	atatatttgg	tccagtacgg		1620										
tatcaatata	ttatcagtat	aatgatgat	ttttacctta	gatgaacaat	atgtataaat		1680										
gttaatatat	accttggatt	agaaataacct	aaatttctaa	aatctatata	gattctattg		1740										
agaaagtcaa	ctgggttaca	ggatggatta	ggaaggccaa	aaatgagctg	tgттаатсag		1800										
ggaagactaa	acataaagg	gaatagtctg	aaggaggctg	ttgacaggaa	gggcaggggag		1860										
ggatggaatt	gaaatgttga	cctctcaaa	catttactta	gagggcttta	ctctggagg		1920										
gagagaagg	agggcaatag	taatttgagg	gttgcttct	tgttagaacc	ctatagtcca		1980										
actttctttc	ctatccttcc	acacttcaca	tctagggaca	tgaatggtga	gca atg Met 1		2036										
gac Asp	aca Thr	ggg Gly	aac Asn 5	tgg Trp	agc Ser	cag Gln	gta Val 10	gca Ala 10	gaa Glu	ttc Phe	atc Ile	atc Ile	ttg Leu 15	ggc Gly	ttc Phe		2084
ccc Pro	cat His	ctc Leu 20	cag Gln	ggt Gly	gtc Val	cag Gln	att Ile 25	tat Tyr	ctc Leu	ttc Phe	ctc Leu 30	ttg Leu	ttg Leu	ctt Leu	ctc Leu		2132
att Ile	tac Tyr 35	ctc Leu	atg Met	act Thr	gtg Val 40	ttg Leu	gga Gly	aac Asn	ctg Leu	ctg Leu 45	ata Ile	ttc Phe	ctg Leu	gtg Val	gtc Val		2180
tgc Cys 50	ctg Leu	gac Asp	tcc Ser	cgg Arg	ctt Leu 55	cac His	aca Thr	ccc Pro	atg Met 60	tac Tyr	cac His	ttt Phe	gtc Val	agc Ser 65	att Ile		2228
ctc Leu	tcc Ser	ttc Phe	tca Ser 70	gag Glu	ctt Leu	ggc Gly	tat Tyr	aca Thr 75	gct Ala	gcc Ala	acc Thr	atc Ile	cct Pro	aag Lys 80	atg Met		2276
ctg Leu	gca Ala	aac Asn 85	ttg Leu	ctc Leu	agt Ser	gag Glu	aaa Lys 90	aag Lys	acc Thr	att Ile	tca Ser	ttc Phe	tct Ser 95	ggg Gly	tgt Cys		2324
ctc Leu	ctg Leu	cag Gln 100	atc Ile	tat Tyr	ttc Phe	ttt Phe 105	cac His 105	tcc Ser	ctt Leu	gga Gly	gcg Ala	act Thr 110	gag Glu	tgc Cys	tat Tyr		2372
ctc Leu 115	ctg Leu	aca Thr	gct Ala	atg Met	gcc Ala 120	tac Tyr	gat Asp	agg Arg	tat Tyr	tta Leu	gcc Ala 125	atc Ile	tgc Cys	cgg Arg	ccc Pro		2420
ctc Leu 130	cac His	tac Tyr	cca Pro	acc Thr 135	ctc Leu	atg Met	acc Thr	cca Pro	aca Thr 140	ctt Leu	tgt Cys	gca Ala	gag Glu	att Ile	gcc Ala 145		2468
att Ile	ggc Gly	tgt Cys	tgg Trp 150	ttg Leu	gga Gly	ggc Gly	ttg Leu	gct Ala	ggg Gly 155	cca Pro	gta Val	gtt Val	gaa Glu	att Ile 160	tcc Ser		2516
ttg Leu	att Ile	tca Ser 165	cgc Arg	ctc Leu	cca Pro	ttc Phe	tgt Cys 170	ggc Gly	ccc Pro	aat Asn	cgc Arg	att Ile 175	cag Gln	cac His	gtc Val		2564
ttt Phe	tgt Cys	gac Asp 180	ttc Phe	cct Pro	cct Pro	gtg Val 185	ctg Leu	agt Ser	ttg Leu	gct Ala	tgc Cys 190	act Thr	gat Asp	acg Thr	tct Ser		2612
ata Ile	aat Asn 195	gtc Val	cta Leu	gta Val	gat Asp	ttt Phe 200	gtt Val	ata Ile	aat Asn	tcc Ser	tgc Cys 205	aag Lys	atc Ile	cta Leu	gcc Ala		2660
acc Thr	ttc Phe	ctg Leu	ctg Leu	atc Ile	ctc Leu	tgc Cys	tcc Ser	tat Tyr	gtg Val	cag Gln	atc Ile	atc Ile	tgc Cys	aca Thr	gtg Val		2708

210	215	16U 200 PCT FINAL.ST25 220	225
ctc aga att ccc tca gct gcc ggc aag agg aag gcc atc tcc acg tgt Leu Arg Ile Pro Ser Ala Ala Gly Lys Arg Lys Ala Ile Ser Thr Cys	230	235	240 2756
gcc tcc cac ttc act gtg gtt ctc atc ttc tat ggg agc atc ctt tcc Ala Ser His Phe Thr Val Val Leu Ile Phe Tyr Gly Ser Ile Leu Ser	245	250	255 2804
atg tat gtg cag ctg aag aag agc tac tca ctg gac tat gac cag gcc Met Tyr Val Gln Leu Lys Lys Ser Tyr Ser Leu Asp Tyr Asp Gln Ala	260	265	270 2852
ctg gca gtg gtc tac tca gtg ctc aca ccc ttc ctc aac ccc ttc atc Leu Ala Val Val Tyr Ser Val Leu Thr Pro Phe Leu Asn Pro Phe Ile	275	280	285 2900
tac agc ttg cgc aac aag gag atc aag gag gct gtg agg agg cag cta Tyr Ser Leu Arg Asn Lys Glu Ile Lys Glu Ala Val Arg Arg Gln Leu	290	295	300 305 2948
aag aga att ggg ata ttg gca tga gttggggctg agagtaggcc aaggccgggc Lys Arg Ile Gly Ile Leu Ala	310		3002
ctgaggatat ggtggcccca gggatcaaca gtggccagag acgagaaact aaaaattcag			3062
tgcttttcta tgtgggtggtg tggagctgca gcaagtgtctg actgacttcc agtgttatag			3122
cgaccttcat actgtctgct ggagccacat ttggcttgag accagagact agggaaagta			3182
cacatccctt caacatgatg tagtgcagtg attttcaaaa ctcagatgtt tatgtatcac			3242
acttagggtt tttttaaaat ctgtgtctta cctattatac gtttataggc atttttcaaa			3302
tttacttgac ttaatatataa tatagtcagg catgtcctaa acaaaatgtg attcatgatg			3362
ttttttgtac cacttgcaat catttcatgt ggagaagact ggtacagtag aaaaaagcat			3422
gttttttgaa ctcatatata tctggattta aatcatgttt tattcagtca cttgctaatt			3482
acttaactct tagaaagtaa cttagcatct ctgagtcctta atttcattat ttgataatgg			3542
tattttcttg aagagtgttt tgaatatata cgtaaagatt tgtaaaccac agtgcacagt			3602
gtctgacatg taggtgatag taaataaata aggacttgtt tttatttatt ttattctgcg			3662
aagacttcac atcattactc tgggtcttag aacaatatct agtaaaacat aaataaacia			3722
aaatactttc caagtatttt ctccaaagga aaggagcaaa ccagccagaa ggaatacttg			3782
tatagtatac aagtatacta tacttgaaaa gtatagtttg tcacagtctt gttctgacaa			3842
gtttcatgta cctgtcttag tggctctaat atctatggcc agtataatgt atgaaagtat			3902
aggagttagg tcagtggaaa gaaataggat tactttttac atcgaacat ttctttattg			3962
aattgtaagc taattatttc ctgaaacgtg tgaaaaataa ttctaaaatg tagcatatga			4022
gagatctggg gattcaatta atagctaata ttatgtatc tttatgtatc cttccatgaa			4082
tgaggatca aatattaact acaagaaatc tttgaattct atagaacttc ctaagaagat			4142
tacaaaatat ttttaatacc acacttttaa aggtattcat ccatccatgc attcaaatta			4202
acacgtttat ttagctctta ctatatatca gatgcagtgt caactctaca aaagcaatga			4262
acaagacata tatatgtcca ggtcctacct ttaggggtgt ttaaaagagt tgagaatata			4322
aatattaaaa ttataattaa tttaataatta gttataatta attataattg tgggaagtag			4382
tattaagata aacatgcatt ctctttttt ttcacttgtc ttggaagttt attgagaatt			4442
ttaagcagat aaatgttttt acattaaata atcaccagga attcaaaaata ttatactcta			4502
tcaaatggga acttgaattg ttctatttat atatgtagca ttctatttat aaatatattt			4562
catttagtgt ttcatctaga ataaaaatga caagaaataa aattattaaa aacaagttgt			4622

160 200 PCT FINAL.ST25

gtttgacttt tggtaaaatt tttgtcctg gacatttttg atgactaagt atcactaaat 4682  
 ctatgctagg taaatttgcc cctattattt tcttttttat tttattttat tttatttcat 4742  
 tattatttta tttagggtac atgtgcacaa cgtgcaagtt tttacatat gtatacatgt 4802  
 gccatgttgg tgtgtgcac ccattaactc atcatttagc attaggagta tctcctaagt 4862  
 ctatccctcc cccatccccc aaccccacaa cagtccccag tgtgtgatgt tccccttctc 4922  
 aatatcatat tgaatgggca aaaactggaa gcattccctt tgaaaacggg cacaagacag 4982  
 ggatgccttc tctcaccact cctattcaac atagtgtttg atgttctggc cagggaatc 5042  
 aggtaggaga aggaaattaa ggggtttcaa ttaggaaaag agga 5086

<210> 34  
 <211> 312  
 <212> PRT  
 <213> Homo sapiens

<400> 34

Met Asp Thr Gly Asn Trp Ser Gln Val Ala Glu Phe Ile Ile Leu Gly  
 1 5 10 15

Phe Pro His Leu Gln Gly Val Gln Ile Tyr Leu Phe Leu Leu Leu Leu  
 20 25 30

Leu Ile Tyr Leu Met Thr Val Leu Gly Asn Leu Leu Ile Phe Leu Val  
 35 40 45

Val Cys Leu Asp Ser Arg Leu His Thr Pro Met Tyr His Phe Val Ser  
 50 55 60

Ile Leu Ser Phe Ser Glu Leu Gly Tyr Thr Ala Ala Thr Ile Pro Lys  
 65 70 75 80

Met Leu Ala Asn Leu Leu Ser Glu Lys Lys Thr Ile Ser Phe Ser Gly  
 85 90 95

Cys Leu Leu Gln Ile Tyr Phe Phe His Ser Leu Gly Ala Thr Glu Cys  
 100 105 110

Tyr Leu Leu Thr Ala Met Ala Tyr Asp Arg Tyr Leu Ala Ile Cys Arg  
 115 120 125

Pro Leu His Tyr Pro Thr Leu Met Thr Pro Thr Leu Cys Ala Glu Ile  
 130 135 140

Ala Ile Gly Cys Trp Leu Gly Gly Leu Ala Gly Pro Val Val Glu Ile  
 145 150 155 160

Ser Leu Ile Ser Arg Leu Pro Phe Cys Gly Pro Asn Arg Ile Gln His  
 165 170 175

Val Phe Cys Asp Phe Pro Pro Val Leu Ser Leu Ala Cys Thr Asp Thr  
 180 185 190

Ser Ile Asn Val Leu Val Asp Phe Val Ile Asn Ser Cys Lys Ile Leu  
 195 200 205

Ala Thr Phe Leu Leu Ile Leu Cys Ser Tyr Val Gln Ile Ile Cys Thr  
 210 215 220

160 200 PCT FINAL.ST25

Val Leu Arg Ile Pro Ser Ala Ala Gly Lys Arg Lys Ala Ile Ser Thr  
 225 230 235 240

Cys Ala Ser His Phe Thr Val Val Leu Ile Phe Tyr Gly Ser Ile Leu  
 245 250 255

Ser Met Tyr Val Gln Leu Lys Lys Ser Tyr Ser Leu Asp Tyr Asp Gln  
 260 265 270

Ala Leu Ala Val Val Tyr Ser Val Leu Thr Pro Phe Leu Asn Pro Phe  
 275 280 285

Ile Tyr Ser Leu Arg Asn Lys Glu Ile Lys Glu Ala Val Arg Arg Gln  
 290 295 300

Leu Lys Arg Ile Gly Ile Leu Ala  
 305 310

<210> 35  
 <211> 29  
 <212> DNA  
 <213> Homo sapiens

<400> 35  
 ggaactggag ccaggtagca gaattcatc 29

<210> 36  
 <211> 25  
 <212> DNA  
 <213> Homo sapiens

<400> 36  
 ggagcagagg atcagcagga aggtg 25

<210> 37  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 37  
 acactgcagt tatatagggg gggccaggta gttgagctgg tgaaatttga 50

<210> 38  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 38  
 gcactgtgac attaaaagga tggggcatgg aggagaaact aaagttggag 50

<210> 39  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 39  
 attcaaatta tatatatttg gtccagtacg gatatcaatat attatcagta 50

<210> 40  
 <211> 848  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (6)..(848)

16U 200 PCT FINAL.ST25

&lt;223&gt;

&lt;400&gt; 40

gaatc atg gat cac gtc agt cat aac tgg act cag agt ttt atc ctt gct 50  
 Met Asp His Val Ser His Asn Trp Thr Gln Ser Phe Ile Leu Ala  
 1 5 10 15

ggt ttc acc acc act ggg acc cta caa cct ctt gcc ttc ttg ggg acc 98  
 Gly Phe Thr Thr Thr Gly Thr Leu Gln Pro Leu Ala Phe Leu Gly Thr  
 20 25 30

cta tgc atc tat ctc ctc aca ctt gca ggg aac att ctc atc att gtc 146  
 Leu Cys Ile Tyr Leu Leu Thr Leu Ala Gly Asn Ile Leu Ile Ile Val  
 35 40 45

ctg agg tgt ggt atg tca gca cca cag tgc cca tgc tgc tgc aca cct 194  
 Leu Arg Cys Gly Met Ser Ala Pro Gln Cys Pro Cys Cys Thr Pro  
 50 55 60

tgc tcc aag ggt gtt cac ccg tct cat cag ctg tat gct tta ttc agc 242  
 Cys Ser Lys Gly Val His Pro Ser His Gln Leu Tyr Ala Leu Phe Ser  
 65 70 75

tat gtc ttt cat tcc tta ggg atg act gag tgc tac ctg ctg ggt gtc 290  
 Tyr Val Phe His Ser Leu Gly Met Thr Glu Cys Tyr Leu Leu Gly Val  
 80 85 90 95

atg gca ctg gat agc tac ctt atc atc tgc cac cca ctc cac tac cac 338  
 Met Ala Leu Asp Ser Tyr Leu Ile Ile Cys His Pro Leu His Tyr His  
 100 105 110

gca ctc atg agc aga cag gta cag tta cga cta gct ggg gcc agt tgg 386  
 Ala Leu Met Ser Arg Gln Val Gln Leu Arg Leu Ala Gly Ala Ser Trp  
 115 120 125

gtg gct ggc ttc tca gct gca ctt gtg cca gcc acc ctc act gcc act 434  
 Val Ala Gly Phe Ser Ala Ala Leu Val Pro Ala Thr Leu Thr Ala Thr  
 130 135 140

ctg ccc ttc tgc ttg aaa gag gtg gcc cat tac ttt tgt gac ttg gca 482  
 Leu Pro Phe Cys Leu Lys Glu Val Ala His Tyr Phe Cys Asp Leu Ala  
 145 150 155

cca cta atg cgg ttg gca tgt gtg gac aca agc tgg cat gct agg gcc 530  
 Pro Leu Met Arg Leu Ala Cys Val Asp Thr Ser Trp His Ala Arg Ala  
 160 165 170 175

cat ggc aca gtg att ggt gtg gcc act ggt tgc aac ttt gtg ctc att 578  
 His Gly Thr Val Ile Gly Val Ala Thr Gly Cys Asn Phe Val Leu Ile  
 180 185 190

ttg gga ctc tat gga ggt atc ctg aat gct gtg ctg aag cta ccc tca 626  
 Leu Gly Leu Tyr Gly Gly Ile Leu Asn Ala Val Leu Lys Leu Pro Ser  
 195 200 205

gct gcc agt agt gcc aag gcc ttc tct acc tgt tcc tcc cac gta act 674  
 Ala Ala Ser Ser Ala Lys Ala Phe Ser Thr Cys Ser Ser His Val Thr  
 210 215 220

gtg gtg gca cta ttc tat gct tct gcc ttc aca gta tat gtg ggc tca 722  
 Val Val Ala Leu Phe Tyr Ala Ser Ala Phe Thr Val Tyr Val Gly Ser  
 225 230 235

cct ggg agt cga cct gag agc aca gac aag ctt gtt gcc ttg gtt tat 770  
 Pro Gly Ser Arg Pro Glu Ser Thr Asp Lys Leu Val Ala Leu Val Tyr  
 240 245 250 255

gcc ctt att acc cct ttc ctc aat cct atc atc tat agc ctt cgc aac 818  
 Ala Leu Ile Thr Pro Phe Leu Asn Pro Ile Ile Tyr Ser Leu Arg Asn  
 260 265 270

aag gag ctc ctc tat tgc ttc ctc tgc tga 848  
 Lys Glu Leu Leu Tyr Cys Phe Leu Cys  
 275 280

&lt;210&gt; 41

&lt;211&gt; 280

&lt;212&gt; PRT



16U 200 PCT FINAL.ST25

&lt;213&gt; Homo sapiens

&lt;400&gt; 41

Met Asp His Val Ser His Asn Trp Thr Gln Ser Phe Ile Leu Ala Gly  
 1 5 10 15

Phe Thr Thr Thr Gly Thr Leu Gln Pro Leu Ala Phe Leu Gly Thr Leu  
 20 25 30

Cys Ile Tyr Leu Leu Thr Leu Ala Gly Asn Ile Leu Ile Ile Val Leu  
 35 40 45

Arg Cys Gly Met Ser Ala Pro Gln Cys Pro Cys Cys Cys Thr Pro Cys  
 50 55 60

Ser Lys Gly Val His Pro Ser His Gln Leu Tyr Ala Leu Phe Ser Tyr  
 65 70 75 80

Val Phe His Ser Leu Gly Met Thr Glu Cys Tyr Leu Leu Gly Val Met  
 85 90 95

Ala Leu Asp Ser Tyr Leu Ile Ile Cys His Pro Leu His Tyr His Ala  
 100 105 110

Leu Met Ser Arg Gln Val Gln Leu Arg Leu Ala Gly Ala Ser Trp Val  
 115 120 125

Ala Gly Phe Ser Ala Ala Leu Val Pro Ala Thr Leu Thr Ala Thr Leu  
 130 135 140

Pro Phe Cys Leu Lys Glu Val Ala His Tyr Phe Cys Asp Leu Ala Pro  
 145 150 155 160

Leu Met Arg Leu Ala Cys Val Asp Thr Ser Trp His Ala Arg Ala His  
 165 170 175

Gly Thr Val Ile Gly Val Ala Thr Gly Cys Asn Phe Val Leu Ile Leu  
 180 185 190

Gly Leu Tyr Gly Gly Ile Leu Asn Ala Val Leu Lys Leu Pro Ser Ala  
 195 200 205

Ala Ser Ser Ala Lys Ala Phe Ser Thr Cys Ser Ser His Val Thr Val  
 210 215 220

Val Ala Leu Phe Tyr Ala Ser Ala Phe Thr Val Tyr Val Gly Ser Pro  
 225 230 235 240

Gly Ser Arg Pro Glu Ser Thr Asp Lys Leu Val Ala Leu Val Tyr Ala  
 245 250 255

Leu Ile Thr Pro Phe Leu Asn Pro Ile Ile Tyr Ser Leu Arg Asn Lys  
 260 265 270

Glu Leu Leu Tyr Cys Phe Leu Cys  
 275 280

&lt;210&gt; 42

&lt;211&gt; 26

&lt;212&gt; DNA

16U 200 PCT FINAL.ST25

&lt;213&gt; Homo sapiens

&lt;400&gt; 42

tcaccaccac tgggacccta caacct

26

&lt;210&gt; 43

&lt;211&gt; 23

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 43

ggccacacca atcactgtgc cat

23

&lt;210&gt; 44

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 44

caatctgtta ttatcacggc ctctacatcc atccagtacc tgcttatgta

50

&lt;210&gt; 45

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 45

gttctctttt tataaaaggc tatgtgggac ttgcaaaact tctagtggcc

50

&lt;210&gt; 46

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 46

gaacatgaaa tataagtagg ggagtatctt ggggtagaaa ggatgccgag

50

&lt;210&gt; 47

&lt;211&gt; 1476

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)..(1476)

&lt;223&gt;

&lt;400&gt; 47

atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att  
 Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile  
 1 5 10 15

48

cag ctg gcc ctc ttt gta gtt ttt ctt ttt ctg tat cta gtc att ctt  
 Gln Leu Ala Leu Phe Val Val Phe Leu Phe Leu Tyr Leu Val Ile Leu  
 20 25 30

96

agt ggc aat gtc acc att atc agt gtc atc cac ctg gat aaa agc ctc  
 Ser Gly Asn Val Thr Ile Ile Ser Val Ile His Leu Asp Lys Ser Leu  
 35 40 45

144

cac aca cca atg tac ttc ttc ctt ggc att ctc tca aca tct gag acc  
 His Thr Pro Met Tyr Phe Phe Leu Gly Ile Leu Ser Thr Ser Glu Thr  
 50 55 60

192

ttc tac acc ttt gtc att cta ccc aag atg ctc atc aat cta ctt tct  
 Phe Tyr Thr Phe Val Ile Leu Pro Lys Met Leu Ile Asn Leu Leu Ser  
 65 70 75 80

240

gtg gcc agg aca atc tcc ttc aac tgt tgt gct ctt caa atg ttc ttc  
 Val Ala Arg Thr Ile Ser Phe Asn Cys Cys Ala Leu Gln Met Phe Phe  
 85 90 95

288

ttc ctt ggt ttt gcc att acc aac tgc ctg cta ttg ggt gtg atg ggt  
 Phe Leu Gly Phe Ala Ile Thr Asn Cys Leu Leu Leu Gly Val Met Gly

336

100 105 160 200 PCT FINAL.ST25  
110

tat gat cgc tat gct gcc att tgt cac cct ctg cat tac ccc act ctt 384  
Tyr Asp Arg Tyr Ala Ala Ile Cys His Pro Leu His Tyr Pro Thr Leu  
115 120 125

atg agc tgg cag gtg tgt gga aaa ctg gca gct gcc tgt gca att ggt 432  
Met Ser Trp Gln Val Cys Gly Lys Leu Ala Ala Cys Ala Ile Gly  
130 135 140

ggc ttc ttg gcc tct ctt aca gta gta aat tta gtt ttc agc ctc cct 480  
Gly Phe Leu Ala Ser Leu Thr Val Val Asn Leu Val Phe Ser Leu Pro  
145 150 155 160

ttt tgt agc gcc aac aaa gtc aat cat tac ttc tgt gac atc tca gca 528  
Phe Cys Ser Ala Asn Lys Val Asn His Tyr Phe Cys Asp Ile Ser Ala  
165 170 175

gtc att ctt ctg gct tgt acc aac aca gat gtt aac gaa ttt gtg ata 576  
Val Ile Leu Leu Ala Cys Thr Asn Thr Asp Val Asn Glu Phe Val Ile  
180 185 190

ttc att tgt gga gtt ctt gta ctt gtg gtt ccc ttt ctg ttt atc tgt 624  
Phe Ile Cys Gly Val Leu Val Leu Val Val Pro Phe Leu Phe Ile Cys  
195 200 205

gtt tct tat ctc tgc att ctg agg act atc ctg aag att ccc tca gct 672  
Val Ser Tyr Leu Cys Ile Leu Arg Thr Ile Leu Lys Ile Pro Ser Ala  
210 215 220

gag ggc aga cgg aaa gcg ttt tcc acc tgc gcc tct cac ctc agt gtt 720  
Glu Gly Arg Arg Lys Ala Phe Ser Thr Cys Ala Ser His Leu Ser Val  
225 230 235 240

gtt att gtt cat tat ggc tgt gct tcc ttc atc tac ctg agg cct aca 768  
Val Ile Val His Tyr Gly Cys Ala Ser Phe Ile Tyr Leu Arg Pro Thr  
245 250 255

gca aac tat gtg tcc aac aaa gac agg ctg gtg acg gtg aca tac acg 816  
Ala Asn Tyr Val Ser Asn Lys Asp Arg Leu Val Thr Val Thr Tyr Thr  
260 265 270

att gtc act cca tta cta aac ccc atg gtt tat agc ctc aga aac aag 864  
Ile Val Thr Pro Leu Leu Asn Pro Met Val Tyr Ser Leu Arg Asn Lys  
275 280 285

gat gtc caa ctt gct atc aga aaa gtg ttg ggc aag aaa ggt att ctt 912  
Asp Val Gln Leu Ala Ile Arg Lys Val Leu Gly Lys Lys Gly Ile Leu  
290 295 300

tct atc tct gaa atc ttc tac aca act gtt att ctg ccc aag atg ctt 960  
Ser Ile Ser Glu Ile Phe Tyr Thr Thr Val Ile Leu Pro Lys Met Leu  
305 310 315 320

atc aac tta ttc tct gta ttc agg aca ctc tcc ttt gtg agt tgt gcc 1008  
Ile Asn Leu Phe Ser Val Phe Arg Thr Leu Ser Phe Val Ser Cys Ala  
325 330 335

acc caa atg ttc ttc ttc ctc ggt ttt gct gtc act aac tgt ctg ctt 1056  
Thr Gln Met Phe Phe Leu Gly Phe Ala Val Thr Asn Cys Leu Leu  
340 345 350

ctg gga gtg atg ggt tat gat cgt tat gct gcc atc tgt cag cct ttg 1104  
Leu Gly Val Met Gly Tyr Asp Arg Tyr Ala Ala Ile Cys Gln Pro Leu  
355 360 365

caa tac gct gtt ctc atg agc tgg aga gta tgt gga caa ctg ata gca 1152  
Gln Tyr Ala Val Leu Met Ser Trp Arg Val Cys Gly Gln Leu Ile Ala  
370 375 380

act tgt att att agt ggc ttc cta ata tct ctg gtg gga aca act ttt 1200  
Thr Cys Ile Ile Ser Gly Phe Leu Ile Ser Leu Val Gly Thr Thr Phe  
385 390 395 400

gtc ttt agc ctc cct ttc tgt ggc tcc aac aag gtc aac cac tac ttt 1248  
Val Phe Ser Leu Pro Phe Cys Gly Ser Asn Lys Val Asn His Tyr Phe  
405 410 415

tgt gat att tca cca gtt atc cgt ctc gcc tgt gct gac agc tac atc 1296

16U 200 PCT FINAL.ST25

Cys Asp Ile Ser Pro Val Ile Arg Leu Ala Cys Ala Asp Ser Tyr Ile  
 420 425 430

agt gaa ctg gtc atc ttc atc ttc ggg gtc ttg gtg ctt gtt gtg ccc 1344  
 Ser Glu Leu Val Ile Phe Ile Phe Gly Val Leu Val Leu Val Val Pro  
 435 440 445

ttg ata ttt atc tgc att tcc tat ggc ttc att gtc cgc acc atc ctg 1392  
 Leu Ile Phe Ile Cys Ile Ser Tyr Gly Phe Ile Val Arg Thr Ile Leu  
 450 455 460

aag atc cca tca gct gaa ggc aaa caa aaa gcc ttc tcc acc tgt gct 1440  
 Lys Ile Pro Ser Ala Glu Gly Lys Gln Lys Ala Phe Ser Thr Cys Ala  
 465 470 475 480

tcc cat ctc att gta gtc att gtc cat tat ggt tga 1476  
 Ser His Leu Ile Val Val Ile Val His Tyr Gly  
 485 490

<210> 48  
 <211> 491  
 <212> PRT  
 <213> Homo sapiens

<400> 48

Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile  
 1 5 10 15

Gln Leu Ala Leu Phe Val Val Phe Leu Phe Leu Tyr Leu Val Ile Leu  
 20 25 30

Ser Gly Asn Val Thr Ile Ile Ser Val Ile His Leu Asp Lys Ser Leu  
 35 40 45

His Thr Pro Met Tyr Phe Phe Leu Gly Ile Leu Ser Thr Ser Glu Thr  
 50 55 60

Phe Tyr Thr Phe Val Ile Leu Pro Lys Met Leu Ile Asn Leu Leu Ser  
 65 70 75 80

Val Ala Arg Thr Ile Ser Phe Asn Cys Cys Ala Leu Gln Met Phe Phe  
 85 90 95

Phe Leu Gly Phe Ala Ile Thr Asn Cys Leu Leu Leu Gly Val Met Gly  
 100 105 110

Tyr Asp Arg Tyr Ala Ala Ile Cys His Pro Leu His Tyr Pro Thr Leu  
 115 120 125

Met Ser Trp Gln Val Cys Gly Lys Leu Ala Ala Ala Cys Ala Ile Gly  
 130 135 140

Gly Phe Leu Ala Ser Leu Thr Val Val Asn Leu Val Phe Ser Leu Pro  
 145 150 155 160

Phe Cys Ser Ala Asn Lys Val Asn His Tyr Phe Cys Asp Ile Ser Ala  
 165 170 175

Val Ile Leu Leu Ala Cys Thr Asn Thr Asp Val Asn Glu Phe Val Ile  
 180 185 190

Phe Ile Cys Gly Val Leu Val Leu Val Val Pro Phe Leu Phe Ile Cys  
 195 200 205

16U 200 PCT FINAL.ST25  
 Val Ser Tyr Leu Cys Ile Leu Arg Thr Ile Leu Lys Ile Pro Ser Ala  
 210 215 220  
 Glu Gly Arg Arg.Lys Ala Phe Ser Thr Cys Ala Ser His Leu Ser Val  
 225 230 235 240  
 Val Ile Val His Tyr Gly Cys Ala Ser Phe Ile Tyr Leu Arg Pro Thr  
 245 250 255  
 Ala Asn Tyr Val Ser Asn Lys Asp Arg Leu Val Thr Val Thr Tyr Thr  
 260 265 270  
 Ile Val Thr Pro Leu Leu Asn Pro Met Val Tyr Ser Leu Arg Asn Lys  
 275 280 285  
 Asp Val Gln Leu Ala Ile Arg Lys Val Leu Gly Lys Lys Gly Ile Leu  
 290 295 300  
 Ser Ile Ser Glu Ile Phe Tyr Thr Thr Val Ile Leu Pro Lys Met Leu  
 305 310 315 320  
 Ile Asn Leu Phe Ser Val Phe Arg Thr Leu Ser Phe Val Ser Cys Ala  
 325 330 335  
 Thr Gln Met Phe Phe Phe Leu Gly Phe Ala Val Thr Asn Cys Leu Leu  
 340 345 350  
 Leu Gly Val Met Gly Tyr Asp Arg Tyr Ala Ala Ile Cys Gln Pro Leu  
 355 360 365  
 Gln Tyr Ala Val Leu Met Ser Trp Arg Val Cys Gly Gln Leu Ile Ala  
 370 375 380  
 Thr Cys Ile Ile Ser Gly Phe Leu Ile Ser Leu Val Gly Thr Thr Phe  
 385 390 395 400  
 Val Phe Ser Leu Pro Phe Cys Gly Ser Asn Lys Val Asn His Tyr Phe  
 405 410 415  
 Cys Asp Ile Ser Pro Val Ile Arg Leu Ala Cys Ala Asp Ser Tyr Ile  
 420 425 430  
 Ser Glu Leu Val Ile Phe Ile Phe Gly Val Leu Val Leu Val Val Pro  
 435 440 445  
 Leu Ile Phe Ile Cys Ile Ser Tyr Gly Phe Ile Val Arg Thr Ile Leu  
 450 455 460  
 Lys Ile Pro Ser Ala Glu Gly Lys Gln Lys Ala Phe Ser Thr Cys Ala  
 465 470 475 480  
 Ser His Leu Ile Val Val Ile Val His Tyr Gly  
 485 490

<210> 49  
 <211> 35  
 <212> DNA  
 <213> Homo sapiens

<400> 49  
 ctctgaaatc ttctacacaa ctgttattct gccca

160 200 PCT FINAL.ST25

<210> 50  
 <211> 27  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 50  
 atgagatggg aagcacaggt ggagaag 27  
  
 <210> 51  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 51  
 atcaatattg ttaaaatggc cgtactgtca aaagcaattt acagattcaa 50  
  
 <210> 52  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 52  
 atatgaaacc aaaaaagccc tcaaatagcc caagtaaccc taaagaaaaa 50  
  
 <210> 53  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 53  
 cgccctattc aataaatggt gtgggaatag ctggctagcc atctgcagaa 50  
  
 <210> 54  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 54  
 cataagggtt cttaaaattg ggagagagaa tcagaaagtc agagaaagag 50  
  
 <210> 55  
 <211> 276  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>  
 <221> CDS  
 <222> (1)..(276)  
 <223>  
  
 <400> 55  
 atg aca gtt tat gat tcc tat gtt gcc atc tgc cat cca ctt cac tac 48  
 Met Thr Val Tyr Asp Ser Tyr Val Ala Ile Cys His Pro Leu His Tyr  
 1 5 10 15  
  
 cct gtc ctt acg agc tgg cag ata tgc tcc ttc tta gat ttt cag ctg 96  
 Pro Val Leu Thr Ser Trp Gln Ile Cys Ser Phe Leu Asp Phe Gln Leu  
 20 25 30  
  
 ctt ttc tgt ggc cca aac aag atc aac cac tac ttc tgt gac atc tca 144  
 Leu Phe Cys Gly Pro Asn Lys Ile Asn His Tyr Phe Cys Asp Ile Ser  
 35 40 45  
  
 ctg ctt att cag ctt gcc tgt act gat acc tac atc agg gag cta gtc 192  
 Leu Leu Ile Gln Leu Ala Cys Thr Asp Thr Tyr Ile Arg Glu Leu Val  
 50 55 60  
  
 atc ttc att ggt gga att cta gca ctt acg gtt cct ctg att tta ttt 240  
 Ile Phe Ile Gly Gly Ile Leu Ala Leu Thr Val Pro Leu Ile Leu Phe  
 65 70 75 80  
  
 gca tct cct atg gct tca ttg ttc aca cca tcc tga 276

160 200 PCT FINAL.ST25

Ala Ser Pro Met Ala Ser Leu Phe Thr Pro Ser  
85 90

<210> 56  
<211> 91  
<212> PRT  
<213> Homo sapiens

<400> 56

Met Thr Val Tyr Asp Ser Tyr Val Ala Ile Cys His Pro Leu His Tyr  
1 5 10 15

Pro Val Leu Thr Ser Trp Gln Ile Cys Ser Phe Leu Asp Phe Gln Leu  
20 25 30

Leu Phe Cys Gly Pro Asn Lys Ile Asn His Tyr Phe Cys Asp Ile Ser  
35 40 45

Leu Leu Ile Gln Leu Ala Cys Thr Asp Thr Tyr Ile Arg Glu Leu Val  
50 55 60

Ile Phe Ile Gly Gly Ile Leu Ala Leu Thr Val Pro Leu Ile Leu Phe  
65 70 75 80

Ala Ser Pro Met Ala Ser Leu Phe Thr Pro Ser  
85 90

<210> 57  
<211> 33  
<212> DNA  
<213> Homo sapiens

<400> 57

atgacagttt atgattccta tgttgccatc tgc 33

<210> 58  
<211> 29  
<212> DNA  
<213> Homo sapiens

<400> 58

tcaggatggt gtgaacaatg aagccatag 29

<210> 59  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 59

ttccctattt aataaatggt gctgggaaaa ctggctagcc atatgtagaa 50

<210> 60  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 60

aacaacccca tcaaaaagtg ggccaaagat atgaacagac acttctcaaa 50

<210> 61  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 61

aatggcgatc attaaaaagt caggaaacaa caggtgctgg agaggatgtg 50

16U 200 PCT FINAL.ST25

<210> 62  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 62  
 cccagaggat tataaatcat gctgctgtaa agacacatgc ccacgtatgt 50

<210> 63  
 <211> 5269  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (221)..(3152)  
 <223>

<400> 63  
 taaaagcaaa aataacaact aaattcaaaa ggagataaac tataggaaa aagatttcat 60  
 ctgtcatatt tcggggattc aaatatTTaa agcattatta cctattttat agttacgttt 120  
 tggacacaaa ggccattatg taaaatgtaa cattagtTTa aaataaaatt taaatgcctt 180  
 agataaataa aatgcagtgt taagaaaaaa atgtgctgtc caggcatTTt ggctcatgcc 240  
 tgtaatctca gctactcagg aggctgaggc aggagaatct cttgaaccca ggaggcggga 300  
 ggcggagggt acagtgagcc ataatcacgc cactgcactc cagtctgggc gacagagcaa 360  
 gattctgtct ccaaaaaaaa aaaaggaaag aaagaagag aaaagaaaa atatgctaatt 420  
 taggatattt gggtttTga tggattgtct tttgaggtg tctatttttt tttgagacgg 480  
 agtctcgtc tgtcgccag gctggagtgc agtggcgcgg ggtctctgct tactggaagc 540  
 tccgcctcct gggttcactg ggttcacgcc attctcctgc ctcagcctcc tgagtagctg 600  
 ggactacagg cgctgccac tacgcccggg taattttttg ttttttttt ttagtagaga 660  
 cggggtttca ccgtgttagc caggatgggc tcaatctctt gacctcgtga tccaccgcc 720  
 tctgtctccc aaagtgtcg gattacagtc gtgagccacc gcgccggcc ttgaggttgt 780  
 ctttaataca caaattcatg agtataggaa gagagggccc ttgaatatgt tggctctgca 840  
 tgtaaattaa catctttctt gataggccgt ctaaaaattt ggggtgggtta tgtgaataga 900  
 tataatgtct attatgatag agaagagat tacagatatg atagcatctg agagggtgtg 960  
 gacactaatt agagcaatat aatgattctt tcctattatt gttttctgtt ttctcatgaa 1020  
 atgtattcat gttgctgtac tatctcaagt ttttagttct tctccttcat aggtaataga 1080  
 tggacacaaT gaatatataa tgtgtcttga agggagagaa aagaaataga catggagaca 1140  
 gggatagaca gagaggacct agaagaaaag ggaagtttgc aagtcagact cttacactag 1200  
 ttatttcttg gtaaaaagat tttcctcaat cccattctca tgtgttttat cttgatgctg 1260  
 ctttctaata tatcttttgT gcagtaactg tcaactggact atgtagattc tctagtctgc 1320  
 ttattaattg aaagtatggt tattaatgaa gggaaatgtg tagtatctcg acctagataa 1380  
 tggagcagag tttggtgcgg gtaaagggtt acatgtctag gagttcaagg atcaaaaccc 1440  
 tagtcacaga tgtgtagatt ggccttctgT ggcatacga taggaaattc aaagcttctc 1500  
 tggcttctac tttgtcacct atagaataaa gaataaaca gggatatctg attgactatt 1560  
 cgatatttat tatttctcaa gcaatgagga aggattgata attagtagag cctgattttg 1620  
 gagcatacgc tctgaacaaa ttagtTcagc tgtattttga agtcaaatTt tctgggtcag 1680  
 acaaacatta aactgtata tggaaTTaac aataaaggca caaatgttaa gcgttagggc 1740



16U 200 PCT FINAL.ST25

tcttgatagt taatgtcatc gtataaacaa attatgtgaa aactaattta tgaaattttg	1800
atttgtataa ctgattataa gatttacaca atcagtcac atattatacg aggaagatca	1860
tttatgtaga atgcttaagg aggcctgaaa ttattatgta aatttttaaat ttaaaataat	1920
cacaaatatt taatctcatt ttccatatt ttgaaatatt aaaaattaca gttactaact	1980
tactctttta ctcaataatt gtatttttct taagaaatta aaaaacatta cagtgttttt	2040
acatgttaga tatttaagaa atcttaacaa acaaaactcat agattccgga agagatattt	2100
gcttcacct tcaggagccg taaaggatt caatcacct tcttattttc tcattctcct	2160
taacattttt gttttcagaa ctaactttca gattcgaaga aacagaagcg atg ctg	2216
Met Leu 1	
ctg act gat aga aat aca agt ggg acc acg ttc acc ctc ttg ggc ttc	2264
Leu Thr Asp Arg Asn Thr Ser Gly Thr Thr Phe Thr Leu Leu Gly Phe	
5 10 15	
tca gat tac cca gaa ctg caa gtc cca ctc ttc ctg gtt ttt ctg gcc	2312
Ser Asp Tyr Pro Glu Leu Gln Val Pro Leu Phe Leu Val Phe Leu Ala	
20 25 30	
atc tac aat gtc act gtg cta ggg aat att ggg ttg att gtg atc atc	2360
Ile Tyr Asn Val Thr Val Leu Gly Asn Ile Gly Leu Ile Val Ile Ile	
35 40 45 50	
aaa atc aac ccc aaa ctg cat acc ccc atg tac ttt ttc ctc agc caa	2408
Lys Ile Asn Pro Lys Leu His Thr Pro Met Tyr Phe Phe Leu Ser Gln	
55 60 65	
ctc tcc ttt gtg gat ttc tgc tat tcc tcc atc att gct ccc aag atg	2456
Leu Ser Phe Val Asp Phe Cys Tyr Ser Ser Ile Ile Ala Pro Lys Met	
70 75 80	
ttg gtg aac ctt gtt gtc aaa gac aga acc att tca ttt tta gga tgc	2504
Leu Val Asn Leu Val Val Lys Asp Arg Thr Ile Ser Phe Leu Gly Cys	
85 90 95	
gta gta caa ttc ttt ttc ttc tgt acc ttt gtg gtc act gaa tcc ttt	2552
Val Val Gln Phe Phe Phe Phe Cys Thr Phe Val Val Thr Glu Ser Phe	
100 105 110	
tta tta gct gtg atg gcc tat gac cgc ttc gtg gcc att tgc aac cct	2600
Leu Leu Ala Val Met Ala Tyr Asp Arg Phe Val Ala Ile Cys Asn Pro	
115 120 125 130	
ctg ctc tac aca gtt aac atg tcc cag aaa ctc tgc gtg ctg ctg gtt	2648
Leu Leu Tyr Thr Val Asn Met Ser Gln Lys Leu Cys Val Leu Leu Val	
135 140 145	
gtg gga tcc tat gcc tgg gga gtc tca tgt tcc ttg gaa ctg acg tgc	2696
Val Gly Ser Tyr Ala Trp Gly Val Ser Cys Ser Leu Glu Leu Thr Cys	
150 155 160	
tct gct tta aag tta tgt ttt cat ggt ttc aac aca atc aat cac ttc	2744
Ser Ala Leu Lys Leu Cys Phe His Gly Phe Asn Thr Ile Asn His Phe	
165 170 175	
ttc tgt gag ttc tcc tca cta ctc tcc ctt tct tgc tct gat act tac	2792
Phe Cys Glu Phe Ser Ser Leu Leu Ser Leu Ser Cys Ser Asp Thr Tyr	
180 185 190	
atc aac cag tgg ctg cta ttc ttt ctt gcc acc ttt aat gaa atc agc	2840
Ile Asn Gln Trp Leu Leu Phe Phe Leu Ala Thr Phe Asn Glu Ile Ser	
195 200 205 210	
aca cta ctc atc gtt ctc aca tct tat gcg ttc att gtt gta acc atc	2888
Thr Leu Leu Ile Val Leu Thr Ser Tyr Ala Phe Ile Val Val Thr Ile	
215 220 225	
ctc aag atg cgt tca gtc agt ggg cgc cgc aaa gcc ttc tcc acc tgt	2936
Leu Lys Met Arg Ser Val Ser Gly Arg Arg Lys Ala Phe Ser Thr Cys	
230 235 240	
gcc tcc cac ctg act gcc atc acc atc ttc cat gcc acc atc ctc ttc	2984

16U 200 PCT FINAL.ST25

Ala Ser His Leu Thr Ala Ile Thr Ile Phe His Gly Thr Ile Leu Phe	
245 250 255	
ctt tac tgt gtg ccc aac tcc aaa aac tcc agg cac aca gtc aaa gtg	3032
Leu Tyr Cys Val Pro Asn Ser Lys Asn Ser Arg His Thr Val Lys Val	
260 265 270	
gcc tct gtg ttt tac acc gtg gtg atc ccc atg ttg aat ccc ctg atc	3080
Ala Ser Val Phe Tyr Thr Val Val Ile Pro Met Leu Asn Pro Leu Ile	
275 280 285 290	
tac agt ctg aga aat aaa gat gtc aag gat aca gtc acc gag ata ctg	3128
Tyr Ser Leu Arg Asn Lys Asp Val Lys Asp Thr Val Thr Glu Ile Leu	
295 300 305	
gac acc aaa gtc ttc tct tac tga gcctgttact ttcattggagt ttgtcacaca	3182
Asp Thr Lys Val Phe Ser Tyr	
310	
tataaataaa ttctgtccat aaatattgat cttaaagata tctttacaaa taaacaaagt	3242
taggggttgta caactcaacg aaatggattt tcttttcaac agactaaact tagctctgtc	3302
tcttactttc tgggaagcat cagtaatccc tctaactctt aatatttcat ttatgaaatt	3362
agtatagtat gggtagatc atagtctgat tgtgaagatt aaaatataat ggacacctta	3422
cgtaagtc aa tgatattaa ttctatgtcc ttctcttata agataccggg aatagactaa	3482
gtgcttagga aacatatgaa ttctttttat aaatgtgcaa aataagttaa aagaagaaat	3542
agtcctcatc ttcaaggatg aaaactgtgt tgataatagg acaatgaaga agtggccatt	3602
gtgtaaggca gaaattaata tgtaccaaag agagtttgag agaagagaaa gttcaaatct	3662
acttagggat tttagaagga tgtcttaatg aaataggat tgtttgaaac cggcttttga	3722
aaaggaaatg ggcggagttt atgagataca ttccaggagg aaaggagttt tcttctggag	3782
aaaacaatgt gaataaaacc aattaggtaa gaatgtaata cctagtcaaa gatctaatac	3842
ttgttttatt gagctaacat aatataatgt gtgtttgtgt gtgtgtgtgt gtgtgtgttt	3902
atgtatacgg gttacttgac atgaactgaa attttaatat gatatgggct acatcctgaa	3962
tgtgttttca aaggagctcc agtgtgacca tctgataaac cataatagac ttcaccagat	4022
gctgatgaat aatggatcag atcttagaaa atcctatgta ccaaattagg gatgatgaac	4082
acctgcccc aactgtatgtc atactgttag acatcacaaa ctttatcaat ccattatgat	4142
ttttttatga gcattgaaat aatctctgaa tccttctcaa cagaattccc aacaaccttt	4202
ataaaaagggt atttgagta gtcttaagt ttgaaagctc ttgggtgca taaacttatt	4262
caaaataaat aaaaatcagg taatcattaa tatcaagacc tctttaacac agcaaattaa	4322
aaatgctagc tctttcttac cttaataact cactttcatt cgaataaatt gtataccctt	4382
ctccttttca atgtgtctag atacagttcc aaacaaatca tcaatatagt ggaagaagta	4442
aatttccagg tgttttgta agggagaaaa aataaactgg ggaacaattt tatataaact	4502
tcttaaaatt atttagaatg ttcatattat ttgacctta tgatgattat taaagttag	4562
ataattatta aagtatttca tcttacctat attatttgat aaagaatcca cttaaataac	4622
cttgtaatag aaaaattttt caaaatgtaa ggaacagtgt tttagatatt aaatgcctga	4682
ggagggaata ctttttctct tgatatctgt atctccagggt attcaaacat ttatcctttg	4742
tacacatctg gtacttatac aatttttaat tttctcagaa gttgggacat tgttttaata	4802
ttaaactgaa tactgaattt caccatcttt tgaaatcctg aaaagctgcc atgggaacaa	4862
gcataaaata ggatatttga taatgaggaa aattagccca tatccccatc acaagggtt	4922
ttctctggca acctaccaga cttgagtgtg aagccctgtg agatgatctg acctgccagc	4982

## 16U 200 PCT FINAL.ST25

tgacagtata cacacaagca agacaagcca agatcagcca tgccaggagc atgtgagcag 5042  
aaccacctgg atgatccatg caatagagtc acaggcaata agagggtgtt gtgttttagcc 5102  
aatagggttt ggagtggttt gttatacagt cattagagtc attcactttc tcaaattctg 5162  
ggaatgctac caaaaaaact tcacgatgtt ttattatgta ataattcacc atcttctatt 5222  
attccacatt gaggaacat tttaaaataa taaaatgtgt taaattt 5269

<210> 64  
<211> 313  
<212> PRT  
<213> Homo sapiens

<400> 64

Met Leu Leu Thr Asp Arg Asn Thr Ser Gly Thr Thr Phe Thr Leu Leu  
1 5 10 15

Gly Phe Ser Asp Tyr Pro Glu Leu Gln Val Pro Leu Phe Leu Val Phe  
20 25 30

Leu Ala Ile Tyr Asn Val Thr Val Leu Gly Asn Ile Gly Leu Ile Val  
35 40 45

Ile Ile Lys Ile Asn Pro Lys Leu His Thr Pro Met Tyr Phe Phe Leu  
50 55 60

Ser Gln Leu Ser Phe Val Asp Phe Cys Tyr Ser Ser Ile Ile Ala Pro  
65 70 75 80

Lys Met Leu Val Asn Leu Val Val Lys Asp Arg Thr Ile Ser Phe Leu  
85 90 95

Gly Cys Val Val Gln Phe Phe Phe Phe Cys Thr Phe Val Val Thr Glu  
100 105 110

Ser Phe Leu Leu Ala Val Met Ala Tyr Asp Arg Phe Val Ala Ile Cys  
115 120 125

Asn Pro Leu Leu Tyr Thr Val Asn Met Ser Gln Lys Leu Cys Val Leu  
130 135 140

Leu Val Val Gly Ser Tyr Ala Trp Gly Val Ser Cys Ser Leu Glu Leu  
145 150 155 160

Thr Cys Ser Ala Leu Lys Leu Cys Phe His Gly Phe Asn Thr Ile Asn  
165 170 175

His Phe Phe Cys Glu Phe Ser Ser Leu Leu Ser Leu Ser Cys Ser Asp  
180 185 190

Thr Tyr Ile Asn Gln Trp Leu Leu Phe Phe Leu Ala Thr Phe Asn Glu  
195 200 205

Ile Ser Thr Leu Leu Ile Val Leu Thr Ser Tyr Ala Phe Ile Val Val  
210 215 220

Thr Ile Leu Lys Met Arg Ser Val Ser Gly Arg Arg Lys Ala Phe Ser  
225 230 235 240

Thr Cys Ala Ser His Leu Thr Ala Ile Thr Ile Phe His Gly Thr Ile

160 200 PCT FINAL.ST25

245

250

255

Leu Phe Leu Tyr Cys Val Pro Asn Ser Lys Asn Ser Arg His Thr Val  
 260 265 270

Lys Val Ala Ser Val Phe Tyr Thr Val Val Ile Pro Met Leu Asn Pro  
 275 280 285

Leu Ile Tyr Ser Leu Arg Asn Lys Asp Val Lys Asp Thr Val Thr Glu  
 290 295 300

Ile Leu Asp Thr Lys Val Phe Ser Tyr  
 305 310

<210> 65  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 65  
 ataggccgtc taaaaatttg ggtgggttat gtgaatagat ataattgcta 50

<210> 66  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 66  
 acacaatgaa tatataatgt gtcttgaagg gagagaaaag aaatagacat 50

<210> 67  
 <211> 32  
 <212> DNA  
 <213> Homo sapiens

<400> 67  
 atgctgctga ctgatagaaa tacaagtggg ac 32

<210> 68  
 <211> 29  
 <212> DNA  
 <213> Homo sapiens

<400> 68  
 gactttggtg tccagtatct cgggtgactg 29

<210> 69  
 <211> 4558  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1822).. (2766)  
 <223>

<400> 69  
 ggggaactcag agtagaagct agacagttga gcattccctg aatattgatt tctcttggca 60  
 tttttaccac ctaagagagc acctagagaa gtatgagaat aaaagggcaa caaaaagagg 120  
 agagaaaaga agagagagag aggggaatac acaagcaatg ataagatcat ataaggggag 180  
 tagaggagat gggagctaga ttggaaggaa ttaaaaatta agagatgagg aattagataa 240  
 tgaattactc aactttttca acaaacattg ttgtgaagga aaacagttgc ggggtgtaga 300  
 tggaggggaga tataaggcca aggaatgcgg gattgtgctg atgtcaagaa aaacatttta 360  
 aaaaaggggg cagatttggg tgggaggggg aatattgtaa tgacaaataa cagttttaca 420

## 16U 200 PCT FINAL.ST25

atgctttaca gtttacaggg actcttctca tgattttatc ttctctcatc atgaagcagt	480
aaaattgtca tggaagatat gggtatgcct tcatctatag gtgaggaacc taaatcttta	540
aaaatttcag tgattaatac tagtttctat tggtaggctg atggctcaat cattacttaa	600
acccaagtct ttagattcta attttttttc ctatatcatg ataatgagtt tgagttatat	660
ttctgttaac ttgaatatgc tggatttata cttcttagga agcaatgagg tagaagcaga	720
agagtgtagt gatttaagac attggattgg gaggcagcaa accagagttc tcgaagctca	780
agtttcatct ttgacgtttt ccaactgttc tgattgttag tgacttagtc ttttgttttc	840
tcaattcata agtgtccacg ttactgagc actgtttcaa gatttgtgct aagtgtttta	900
aaagatctca aaatcccca aagaaagttt ttaggcagga gctgaaaaaa aaggtggcac	960
aggtcaaaaa tattgcaagg aaatgtttaa acgttttcaa gggaaatgac aacagaaggt	1020
ggaaaaagat agaataataa ggatcccaga tggaaaaata gtgtgaaggg aataggtcag	1080
tcttgcaaaa aggttaagtgt ggggcatctc ttctgaatgt catgaagtc aggaagggaag	1140
aagcacgtag agatgaaggt taaactacag ttaggcacaaa gagaacaaca aaagggcttc	1200
tcatgttctc aagttacctg gaggtagggc tttagttgga gggatttctg agtgtcaaac	1260
aaggacctac gaaacctgc tagaaaaaaa atctaaagaa cttgtaggga agtgaattat	1320
tagaaagtgc taactacatt tatttttcat atgaccaaga ttgacatttc agggcagaaa	1380
ctctttcata attgggagt tagtttgaat tggaaaggcaa taggaagaca gtgacggtaa	1440
atgtttgtgg gtatgatttg aattaagcag caatctgtat tatttcaaa gttgcttttg	1500
gccacatgca ggccacaaaa ggctcttctt ccacttgatt tctcaataag gctgctttgt	1560
aatactagct ttattggaat taaatgtcct gagcacccag tgtttttata aacagcttaa	1620
gggcaaggat catgcataat atttcatgat acatatgatt attttctcat ttcttttcat	1680
gtctaaaaat gggctlaaga actaatcttc tcacaagaat gatcagagtt tgaatgtgag	1740
cattgtaatt ctgctgatat tgaatattct ctggaagggc cctgtggaag cagataagga	1800
ggaagagaat tcccaggagc c atg tca gcc tcc aat atc acc tta aca cat	1851
Met Ser Ala Ser Asn Ile Thr Leu Thr His	
1 5 10	
cca act gcc ttc ttg ttg gtg ggg att cca ggc ctg gaa cac ctg cac	1899
Pro Thr Ala Phe Leu Val Gly Ile Pro Gly Leu Glu His Leu His	
15 20 25	
atc tgg atc tcc atc cct ttc tgc tta gca tat aca ctg gcc ctg ctt	1947
Ile Trp Ile Ser Ile Pro Phe Cys Leu Ala Tyr Thr Leu Ala Leu Leu	
30 35 40	
gga aac tgc act ctc ctt ctc atc atc cag gct gat gca gcc ctc cat	1995
Gly Asn Cys Thr Leu Leu Leu Ile Ile Gln Ala Asp Ala Ala Leu His	
45 50 55	
gaa ccc atg tac ctc ttt ctg gcc atg ttg gca gcc atc gac ctg gtc	2043
Glu Pro Met Tyr Leu Phe Leu Ala Met Leu Ala Ala Ile Asp Leu Val	
60 65 70	
ctt tcc tcc tca gca ctg ccc aaa atg ctt gcc ata ttc tgg ttc agg	2091
Leu Ser Ser Ser Ala Leu Pro Lys Met Leu Ala Ile Phe Trp Phe Arg	
75 80 85 90	
gat cgg gag ata aac ttc ttt gcc tgt ctg gcc cag atg ttc ttc ctt	2139
Asp Arg Glu Ile Asn Phe Phe Ala Cys Leu Ala Gln Met Phe Phe Leu	
95 100 105	
cac tcc ttc tcc atc atg gag tca gca gtg ctg ctg gcc atg gcc ttt	2187
His Ser Phe Ser Ile Met Glu Ser Ala Val Leu Leu Ala Met Ala Phe	
110 115 120	

16U 200 PCT FINAL.ST25

gac cgc tat gtg gct atc tgc aag cca ctg cac tac acc aag gtc ctg 2235  
 Asp Arg Tyr Val Ala Ile Cys Lys Pro Leu His Tyr Thr Lys Val Leu  
 125 130 135

act ggg tcc ctc atc acc aag att ggc atg gct gct gtg gcc cgg gct 2283  
 Thr Gly Ser Leu Ile Thr Lys Ile Gly Met Ala Ala Val Ala Arg Ala  
 140 145 150

gtg aca cta atg act cca ctc ccc ttc ctg ctg aga tgt ttc cac tac 2331  
 Val Thr Leu Met Thr Pro Leu Pro Phe Leu Leu Arg Cys Phe His Tyr  
 155 160 165 170

tgc cga ggc cca gtg atc gct cac tgc tac tgt gaa cac atg gct gtg 2379  
 Cys Arg Gly Pro Val Ile Ala His Cys Tyr Cys Glu His Met Ala Val  
 175 180 185

gtg agg ctg gcg tgt ggg gac act agc ttc aac aat atc tat ggc atc 2427  
 Val Arg Leu Ala Cys Gly Asp Thr Ser Phe Asn Asn Ile Tyr Gly Ile  
 190 195 200

gct gtg gcc atg ttt att gtg gtg ttg gac ctg ctc ctt gtt atc ctg 2475  
 Ala Val Ala Met Phe Ile Val Val Leu Asp Leu Leu Val Ile Leu  
 205 210 215

tct tat atc ttt att ctt cag gca gtt cta ctg ctt gcc tct cag gag 2523  
 Ser Tyr Ile Phe Ile Leu Gln Ala Val Leu Leu Leu Ala Ser Gln Glu  
 220 225 230

gcc cac tac aag gca ttt ggg aca tgt gtc tct cat ata ggt gcc atc 2571  
 Ala His Tyr Lys Ala Phe Gly Thr Cys Val Ser His Ile Gly Ala Ile  
 235 240 245 250

tta gcc ttc tac aca act gtg gtc atc tct tca gtc atg cac cgt gta 2619  
 Leu Ala Phe Tyr Thr Thr Val Val Ile Ser Ser Val Met His Arg Val  
 255 260 265

gcc cgc cat gct gcc cct cat gtc cac atc ctc ctt gcc aat ttc tat 2667  
 Ala Arg His Ala Ala Pro His Val His Ile Leu Leu Ala Asn Phe Tyr  
 270 275 280

ctg ctc ttc cca ccc atg gtc aat ccc ata atc tat ggt gtc aag acc 2715  
 Leu Leu Phe Pro Pro Met Val Asn Pro Ile Ile Tyr Gly Val Lys Thr  
 285 290 295

aag caa atc cgt gag agc atc ttg gga gta ttc cca aga aag gat atg 2763  
 Lys Gln Ile Arg Glu Ser Ile Leu Gly Val Phe Pro Arg Lys Asp Met  
 300 305 310

tag agggtagggt ggagaaagaa tgggttggt tgtctgctgg agttggagac 2816

aggctatggt agaattgtca cggctgccag gatcttcacg tttagttttt tcttggaaaa 2876

aaaaaaaaatg atgtcctgaa actcagagcc accagtctgt tcaggactca tgggtctgtg 2936

tcctctggta gcctgtggat tgaatgtgct gactgtgctg tcttctcaca gtgccctcac 2996

ccctatcagt aacttgacag agacttgacc catgggtctc cagggtgactt caccgaaaga 3056

cacaaagatg cttccaactt catttgctga agagaagact ttgaaaatct gagtttcttt 3116

tcttagtcat tgggaatttg gtgaactatc tactcaggac ctgggtgagg gccaacagta 3176

tatctgacat aggaatcctt cattcattct gactggtggt gtccagcttc tgatgaaaca 3236

ctcagtgtta ggaagtttga aacattccag ggctgcaggt tctgagtaag acacctatgc 3296

ttgctagaaa atcatttttt cacctaagcc agtatgtgta ttcttttgct.tatatttacc 3356

aatccatcct tatgtccaat tccttttatt aagtactttg aataagacat gtcctctggc 3416

tttatgtttc atgcaactct ttctttgcac atagatgtat cttatgtttt caagaatgag 3476

aatggctcat ttatttacta attccaccaa atctgtgata ggggatgggg acacatatat 3536

taaattaggg gtgtcagact tgtgtatttg tcctaagaca gagaaggaaa tgataattat 3596

gatagattct gttctctgaa atttccatcc caaggccag cataataaaa gaagagcaag 3656

accaagcaga taggaggcaa gaatattatg ttctctttt cctgtctcat gtgaacttac 3716

## 160 200 PCT FINAL.ST25

ctactatata attctctatt aatcctgaca acacagctaa gcttttcaca caagccctgt 3776  
 ataaatacat tgttctgctg ttatcttctg acccacttgt ttcttcagat attattgctt 3836  
 agaaattata tatctctttt gctatcactg tatctttctc tatttaccta tctatattat 3896  
 ttagccttga aagataattt ccaagcctat ttcaggtggg gtgtagaagg ttggaagctg 3956  
 tccaggaggg aagagtatag caagaaccta gagttttact tccccttata tccacctct 4016  
 gctcttataa ttccttttga cacaaaaaca aataccccag agaaataatg tattacataa 4076  
 aaaattgcta catgctagat atatatattt ttggagtata tgtgatattc tgatatattc 4136  
 atataataga taatgatcaa atcaggataa ttggaatatt catgacctta aatgtttctt 4196  
 ttatgctagg aacattaaaa ttattctctt ctagctattt tgatatatac agtagattgt 4256  
 ttcttatagt cctactgat ttcttgaaca ctacatcttg ttatttttta tatctagctg 4316  
 tttttttata ctcaattaat ctcttatect ccttgccctc ctcccagcc cccaataacc 4376  
 accaatctgc tctctatttt catgagctgt acttagcatt cacatgagtg agaaatacaa 4436  
 taattgtctt tctgtacctg gcttgtttca cttaacttaa tgacctacag tttcatccac 4496  
 gttgctgcaa gtgacaggat ttcattcttt ctatgacta atattccatg tgtatcatat 4556  
 tt 4558

<210> 70  
 <211> 314  
 <212> PRT  
 <213> Homo sapiens

<400> 70

Met Ser Ala Ser Asn Ile Thr Leu Thr His Pro Thr Ala Phe Leu Leu  
1 5 10 15

Val Gly Ile Pro Gly Leu Glu His Leu His Ile Trp Ile Ser Ile Pro  
20 25 30

Phe Cys Leu Ala Tyr Thr Leu Ala Leu Leu Gly Asn Cys Thr Leu Leu  
35 40 45

Leu Ile Ile Gln Ala Asp Ala Leu His Glu Pro Met Tyr Leu Phe  
50 55 60

Leu Ala Met Leu Ala Ala Ile Asp Leu Val Leu Ser Ser Ser Ala Leu  
65 70 75 80

Pro Lys Met Leu Ala Ile Phe Trp Phe Arg Asp Arg Glu Ile Asn Phe  
85 90 95

Phe Ala Cys Leu Ala Gln Met Phe Phe Leu His Ser Phe Ser Ile Met  
100 105 110

Glu Ser Ala Val Leu Leu Ala Met Ala Phe Asp Arg Tyr Val Ala Ile  
115 120 125

Cys Lys Pro Leu His Tyr Thr Lys Val Leu Thr Gly Ser Leu Ile Thr  
130 135 140

Lys Ile Gly Met Ala Ala Val Ala Arg Ala Val Thr Leu Met Thr Pro  
145 150 155 160

16U 200 PCT FINAL.ST25  
 Leu Pro Phe Leu Leu Arg Cys Phe His Tyr Cys Arg Gly Pro Val Ile  
 165 170 175

Ala His Cys Tyr Cys Glu His Met Ala Val Val Arg Leu Ala Cys Gly  
 180 185 190

Asp Thr Ser Phe Asn Asn Ile Tyr Gly Ile Ala Val Ala Met Phe Ile  
 195 200 205

Val Val Leu Asp Leu Leu Leu Val Ile Leu Ser Tyr Ile Phe Ile Leu  
 210 215 220

Gln Ala Val Leu Leu Leu Ala Ser Gln Glu Ala His Tyr Lys Ala Phe  
 225 230 235 240

Gly Thr Cys Val Ser His Ile Gly Ala Ile Leu Ala Phe Tyr Thr Thr  
 245 250 255

Val Val Ile Ser Ser Val Met His Arg Val Ala Arg His Ala Ala Pro  
 260 265 270

His Val His Ile Leu Leu Ala Asn Phe Tyr Leu Leu Phe Pro Pro Met  
 275 280 285

Val Asn Pro Ile Ile Tyr Gly Val Lys Thr Lys Gln Ile Arg Glu Ser  
 290 295 300

Ile Leu Gly Val Phe Pro Arg Lys Asp Met  
 305 310

<210> 71  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 71  
 gaaaaaacatt ttaaaaaagg gggcagattt gtgtgggagg gggaatattg 50

<210> 72  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 72  
 gctaagtgtt ttaaaagatc tcaaaatccc caaaagaaag tttttaggca 50

<210> 73  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 73  
 gcaggagctg aaaaaaaagg tggcacaggt caaaaatatt gcaaggaaat 50

<210> 74  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 74  
 cccagtgttt ttataaacag cttaagggca aggatcatgc ataattttc 50

<210> 75  
 <211> 50  
 <212> DNA



16U 200 PCT FINAL.ST25

<213> Homo sapiens

<400> 75  
 ttttcattgtc taaaaatggg tctaagaact aatcttctca caagaatgat 50

<210> 76  
 <211> 29  
 <212> DNA  
 <213> Homo sapiens

<400> 76  
 cagcctccaa tatcacctta acacatcca 29

<210> 77  
 <211> 25  
 <212> DNA  
 <213> Homo sapiens

<400> 77  
 caccacaata aacatggcca cagcg 25

<210> 78  
 <211> 2520  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (727)..(1722)  
 <223>

<400> 78  
 attaaagtct tcagtctcca cattccctac ttcccaaatt cagctttccc gggaggctctg 60  
 gagcagctgc ctctctgggg agatgctgga ggtctcgga tcacctcacg cggcctcagg 120  
 gcccagttgg agccacccca agtgacacca gcaggcagat gaccagagag cctgagcctc 180  
 cggcccccag tctgtgaagc ctgacccgtg ggctggagaa gccactgtgg gcaccaccgt 240  
 gggggaaaca gggccgttgc cctggcctct ttgccctggg ccagcctttg tgaagtgggc 300  
 cctctttctg gggcccttga agcatgctgg agaacttctc ggccgcccgtg cccagccacc 360  
 gctgctgggc acccctcctg gacaacagca cggctcaggc cagcacccta gggagcttga 420  
 gtcctgaggc cctcctggct atttccatcc cggcggggccc caaccagagg ccccaccagt 480  
 gccgcccgtt ccgccagcca cagtggcagc tcttggaacc caatgccacg gccaccagct 540  
 ggagcgaggc cgacacggag ccgtgtgtgg atggctgggt ctatgaccgc agcatcttca 600  
 cctccacaat cgtggccaag tgaacctcg tgtgtgactc tcattgctctg aagcccatgg 660  
 cccagtcctat ctacctggct gggattctgg tgggagctgc tgcgtgccc cctgcctcag 720  
 acagtg atg gag tgg acg gcg gca cgg gcc cga ccc ttg gtg atg acc 768  
 Met Glu Trp Thr Ala Ala Arg Ala Arg Pro Leu Val Met Thr  
 1 5 10

ttg aac tct ctg ggc ttc agc ttc ggc cat ggc ctg aca gct gca gtg 816  
 Leu Asn Ser Leu Gly Phe Ser Phe Gly His Gly Leu Thr Ala Ala Val  
 15 20 25 30

gcc tac ggt gtg cgg gac tgg aca ctg ctg cag ctg gtg gtc tcg gtc 864  
 Ala Tyr Gly Val Arg Asp Trp Thr Leu Leu Gln Leu Val Val Ser Val  
 35 40 45

ccc ttc ttc ctg tgc ttt ttg tac tcc tgg tgg ctg gca gag tcg gca 912  
 Pro Phe Phe Leu Cys Phe Leu Tyr Ser Trp Trp Leu Ala Glu Ser Ala  
 50 55 60

cga tgg ctg ctg acc aca ggc agg ctg gat tgg ggc ctg cag gag ctg 960  
 Arg Trp Leu Leu Thr Thr Gly Arg Leu Asp Trp Gly Leu Gln Glu Leu  
 65 70 75

16U 200 PCT FINAL.ST25

tgg agg gtg gct gcc atc aac gga aag ggg gca gtg cag gac acc ctg 1008  
 Trp Arg Val Ala Ala Ile Asn Gly Lys Gly Ala Val Gln Asp Thr Leu  
 80 85 90

acc cct gag gtc ttg ctt tca gcc atg cgg gag gag ctg agc atg ggc 1056  
 Thr Pro Glu Val Leu Leu Ser Ala Met Arg Glu Glu Leu Ser Met Gly  
 95 100 105 110

cag cct cct gcc agc ctg ggc acc ctg ctc cgc atg ccc gga ctg cgc 1104  
 Gln Pro Pro Ala Ser Leu Gly Thr Leu Arg Met Pro Gly Leu Arg  
 115 120 125

ttc cgg acc tgt atc tcc acg ttg tgc tgg ttc gcc ttt ggc ttc acc 1152  
 Phe Arg Thr Cys Ile Ser Thr Leu Cys Trp Phe Ala Phe Gly Phe Thr  
 130 135 140

ttc ttc ggc ctg gcc ctg gac ctg cag gcc ctg ggc agc aac atc ttc 1200  
 Phe Phe Gly Leu Ala Leu Asp Leu Gln Ala Leu Gly Ser Asn Ile Phe  
 145 150 155

ctg ctc caa atg ttc att ggt gtc gtg gac atc cca gcc aag atg ggc 1248  
 Leu Leu Gln Met Phe Ile Gly Val Val Asp Ile Pro Ala Lys Met Gly  
 160 165 170

gcc ctg ctg ctg ctg agc cac ctg ggc cgc cgc ccc acg ctg gcc gca 1296  
 Ala Leu Leu Leu Leu Ser His Leu Gly Arg Arg Pro Thr Leu Ala Ala  
 175 180 185 190

tcc ctg ttg ctg gca ggg ctc tgc att ctg gcc aac acg ctg gtg ccc 1344  
 Ser Leu Leu Leu Ala Gly Leu Cys Ile Leu Ala Asn Thr Leu Val Pro  
 195 200 205

cac gaa atg ggg gct ctg cgc tca gcc ttg gcc gtg ctg ggg ctg ggc 1392  
 His Glu Met Gly Ala Leu Arg Ser Ala Leu Ala Val Leu Gly Leu Gly  
 210 215 220

ggg gtg ggg gct gcc ttc acc tgc atc acc atc tac agc agc gag ctc 1440  
 Gly Val Gly Ala Ala Phe Thr Cys Ile Thr Ile Tyr Ser Ser Glu Leu  
 225 230 235

ttc ccc act gtg ctc agg atg acg gca gtg ggc ttg ggc cag atg gca 1488  
 Phe Pro Thr Val Leu Arg Met Thr Ala Val Gly Leu Gly Gln Met Ala  
 240 245 250

gcc cgt gga gga gcc atc ctg ggg cct ctg gtc cgg ctg ctg ggt gtc 1536  
 Ala Arg Gly Gly Ala Ile Leu Gly Pro Leu Val Arg Leu Leu Gly Val  
 255 260 265 270

cat ggc ccc tgg ctg ccc ttg ctg gtg tat ggg acg gtg cca gtg ctg 1584  
 His Gly Pro Trp Leu Pro Leu Leu Val Tyr Gly Thr Val Pro Val Leu  
 275 280 285

agt ggc ctg gcc gca ctg ctt ctg ccc gag acc cag agc ttg ccg ctg 1632  
 Ser Gly Leu Ala Ala Leu Leu Leu Pro Glu Thr Gln Ser Leu Pro Leu  
 290 295 300

ccc gac acc atc caa gat gtg cag aac cag gca gta aag aag gca aca 1680  
 Pro Asp Thr Ile Gln Asp Val Gln Asn Gln Ala Val Lys Lys Ala Thr  
 305 310 315

\_cat ggc acg ctg ggg aac tct gtc cta aaa tcc aca cag ttt 1722  
 His Gly Thr Leu Gly Asn Ser Val Leu Lys Ser Thr Gln Phe  
 320 325 330

tagcctcttg gggaaacctgc gatgggacgg tcagaggaag agacttcttc tgttctcttg 1782

agaaggcagg aggaaagcaa agacctccat ttccagaggc ccagaggctg ccctctgagg 1842

tccccactct cccccagggc tgcccccca ggtgagccct gccctctca cagtccaagg 1902

ggcccccttc aataactgaag gggaaaagga cagtttgatt ggcaggagggt gaccagtg 1962

accatcaccc tgccctgcc tcgtggcttc ggagagcaga ggggtcaggc ccagggggaa 2022

gagctggcct tgccaaccct ctgcttgact ccgcactgcc acttgctccc ccacaccct 2082

ccacctgcc agagctcaga gctaaccacc atccatggc aagacctctc ctgctccac 2142

acaagcagta gagtctcagc tccacagctt taccagaag ccctgtaagc ctggccctg 2202

16U 200 PCT FINAL.ST25

gccctcccc atgtccctcc aggcctcagc cactgcccc ccacatcctc tgcctgctgt 2262  
 ccccttccca ccttcatecc tgaccgactc cacttaaccc ccaaaccag cccctctcc 2322  
 aggggtccag ggccagcctg agatgcccg gaaactccta cccaçagtta cagccacaag 2382  
 cctgcctcct cccaccctgc cagcctatga gtccccagag ggttggggca gtcccatgac 2442  
 cccatgtccc agtccccac acagcgctgg gccagagagg cattggtgcg agggattgaa 2502  
 taaagaaaca aatgaatg 2520

<210> 79  
 <211> 332  
 <212> PRT  
 <213> Homo sapiens

<400> 79

Met Glu Trp Thr Ala Ala Arg Ala Arg Pro Leu Val Met Thr Leu Asn  
 1 5 10 15  
 Ser Leu Gly Phe Ser Phe Gly His Gly Leu Thr Ala Ala Val Ala Tyr  
 20 25 30  
 Gly Val Arg Asp Trp Thr Leu Leu Gln Leu Val Val Ser Val Pro Phe  
 35 40 45  
 Phe Leu Cys Phe Leu Tyr Ser Trp Trp Leu Ala Glu Ser Ala Arg Trp  
 50 55 60  
 Leu Leu Thr Thr Gly Arg Leu Asp Trp Gly Leu Gln Glu Leu Trp Arg  
 65 70 75 80  
 Val Ala Ala Ile Asn Gly Lys Gly Ala Val Gln Asp Thr Leu Thr Pro  
 85 90 95  
 Glu Val Leu Leu Ser Ala Met Arg Glu Glu Leu Ser Met Gly Gln Pro  
 100 105 110  
 Pro Ala Ser Leu Gly Thr Leu Leu Arg Met Pro Gly Leu Arg Phe Arg  
 115 120 125  
 Thr Cys Ile Ser Thr Leu Cys Trp Phe Ala Phe Gly Phe Thr Phe Phe  
 130 135 140  
 Gly Leu Ala Leu Asp Leu Gln Ala Leu Gly Ser Asn Ile Phe Leu Leu  
 145 150 155 160  
 Gln Met Phe Ile Gly Val Val Asp Ile Pro Ala Lys Met Gly Ala Leu  
 165 170 175  
 Leu Leu Leu Ser His Leu Gly Arg Arg Pro Thr Leu Ala Ala Ser Leu  
 180 185 190  
 Leu Leu Ala Gly Leu Cys Ile Leu Ala Asn Thr Leu Val Pro His Glu  
 195 200 205  
 Met Gly Ala Leu Arg Ser Ala Leu Ala Val Leu Gly Leu Gly Gly Val  
 210 215 220  
 Gly Ala Ala Phe Thr Cys Ile Thr Ile Tyr Ser Ser Glu Leu Phe Pro  
 225 230 235 240

16U 200 PCT FINAL.ST25

Thr Val Leu Arg Met Thr Ala Val Gly Leu Gly Gln Met Ala Ala Arg  
245 250 255

Gly Gly Ala Ile Leu Gly Pro Leu Val Arg Leu Leu Gly Val His Gly  
260 265 270

Pro Trp Leu Pro Leu Leu Val Tyr Gly Thr Val Pro Val Leu Ser Gly  
275 280 285

Leu Ala Ala Leu Leu Leu Pro Glu Thr Gln Ser Leu Pro Leu Pro Asp  
290 295 300

Thr Ile Gln Asp Val Gln Asn Gln Ala Val Lys Lys Ala Thr His Gly  
305 310 315 320

Thr Leu Gly Asn Ser Val Leu Lys Ser Thr Gln Phe  
325 330

<210> 80  
<211> 2250  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (10)..(738)  
<223>

<400> 80  
caaggcagc atg agc cga tca ccc ctc aat ccc agc caa ctc cga tca gtg 51  
Met Ser Arg Ser Pro Leu Asn Pro Ser Gln Leu Arg Ser Val  
1 5 10  
ggc tcc cag gat gcc ctg gcc ccc ttg cct cca cct gct ccc cag aat 99  
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn  
15 20 25 30  
ccc tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc 147  
Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly  
35 40 45  
ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg 195  
Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu  
50 55 60  
ctc tgt gtc tcc cac ctg ctc ctg ctt tgc agt ctc tcc cca gga gga 243  
Leu Cys Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly  
65 70 75  
ctc tct tac tcc cct tct cag ctc ctg gcc tcc agc ttc ttt tca tgt 291  
Leu Ser Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys  
80 85 90  
ggt atg tct acc atc ctg caa act tgg atg ggc agc agg ctg cct ctt 339  
Gly Met Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu  
95 100 105 110  
gtc cag gct cca tcc tta gag ttc ctt atc cct gct ctg gtg ctg acc 387  
Val Gln Ala Pro Ser Leu Glu Phe Leu Ile Pro Ala Leu Val Leu Thr  
115 120 125  
agc cag aag cta ccc cgg gcc atc cag aca cct gga aac tcc tcc ctc 435  
Ser Gln Lys Leu Pro Arg Ala Ile Gln Thr Pro Gly Asn Ser Ser Leu  
130 135 140  
atg ctg cac ctt tgt agg gga cct agc tgc cat ggc ctg ggg cac tgg 483  
Met Leu His Leu Cys Arg Gly Pro Ser Cys His Gly Leu Gly His Trp  
145 150 155  
aac act tct ctc cag gag gtg tcc ggg gca gtg gta gta tct ggg ctg 531  
Asn Thr Ser Leu Gln Glu Val Ser Gly Ala Val Val Val Ser Gly Leu

160 165 160 200 PCT FINAL.ST25  
170

ctg cag ggc atg atg ggg ctg ctg ggg agt ccc ggc cac gtg ttc ccc 579  
Leu Gln Gly Met Met Gly Leu Leu Gly Ser Pro Gly His Val Phe Pro  
175 180 185 190

cac tgt ggg ccc ctg gtg ctg gct ccc agc ctg gtt gtg gca ggg ctc 627  
His Cys Gly Pro Leu Val Leu Ala Pro Ser Leu Val Val Ala Gly Leu  
195 200 205

tct gcc cac agg gag gta gcc cag ttc tgc ttc aca cac tgg ggg ttg 675  
Ser Ala His Arg Glu Val Ala Gln Phe Cys Phe Thr His Trp Gly Leu  
210 215 220

gcc ttg ctg tac gtg agt cct gag agg cgt ggg atg gtg ccc agt ggg 723  
Ala Leu Leu Tyr Val Ser Pro Glu Arg Arg Gly Met Val Pro Ser Gly  
225 230 235

ggg gta tgg ggg gac tagggggagg cagaactgct ggctctatca gattcagcag 778  
Gly Val Trp Gly Asp  
240

cgactggaat agggacatat ttatatattg gaatccaaga cttttccttg attcatctgg 838

tctccttgaa ttccacactg ttttctgctg tcccccaagg tcaactccta ttccttccat 898

gggagtttcc ttctctggta tcaccccccg ctcttatgat attctgacca ctccacctc 958

ctttcccatc cctcaggata cccactgcct cttgctccta aagccttctg tctcctaggg 1018

ttatcctgct catggtgggc tgttctcagc acctgggctc ctgccagttt catgtgtgcc 1078

cctggaggcg agcttcaacg tcactcaactc acactcctct ccctgtcttc cggctccttt 1138

cggtatgtgt gggctctgggc agggcagtag aggtcagaag ggctggcctg gagtgtcac 1198

tccatccctt accttttggc ttctgtctac ccctgcaagg ctggctcaga aggttctggg 1258

ggaggagttc ttttctcagt ctgccccctc aggtgctgat cccagtgccc tgtgtgtgga 1318

ttgtttctgc ctttgtggga ttcagtgtta tccccagga actgtctgcc cccaccaagg 1378

caccatggat ttggctgcct caccagggtg agtggaattg gcctttgtcg acgcccagag 1438

ctctggctgc aggcattctc atggccttgg cagcctccac cagttccctg ggctgctatg 1498

ccctgtgtgg cgggtgtctg catttgctc cccacctcc acatgcctgc agtcgagggc 1558

tgagcctgga ggggctgggc agtgtgtctg ccgggctgct gggagcccc atgggactg 1618

catccagctt ccccaacgtg ggcaaaagtg gtcttatcca ggtacgtgga cctgggatgg 1678

gagtggggta ggaatggagct agaggggaag aagaaggaca ggaacttaca ccgattgatt 1738

gccaggtgtg cctagcacct cacatcaact atcttacttg gggaggtgcc taagattaga 1798

ctttgggcta agagagtggg gaagtgaaca aatcaccacg gaactcctgt gcatgaggca 1858

ctgtatcaag gctagggcaa agaaccagtc acataaagtt ctgctctctt ggggacttca 1918

ttaggggaga ggcagacagt tgaaggaaaa aagtatcttt ttaaaaaagt gggccaggca 1978

tgggtggctca caectgtaat cctagtcact ggggaggctg aggcaggcag atcacttagg 2038

ctaggaattc aagaccagcc tggccaacat ggtgaaaccc tgtctctact aaaaatacaa 2098

aaattagctg ggcattggtg tgtgcaccta taattccagc tactcaggag gctgaggcag 2158

gagaatcgct tgagcctggg aggcagagggt tgctgtgagc cgagaccgca ccactgcact 2218

ccagcctggg cgacagagcg agactccatc tc 2250

<210> 81  
<211> 243  
<212> PRT  
<213> Homo sapiens  
<400> 81

16U 200 PCT FINAL.ST25

Met Ser Arg Ser Pro Leu Asn Pro Ser Gln Leu Arg Ser Val Gly Ser  
1 5 10 15

Gln Asp Ala Leu Ala Pro Leu Pro Pro Ala Pro Gln Asn Pro Ser  
20 25 30

Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly Leu Ser  
35 40 45

Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu Leu Cys  
50 55 60

Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly Leu Ser  
65 70 75 80

Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys Gly Met  
85 90 95

Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu Val Gln  
100 105 110

Ala Pro Ser Leu Glu Phe Leu Ile Pro Ala Leu Val Leu Thr Ser Gln  
115 120 125

Lys Leu Pro Arg Ala Ile Gln Thr Pro Gly Asn Ser Ser Leu Met Leu  
130 135 140

His Leu Cys Arg Gly Pro Ser Cys His Gly Leu Gly His Trp Asn Thr  
145 150 155 160

Ser Leu Gln Glu Val Ser Gly Ala Val Val Val Ser Gly Leu Leu Gln  
165 170 175

Gly Met Met Gly Leu Leu Gly Ser Pro Gly His Val Phe Pro His Cys  
180 185 190

Gly Pro Leu Val Leu Ala Pro Ser Leu Val Val Ala Gly Leu Ser Ala  
195 200 205

His Arg Glu Val Ala Gln Phe Cys Phe Thr His Trp Gly Leu Ala Leu  
210 215 220

Leu Tyr Val Ser Pro Glu Arg Arg Gly Met Val Pro Ser Gly Gly Val  
225 230 235 240

Trp Gly Asp

<210> 82  
<211> 1865  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (99)..(1508)  
<223>

<400> 82  
attttatttc aggaatccat caacatcctt tgcagctaca taggcaggaa aatctagaaa 60  
ttgtaattta tatagaattt taaaactctt caattaca atg gat aga ggg gag aaa 116

160 200 PCT FINAL.ST25  
Met Asp Arg Gly Glu Lys  
1 5

ata cag ctc aag aga gtg ttt gga tat tgg tgg ggc aca agt ttt ttg Ile Gln Leu Lys Arg Val Phe Gly Tyr Trp Trp Gly Thr Ser Phe Leu 10 15 20	164
ctt att aat atc att ggt gca gga att ttt gtg tcc ccc aaa ggt gtg Leu Ile Asn Ile Ile Gly Ala Gly Ile Phe Val Ser Pro Lys Gly Val 25 30 35	212
ttg gca tac tct tgc atg aac gtg gga gtc tcc ctg tgc gtt tgg gct Leu Ala Tyr Ser Cys Met Asn Val Gly Val Ser Leu Cys Val Trp Ala 40 45 50	260
ggc tgt gcc ata ctg gcc atg aca tca act ctt tgc tct gca gag ata Gly Cys Ala Ile Leu Ala Met Thr Ser Thr Leu Cys Ser Ala Glu Ile 55 60 65 70	308
agt ata agc ttc cca tgc agt gga gct caa tac tat ttt ctc aag aga Ser Ile Ser Phe Pro Cys Ser Gly Ala Gln Tyr Tyr Phe Leu Lys Arg 75 80 85	356
tac ttt ggc tcc acg gtt gct ttt ttg aat ctc tgg aca tcc ttg ttt Tyr Phe Gly Ser Thr Val Ala Phe Leu Asn Leu Trp Thr Ser Leu Phe 90 95 100	404
ctg ggg tca ggg gta gtt gct ggc caa gct ctg ctc ctt gct gag tac Leu Gly Ser Gly Val Val Ala Gly Gln Ala Leu Leu Leu Ala Glu Tyr 105 110 115	452
agc atc cag cct ttt ttt ccc agc tgc tct gtc cca aag ctg cct aag Ser Ile Gln Pro Phe Phe Pro Ser Cys Ser Val Pro Lys Leu Pro Lys 120 125 130	500
aaa tgt ctg gca ttg gcc atg ttg tgg att gta gga att ctg act tct Lys Cys Leu Ala Leu Ala Met Leu Trp Ile Val Gly Ile Leu Thr Ser 135 140 145 150	548
cgt ggt gtg aaa gaa gtg act tgg ctt cag ata gct agc tca gtg ctg Arg Gly Val Lys Glu Val Thr Trp Leu Gln Ile Ala Ser Ser Val Leu 155 160 165	596
aaa gtg tcc ata ctt agc ttc att tcc cta act gga gta gtg ttc ctg Lys Val Ser Ile Leu Ser Phe Ile Ser Leu Thr Gly Val Val Phe Leu 170 175 180	644
ata aga ggg aaa aag gag aat gta gaa cga ttt cag aat gct ttt gat Ile Arg Gly Lys Lys Glu Asn Val Glu Arg Phe Gln Asn Ala Phe Asp 185 190 195	692
gct gaa ctt cca gat atc tct cac ctt ata caa gcc atc ttc caa gga Ala Glu Leu Pro Asp Ile Ser His Leu Ile Gln Ala Ile Phe Gln Gly 200 205 210	740
tat ttt gca tat tca ggc ggg gca tgc ttt aca ctt ata gca ggg gag Tyr Phe Ala Tyr Ser Gly Gly Ala Cys Phe Thr Leu Ile Ala Gly Glu 215 220 225 230	788
ctg aag aag ccc aga aca aca att ccc aaa tgc ata ttt act gcg tta Leu Lys Lys Pro Arg Thr Thr Ile Pro Lys Cys Ile Phe Thr Ala Leu 235 240 245	836
cct ctg gtg act gta gtt tat tta ctg gtt aac att tcc tat ctg act Pro Leu Val Thr Val Val Tyr Leu Leu Val Asn Ile Ser Tyr Leu Thr 250 255 260	884
gtt ctg aca ccc agg gaa att ctc tct tca gat gct gta gct atc aca Val Leu Thr Pro Arg Glu Ile Leu Ser Ser Asp Ala Val Ala Ile Thr 265 270 275	932
tgg gct gat cga gct ttt ccc tca tta gca tgg att atg cct ttt gct Trp Ala Asp Arg Ala Phe Pro Ser Leu Ala Trp Ile Met Pro Phe Ala 280 285 290	980
att tct acc tca tta ttt agc aac ctt ctg att tct ata ttt aaa tca Ile Ser Thr Ser Leu Phe Ser Asn Leu Leu Ile Ser Ile Phe Lys Ser 295 300 305 310	1028

160 200 PCT FINAL.ST25

tcg aga cca ata tat ctt gca agc caa gag ggc cag ctg cct ttg cta 1076  
 Ser Arg Pro Ile Tyr Leu Ala Ser Gln Glu Gly Gln Leu Pro Leu Leu  
 315 320 325

ttt aat aca ctt aat agt cac tct tct cca ttt aca gct gtg cta cta 1124  
 Phe Asn Thr Leu Asn Ser His Ser Ser Pro Phe Thr Ala Val Leu Leu  
 330 335 340

ctt gtc act ttg gga tcc ctt gca att atc tta aca agt cta att gat 1172  
 Leu Val Thr Leu Gly Ser Leu Ala Ile Ile Leu Thr Ser Leu Ile Asp  
 345 350 355

ttg ata aac tat att ttt ttc acg ggt tca tta tgg tct ata tta tta 1220  
 Leu Ile Asn Tyr Ile Phe Phe Thr Gly Ser Leu Trp Ser Ile Leu Leu  
 360 365 370

atg ata gga ata cta agg cgg aga tac cag gaa ccc aat cta tct ata 1268  
 Met Ile Gly Ile Leu Arg Arg Arg Tyr Gln Glu Pro Asn Leu Ser Ile  
 375 380 385 390

cct tat aag gtg ttt ttg tca ttt cca tta gca aca ata gtc atc gac 1316  
 Pro Tyr Lys Val Phe Leu Ser Phe Pro Leu Ala Thr Ile Val Ile Asp  
 395 400 405

gtg ggc ttg gtt gtg ata cca ttg gta aag tct cca aat gtg cat tat 1364  
 Val Gly Leu Val Val Ile Pro Leu Val Lys Ser Pro Asn Val His Tyr  
 410 415 420

gtc tac gtg ctt ctg tta gtt ctc agc gga tta cta ttt tac ata cct 1412  
 Val Tyr Val Leu Leu Leu Val Leu Ser Gly Leu Leu Phe Tyr Ile Pro  
 425 430 435

tta ata cat ttt aaa ata aga ttg gct tgg ttt gag aag atg act tgc 1460  
 Leu Ile His Phe Lys Ile Arg Leu Ala Trp Phe Glu Lys Met Thr Cys  
 440 445 450

tat tta caa tta cta ttt aat att tgc ctc cct gat gtg tct gag gaa 1508  
 Tyr Leu Gln Leu Leu Phe Asn Ile Cys Leu Pro Asp Val Ser Glu Glu  
 455 460 465 470

tagatgtcgg aagtgcacac tcttaaaaaa ttggccttct aaaaaacata tatcagattc 1568

caaatcaagg ttaaacatat gatagaacat tcatggtgaa attcctatgg taaatatttt 1628

tttctcaaat gaaataagta atgtatacaa aagtgcctaa gacagtacct ggcttcagag 1688

tcactaagaa attgctaaaa gctctgcttc gcatggtaaa aaacttaagt cctgggtttgc 1748

gtagcttgat agagtgatta tacaacttcc attctctcac ttttttttc tgtatccac 1808

cccttttcta ctgaatttgt ggggatccta taataaaagt gaatgactaa aaatttt 1865

<210> 83  
 <211> 470  
 <212> PRT  
 <213> Homo sapiens

<400> 83

Met Asp Arg Gly Glu Lys Ile Gln Leu Lys Arg Val Phe Gly Tyr Trp  
 1 5 10 15

Trp Gly Thr Ser Phe Leu Leu Ile Asn Ile Ile Gly Ala Gly Ile Phe  
 20 25 30

Val Ser Pro Lys Gly Val Leu Ala Tyr Ser Cys Met Asn Val Gly Val  
 35 40 45

Ser Leu Cys Val Trp Ala Gly Cys Ala Ile Leu Ala Met Thr Ser Thr  
 50 55 60

Leu Cys Ser Ala Glu Ile Ser Ile Ser Phe Pro Cys Ser Gly Ala Gln  
 65 70 75 80



16U 200 PCT FINAL.ST25

Tyr Tyr Phe Leu Lys Arg Tyr Phe Gly Ser Thr Val Ala Phe Leu Asn  
                   85                                  90                                  95

Leu Trp Thr Ser Leu Phe Leu Gly Ser Gly Val Val Ala Gly Gln Ala  
                   100                                  105                                  110

Leu Leu Leu Ala Glu Tyr Ser Ile Gln Pro Phe Phe Pro Ser Cys Ser  
                   115                                  120                                  125

Val Pro Lys Leu Pro Lys Lys Cys Leu Ala Leu Ala Met Leu Trp Ile  
                   130                                  135                                  140

Val Gly Ile Leu Thr Ser Arg Gly Val Lys Glu Val Thr Trp Leu Gln  
                   145                                  150                                  155                                  160

Ile Ala Ser Ser Val Leu Lys Val Ser Ile Leu Ser Phe Ile Ser Leu  
                   165                                  170                                  175

Thr Gly Val Val Phe Leu Ile Arg Gly Lys Lys Glu Asn Val Glu Arg  
                   180                                  185                                  190

Phe Gln Asn Ala Phe Asp Ala Glu Leu Pro Asp Ile Ser His Leu Ile  
                   195                                  200                                  205

Gln Ala Ile Phe Gln Gly Tyr Phe Ala Tyr Ser Gly Gly Ala Cys Phe  
                   210                                  215                                  220

Thr Leu Ile Ala Gly Glu Leu Lys Lys Pro Arg Thr Thr Ile Pro Lys  
                   225                                  230                                  235                                  240

Cys Ile Phe Thr Ala Leu Pro Leu Val Thr Val Val Tyr Leu Leu Val  
                   245                                  250                                  255

Asn Ile Ser Tyr Leu Thr Val Leu Thr Pro Arg Glu Ile Leu Ser Ser  
                   260                                  265                                  270

Asp Ala Val Ala Ile Thr Trp Ala Asp Arg Ala Phe Pro Ser Leu Ala  
                   275                                  280                                  285

Trp Ile Met Pro Phe Ala Ile Ser Thr Ser Leu Phe Ser Asn Leu Leu  
                   290                                  295                                  300

Ile Ser Ile Phe Lys Ser Ser Arg Pro Ile Tyr Leu Ala Ser Gln Glu  
                   305                                  310                                  315                                  320

Gly Gln Leu Pro Leu Leu Phe Asn Thr Leu Asn Ser His Ser Ser Pro  
                   325                                  330                                  335

Phe Thr Ala Val Leu Leu Leu Val Thr Leu Gly Ser Leu Ala Ile Ile  
                   340                                  345                                  350

Leu Thr Ser Leu Ile Asp Leu Ile Asn Tyr Ile Phe Phe Thr Gly Ser  
                   355                                  360                                  365

Leu Trp Ser Ile Leu Leu Met Ile Gly Ile Leu Arg Arg Arg Tyr Gln  
                   370                                  375                                  380

Glu Pro Asn Leu Ser Ile Pro Tyr Lys Val Phe Leu Ser Phe Pro Leu  
                   385                                  390                                  395                                  400

160 200 PCT FINAL.ST25

Ala Thr Ile Val Ile Asp Val Gly Leu Val Val Ile Pro Leu Val Lys  
 405 410 415

Ser Pro Asn Val His Tyr Val Tyr Val Leu Leu Leu Val Leu Ser Gly  
 420 425 430

Leu Leu Phe Tyr Ile Pro Leu Ile His Phe Lys Ile Arg Leu Ala Trp  
 435 440 445

Phe Glu Lys Met Thr Cys Tyr Leu Gln Leu Leu Phe Asn Ile Cys Leu  
 450 455 460

Pro Asp Val Ser Glu Glu  
 465 470

<210> 84  
 <211> 1046  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (319)..(852)  
 <223>

<400> 84  
 gaacacatct gaattccttc tctgtggcat atgctttagg agaggagcag acagctctta 60  
 gctagggtca gatttcaaat tctcatctct tgggtccaat accaccacca gattcttctt 120  
 tgaagtcaac ttttgagatc ttcactaagt acacgttggg gtctgaagat tcacacgagt 180  
 gcctctggta atcattttct tcagggaatc acagtctctc ctctcagcaa agcatccact 240  
 gtactgaact ttgcttttgg aaacatcttc ttcctgagac ctcgttgaaa gaaactctct 300  
 ggtgtcatac ttccaat atg gag gtg aag aac ttt gca gtt tgg gat tat 351  
 Met Glu Val Lys Asn Phe Ala Val Trp Asp Tyr  
 1 5 10  
 gtt gta ttt gca gcc ctc ttt ttc att tcc tct gga att ggg gtg ttc 399  
 Val Val Phe Ala Ala Leu Phe Phe Ile Ser Ser Gly Ile Gly Val Phe  
 15 20 25  
 ttt gcc att aag gag aga aaa aag gca act tcc cga gag ttc ctg gtt 447  
 Phe Ala Ile Lys Glu Arg Lys Lys Ala Thr Ser Arg Glu Phe Leu Val  
 30 35 40  
 ggg gga agg caa atg agc ttt ggc cct gtc ggc ttg tct ctg aca gcc 495  
 Gly Gly Arg Gln Met Ser Phe Gly Pro Val Gly Leu Ser Leu Thr Ala  
 45 50 55  
 agc ttc atg tca gct gtc acg gtc ctg ggg acc cct tct gaa gtc tac 543  
 Ser Phe Met Ser Ala Val Thr Val Leu Gly Thr Pro Ser Glu Val Tyr  
 60 65 70 75  
 cgc ttt ggg gca tcc ttc cta gtc ttc ttc att gct tac cta ttt gtc 591  
 Arg Phe Gly Ala Ser Phe Leu Val Phe Phe Ile Ala Tyr Leu Phe Val  
 80 85 90  
 atc ctc tta aca tca gag ctc ttt ctc cct gtg ttc tac aga tct ggt 639  
 Ile Leu Leu Thr Ser Glu Leu Phe Leu Pro Val Phe Tyr Arg Ser Gly  
 95 100 105  
 atc acc agc act tat gag tac tta caa cta cga ttc aac aaa cca gtt 687  
 Ile Thr Ser Thr Tyr Glu Tyr Leu Gln Leu Arg Phe Asn Lys Pro Val  
 110 115 120  
 cgc tat gct gcc acg gtc atc tac att gta cag acg att ctc tac aca 735  
 Arg Tyr Ala Ala Thr Val Ile Tyr Ile Val Gln Thr Ile Leu Tyr Thr  
 125 130 135

16U 200 PCT FINAL.ST25  
 gga gtg gtg gtg tat gct cct gcc ctg gca ctc aat caa gtg act ggg 783  
 Gly Val Val Val Tyr Ala Pro Ala Leu Ala Leu Asn Gln Val Thr Gly  
 140 145 150 155  
 ttt gat ctc tgg ggc tct gtg ttt gca aca gga att gtt tgc aca ttc 831  
 Phe Asp Leu Trp Gly Ser Val Phe Ala Thr Gly Ile Val Cys Thr Phe  
 160 165 170  
 tac tgt acc ctg gta tgt atc tagctgtgaa gaagtattta acactacctc 882  
 Tyr Cys Thr Leu Val Cys Ile  
 175  
 ctaatatggg ataagggcaa atctccagca ataggcatct aattatagca gaattcgta 942  
 ttccaaaatt aagcagaagt atgtcggctt atctgtcaca gtttcttgag gaaggtgctg 1002  
 ttgtttaaca ttcttttcat taccaacctt taggagaatt taat 1046

<210> 85  
 <211> 178  
 <212> PRT  
 <213> Homo sapiens

<400> 85

Met Glu Val Lys Asn Phe Ala Val Trp Asp Tyr Val Val Phe Ala Ala  
 1 5 10 15

Leu Phe Phe Ile Ser Ser Gly Ile Gly Val Phe Phe Ala Ile Lys Glu  
 20 25 30

Arg Lys Lys Ala Thr Ser Arg Glu Phe Leu Val Gly Gly Arg Gln Met  
 35 40 45

Ser Phe Gly Pro Val Gly Leu Ser Leu Thr Ala Ser Phe Met Ser Ala  
 50 55 60

Val Thr Val Leu Gly Thr Pro Ser Glu Val Tyr Arg Phe Gly Ala Ser  
 65 70 75 80

Phe Leu Val Phe Phe Ile Ala Tyr Leu Phe Val Ile Leu Leu Thr Ser  
 85 90 95

Glu Leu Phe Leu Pro Val Phe Tyr Arg Ser Gly Ile Thr Ser Thr Tyr  
 100 105 110

Glu Tyr Leu Gln Leu Arg Phe Asn Lys Pro Val Arg Tyr Ala Ala Thr  
 115 120 125

Val Ile Tyr Ile Val Gln Thr Ile Leu Tyr Thr Gly Val Val Val Tyr  
 130 135 140

Ala Pro Ala Leu Ala Leu Asn Gln Val Thr Gly Phe Asp Leu Trp Gly  
 145 150 155 160

Ser Val Phe Ala Thr Gly Ile Val Cys Thr Phe Tyr Cys Thr Leu Val  
 165 170 175

Cys Ile

<210> 86  
 <211> 4751  
 <212> DNA  
 <213> Homo sapiens

16U 200 PCT FINAL.ST25

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (382)..(1929)

&lt;223&gt;

&lt;400&gt; 86

```

cccggcgag ctggcgggc tgaatgagcc ggtgcatc tca gaagccgag cactgggatt      60
ttccgcgcta cgttccctc tcccgcggtt gccagctagg ccccgggccc cagcctcgcc      120
ggcgccctcg cccagtcgcg tccccgcccc accgaagcgc ggatcgcgca gcctggggcc      180
cgggaagggg ccaactgcga gggacgcggc tcggcggggtg cgccccgggg gcatgtccgc      240
gcgctaccgc cagggctgca gtggtcccg cgaggccctg gcaaccacca ttctactttt      300
tgtgtctatg agtttgacta ccctaaggac ctcacatggc gagtaacca tgggccaggt      360
agcgttctat gccaaccttg a atg cca tca gga agt cac tgg aca gca aac      411
Met Pro Ser Gly Ser His Trp Thr Ala Asn
1 5 10

tct tcc aag atc ata act tgg ctg ttg gag caa cct gga aaa gaa gaa      459
Ser Ser Lys Ile Ile Thr Trp Leu Leu Glu Gln Pro Gly Lys Glu Glu
15 20 25

aaa aga aaa acc atg gca aaa gta aat aga gct cgg tct acc tcc cct      507
Lys Arg Lys Thr Met Ala Lys Val Asn Arg Ala Arg Ser Thr Ser Pro
30 35 40

cca gat gga ggc tgg ggc tgg atg att gtg gct ggc tgt ttc ctt gtt      555
Pro Asp Gly Gly Trp Gly Trp Met Ile Val Ala Gly Cys Phe Leu Val
45 50 55

acc atc tgc aca cgg gca gtc aca aga tgt atc tca att ttt ttt gtg      603
Thr Ile Cys Thr Arg Ala Val Thr Arg Cys Ile Ser Ile Phe Phe Val
60 65 70

gag ttc cag aca tac ttc act cag gat tac gca caa acg gca tgg atc      651
Glu Phe Gln Thr Tyr Phe Thr Gln Asp Tyr Ala Gln Thr Ala Trp Ile
75 80 85 90

cat tcc att gta gat tgt gtg acc atg ctc tgt gct cca ctt ggg agt      699
His Ser Ile Val Asp Cys Val Thr Met Leu Cys Ala Pro Leu Gly Ser
95 100 105

gtt gtc agt aac cat tta tcc tgt caa gtg gga atc atg ctg ggt ggc      747
Val Val Ser Asn His Leu Ser Cys Gln Val Gly Ile Met Leu Gly Gly
110 115 120

ttg ctt gca tct act gga ctc atc ctg agc tca ttt gcc acg agt ctg      795
Leu Leu Ala Ser Thr Gly Leu Ile Leu Ser Ser Phe Ala Thr Ser Leu
125 130 135

aag cat ctc tac ctc act ctg gga gtt ctt aca ggt ctt gga ttt gca      843
Lys His Leu Tyr Leu Thr Leu Gly Val Leu Thr Gly Leu Gly Phe Ala
140 145 150

ctt tgt tac tct cca gct att gcc atg gtt ggc aag tac ttc agc aga      891
Leu Cys Tyr Ser Pro Ala Ile Ala Met Val Gly Lys Tyr Phe Ser Arg
155 160 165

cgg aaa gcc ctt gct tat ggt atc gcc atg tca gga agt ggc att ggc      939
Arg Lys Ala Leu Ala Tyr Gly Ile Ala Met Ser Gly Ser Gly Ile Gly
175 180 185

acc ttc atc ctg gct cct gtg gtt cag ctc ctt att gaa cag ttt tcc      987
Thr Phe Ile Leu Ala Pro Val Val Gln Leu Leu Ile Glu Gln Phe Ser
190 195 200

tgg cgg gga gcc tta ctc att ctt ggg ggc ttt gtc ttg aat ctc tgt      1035
Trp Arg Gly Ala Leu Leu Ile Leu Gly Gly Phe Val Leu Asn Leu Cys
205 210 215

gta tgt ggt gcc ttg atg agg cca att act ctt aaa gag gac cac aca      1083
Val Cys Gly Ala Leu Met Arg Pro Ile Thr Leu Lys Glu Asp His Thr
220 225 230

act cca gag cag aac cat gtg tgt aga act cag aaa gaa gac att aag      1131

```

16U 200 PCT FINAL.ST25  
 Thr Pro Glu Gln Asn His Val Cys Arg Thr Gln Lys Glu Asp Ile Lys  
 235 240 245 250

cgg gtg tct ccc tat tca tct ttg acc aaa gaa tgg gca cag act tgc 1179  
 Arg Val Ser Pro Tyr Ser Ser Leu Thr Lys Glu Trp Ala Gln Thr Cys  
 255 260 265

ctc tgt tgc tgt ttg cag caa gag tac agt ttt tta ctc atg tca gac 1227  
 Leu Cys Cys Cys Leu Gln Gln Glu Tyr Ser Phe Leu Leu Met Ser Asp  
 270 275 280

ttt gtt gtg tta gcc gtc tcc gtt ctg ttt atg gct tat ggc tgc agc 1275  
 Phe Val Val Leu Ala Val Ser Val Leu Phe Met Ala Tyr Gly Cys Ser  
 285 290 295

cct ctc ttt gtg tac ttg gtg cct tat gct ttg agt gtt gga gtg agt 1323  
 Pro Leu Phe Val Tyr Leu Val Pro Tyr Ala Leu Ser Val Gly Val Ser  
 300 305 310

cat cag caa gct gct ttt ctt atg tcc ata ctt gga gtg att gac att 1371  
 His Gln Gln Ala Ala Phe Leu Met Ser Ile Leu Gly Val Ile Asp Ile  
 315 320 325 330

att ggc aat atc aca ttt gga tgg ctg acc gac aga agg tgt ctg aag 1419  
 Ile Gly Asn Ile Thr Phe Gly Trp Leu Thr Asp Arg Arg Cys Leu Lys  
 335 340 345

aat tac cag tat gtt tgc tac ctc ttt gcc gtg gga atg gat ggg ctc 1467  
 Asn Tyr Gln Tyr Val Cys Tyr Leu Phe Ala Val Gly Met Asp Gly Leu  
 350 355 360

tgc tat ctc tgc ctc cca atg ctt caa agt ctc cct ctg ctc gtg cct 1515  
 Cys Tyr Leu Cys Leu Pro Met Leu Gln Ser Leu Pro Leu Leu Val Pro  
 365 370 375

ttc tct tgt acc ttt ggc tac ttt gat ggt gcc tat gtg act ttg atc 1563  
 Phe Ser Cys Thr Phe Gly Tyr Phe Asp Gly Ala Tyr Val Thr Leu Ile  
 380 385 390

cca gta gtg acc aca gag ata gtg ggg acc acc tct ttg tca tca gcg 1611  
 Pro Val Val Thr Thr Glu Ile Val Gly Thr Thr Ser Leu Ser Ser Ala  
 395 400 405 410

ctt ggt gtg gta tac ttc ctt cac gca gtg cca tac ttg gtg agc cca 1659  
 Leu Gly Val Val Tyr Phe Leu His Ala Val Pro Tyr Leu Val Ser Pro  
 415 420 425

ccc atc gca gga cgg ctg gta gat acc acc ggc agc tac act gca gca 1707  
 Pro Ile Ala Gly Arg Leu Val Asp Thr Thr Gly Ser Tyr Thr Ala Ala  
 430 435 440

ttc ctc ctc tgt gga ttt tca atg ata ttt agt tct gtg ttg ctt ggc 1755  
 Phe Leu Leu Cys Gly Phe Ser Met Ile Phe Ser Ser Val Leu Leu Gly  
 445 450 455

ttt gct aga ctt ata aag aga atg aga aaa acc cag ttg cag ttc att 1803  
 Phe Ala Arg Leu Ile Lys Arg Met Arg Lys Thr Gln Leu Gln Phe Ile  
 460 465 470

gcc aaa gaa tct gat cct aag ctg cag cta tgg-acc aat gga tca gtg 1851  
 Ala Lys Glu Ser Asp Pro Lys Leu Gln Leu Trp Thr Asn Gly Ser Val  
 475 480 485 490

gct tat tct gtg gca aga gaa tta gat cag aaa cat ggg gag cct gtg 1899  
 Ala Tyr Ser Val Ala Arg Glu Leu Asp Gln Lys His Gly Glu Pro Val  
 495 500 505

gct aca gca gtg cct ggc tac agc ctc aca tgaccaaagg ccttgagccc 1949  
 Ala Thr Ala Val Pro Gly Tyr Ser Leu Thr  
 510 515

cagaatcttc aggtttgaga gaggtggggc caccagattc ttcattgttc tgaactttt 2009

tattttggca gaaggattgc cttccaagga aattattatt attgttttgt taacatat 2069

atatattataa gggaaaacag cacataataa ggaaagctgg actagcccag agcctttctca 2129

tttgggattt gtgctcataa ctgaactcgt atcttttggc caatgggcat agctctgtaa 2189

16U 200 PCT FINAL.ST25

gaaatgtaag gacacagctg atataattag ctgtaattag ggataatttc aaagcataac 2249  
 caaagcagat gacactgggc agcagctttg ttccagtcctc aggcccttca tgttccctcc 2309  
 tcagaaagaa aatggaaaca ttaacgtgta gctttgctta ccttgttctg gttagagaag 2369  
 ggaggctcagc ttgggtgtgg tggtaagag tgaagatgcc atactttttc atgggtggagt 2429  
 ttctcattag ggttttactt gggattgtta aagaatactt gagattcttc aaaaagtgg 2489  
 gattaatata gaaagaaact cttatttttt tttctctta gtctccagc cagcccttgc 2549  
 ctctgcccac gggtagacac cactatgaga atccaaataa tcatggaatg ccatggttgg 2609  
 aatagatctt aaagggcac tggttaagatc catttgaaat tglccactgg aaaccgaaag 2669  
 ctcttttctt aagactgggt tccaggctct cactttgtt accatcacat ataatactta 2729  
 ctctaaattt agcagaacac acttagtcac aaggacaacc tctcaatctt acctgaaatg 2789  
 tcaacaacac caaaacttcc cgtcttttac ctccagagaa gaagctctta cttagactgc 2849  
 agacgcattc ctgttaggtt ggaaaaatgt tggcagtatt ccaattgggc aggaactgaa 2909  
 ttcttgaatc agcaggctc tggtagagt ttctttgca gatcagacat ttagttttat 2969  
 cattacccaa aagaggattg gagggagtca gttgtctgaa aaatattatc cttagatat 3029  
 tctaaagggt agattccttt ctccctgtgt taattcttgt tccactatcc actgctcttc 3089  
 atctctttat agataataat tagaaatcta ctcatggat tataagtta ttcatctca 3149  
 aatactccac tttctatgg ttgggataa ttcttgatc ttcatattga agaggggaag 3209  
 catggaggga agaaaaagtc cagatcccc agcttgttcc caaccatttt aagtccaaag 3269  
 aattataatc ctgaatctca cagtgtgtca cacctgtaat aggagtaaat tatgcaatca 3329  
 attttaatta ccaggagttt aaaatccaaa tgtcaaggaa ctgttttgac cctgaaggct 3389  
 atttaatcca ctgtccctca caaggcctca caagtgtgg gggaaaaaaa acagcaatga 3449  
 ggatgatcct gagttaatgt gtatgtctcg caagagagct tgcctatacc ttgattattt 3509  
 cataaatca catgttaata cattgctttc agaatgaaat actgacttga tctgatagga 3569  
 gaaaatggtg atatttcata gttgttttcc aaagacaaat ttaaatgttg tctgttatct 3629  
 ccttacttag ttaagaatt tagttttgaa cccattgac ttgtcattt gcaattttaa 3689  
 aaatatgtg gactgggcat ggtcgtcac gcctgtaatc ccagcacttt gggaggctga 3749  
 ggcgggtgga tcatgaggtc aggagatcaa gaccatcctg gctaacatcg tgaaactccg 3809  
 tctctactaa aaatgcaaaa gattagccag gcgtgggtgc ggcgcctgt agtcccagct 3869  
 actcatgagg ctgaggccgg acaatcgctt gaaccagga ggtggagggt gcagtgaagc 3929  
 aaaatcatgc cactgcactc caccctgggc gacagagcaa gactccatct caaaaaaaaa 3989  
 aaattggaag gtatctgtaa aatgtcaaag ttaagatgaa gttatatctg ttggaatag 4049  
 cactttgccc taaatatcat ttctgaatt ttcaagccta aagatgttta aaaatatgaa 4109  
 tagttacaaa tattcttata catatttttt atcatgatca caacaaaatt ttgtttatgt 4169  
 ggttctgcaa tataatttct gtgaagtatt acaagtattt atgaaaaata agcatagtga 4229  
 tcagaaattt taaagatttt gtataaaaac atttgggaga ttgacttta tacatgcata 4289  
 gatttgcatt ttactttccc ttttgaggca gcatttttag aaaaatcagta agaaaaatgt 4349  
 acatcttaag gtctactatt ttacatttct acacagaatt ttagtgtaa tgttccatgt 4409  
 gtctatactg ttattttcaa aactgagaaa ttcatgggaa tgatgtattt tgtggaatca 4469  
 agaacaaaat tatagtggga taattttaca tcttaaatat ttctttctac tactgtaagc 4529  
 tctactttgg aattatctga gtagaaaatc agaagacatt atctaacttt gtagatacac 4589

16U 200 PCT FINAL.ST25

tgtatgattg ggctttttgt tcagattgta atttcattaa tagatgaaat atttatgcta 4649  
 atattttctt atttcaaaag caaaataaaa tgaatttatt gtcctgtgta aaaaaaaaaa 4709  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aa 4751

<210> 87  
 <211> 516  
 <212> PRT  
 <213> Homo sapiens

<400> 87

Met Pro Ser Gly Ser His Trp Thr Ala Asn Ser Ser Lys Ile Ile Thr  
 1 5 10 15

Trp Leu Leu Glu Gln Pro Gly Lys Glu Glu Lys Arg Lys Thr Met Ala  
 20 25 30

Lys Val Asn Arg Ala Arg Ser Thr Ser Pro Pro Asp Gly Gly Trp Gly  
 35 40 45

Trp Met Ile Val Ala Gly Cys Phe Leu Val Thr Ile Cys Thr Arg Ala  
 50 55 60

Val Thr Arg Cys Ile Ser Ile Phe Phe Val Glu Phe Gln Thr Tyr Phe  
 65 70 75 80

Thr Gln Asp Tyr Ala Gln Thr Ala Trp Ile His Ser Ile Val Asp Cys  
 85 90 95

Val Thr Met Leu Cys Ala Pro Leu Gly Ser Val Val Ser Asn His Leu  
 100 105 110

Ser Cys Gln Val Gly Ile Met Leu Gly Gly Leu Leu Ala Ser Thr Gly  
 115 120 125

Leu Ile Leu Ser Ser Phe Ala Thr Ser Leu Lys His Leu Tyr Leu Thr  
 130 135 140

Leu Gly Val Leu Thr Gly Leu Gly Phe Ala Leu Cys Tyr Ser Pro Ala  
 145 150 155 160

Ile Ala Met Val Gly Lys Tyr Phe Ser Arg Arg Lys Ala Leu Ala Tyr  
 165 170 175

Gly Ile Ala Met Ser Gly Ser Gly Ile Gly Thr Phe Ile Leu Ala Pro  
 180 185 190

Val Val Gln Leu Leu Ile Glu Gln Phe Ser Trp Arg Gly Ala Leu Leu  
 195 200 205

Ile Leu Gly Gly Phe Val Leu Asn Leu Cys Val Cys Gly Ala Leu Met  
 210 215 220

Arg Pro Ile Thr Leu Lys Glu Asp His Thr Thr Pro Glu Gln Asn His  
 225 230 235 240

Val Cys Arg Thr Gln Lys Glu Asp Ile Lys Arg Val Ser Pro Tyr Ser  
 245 250 255

160 200 PCT FINAL.ST25  
 Ser Leu Thr Lys Glu Trp Ala Gln Thr Cys Leu Cys Cys Cys Leu Gln  
 260 265 270

Gln Glu Tyr Ser Phe Leu Leu Met Ser Asp Phe Val Val Leu Ala Val  
 275 280 285

Ser Val Leu Phe Met Ala Tyr Gly Cys Ser Pro Leu Phe Val Tyr Leu  
 290 295 300

Val Pro Tyr Ala Leu Ser Val Gly Val Ser His Gln Gln Ala Ala Phe  
 305 310 315 320

Leu Met Ser Ile Leu Gly Val Ile Asp Ile Ile Gly Asn Ile Thr Phe  
 325 330 335

Gly Trp Leu Thr Asp Arg Arg Cys Leu Lys Asn Tyr Gln Tyr Val Cys  
 340 345 350

Tyr Leu Phe Ala Val Gly Met Asp Gly Leu Cys Tyr Leu Cys Leu Pro  
 355 360 365

Met Leu Gln Ser Leu Pro Leu Leu Val Pro Phe Ser Cys Thr Phe Gly  
 370 375 380

Tyr Phe Asp Gly Ala Tyr Val Thr Leu Ile Pro Val Val Thr Thr Glu  
 385 390 395 400

Ile Val Gly Thr Thr Ser Leu Ser Ser Ala Leu Gly Val Val Tyr Phe  
 405 410 415

Leu His Ala Val Pro Tyr Leu Val Ser Pro Pro Ile Ala Gly Arg Leu  
 420 425 430

Val Asp Thr Thr Gly Ser Tyr Thr Ala Ala Phe Leu Leu Cys Gly Phe  
 435 440 445

Ser Met Ile Phe Ser Ser Val Leu Leu Gly Phe Ala Arg Leu Ile Lys  
 450 455 460

Arg Met Arg Lys Thr Gln Leu Gln Phe Ile Ala Lys Glu Ser Asp Pro  
 465 470 475 480

Lys Leu Gln Leu Trp Thr Asn Gly Ser Val Ala Tyr Ser Val Ala Arg  
 485 490 495

Glu Leu Asp Gln Lys His Gly Glu Pro Val Ala Thr Ala Val Pro Gly  
 500 505 510

Tyr Ser Leu Thr  
 515

<210> 88  
 <211> 2150  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (63)..(1760)  
 <223>

<400> 88



160 200 PCT FINAL.ST25

gctggacaaa gctggccgtg caggcgctca ggcgtgcagg gtagccagtg ccccggccag 60

ga atg gac agc ctc cag gac aca gtg gcc ctg gac cat ggg ggc tgc 107  
Met Asp Ser Leu Gln Asp Thr Val Ala Leu Asp His Gly Gly Cys  
1 5 10 15

tgc cct gcc ctc agc agg ctg gtt ccc aga ggc ttt ggg act gag atg 155  
Cys Pro Ala Leu Ser Arg Leu Val Pro Arg Gly Phe Gly Thr Glu Met  
20 25 30

tgg act ctc ttt gcc ctt tct gga ccc ctg ttc ctg ttc cag gtg ctg 203  
Trp Thr Leu Phe Ala Leu Ser Gly Pro Leu Phe Leu Phe Gln Val Leu  
35 40 45

act ttt atg atc tac atc gtg agc act gtg ttc tgc ggg cac ctg ggc 251  
Thr Phe Met Ile Tyr Ile Val Ser Thr Val Phe Cys Gly His Leu Gly  
50 55 60

aag gtg gag ctg gca tgc gtg acc ctc gcg gtg gcc ttt gtc aat gtc 299  
Lys Val Glu Leu Ala Ser Val Thr Leu Ala Val Ala Phe Val Asn Val  
65 70 75

tgc gga gtt tct gta gga gtt ggt ttg tct tgc gca tgt gac acc ttg 347  
Cys Gly Val Ser Val Gly Val Gly Leu Ser Ser Ala Cys Asp Thr Leu  
80 85 90 95

atg tct cag agc ttc ggc agc ccc aac aag aag cac gtg ggc gtg atc 395  
Met Ser Gln Ser Phe Gly Ser Pro Asn Lys Lys His Val Gly Val Ile  
100 105 110

ctg cag cgg ggc gcg ctg gtc ctg ctc ctc tgc tgc ctc cct tgc tgg 443  
Leu Gln Arg Gly Ala Leu Val Leu Leu Cys Cys Leu Pro Cys Trp  
115 120 125

gcg ctc ttc ctc aac acc cag cac atc ctg ctg ctc ttc cgg cag gac 491  
Ala Leu Phe Leu Asn Thr Gln His Ile Leu Leu Leu Phe Arg Gln Asp  
130 135 140

ccg gac gtg tcc agg ttg acc cag gac tat gta atg att ttc att cca 539  
Pro Asp Val Ser Arg Leu Thr Gln Asp Tyr Val Met Ile Phe Ile Pro  
145 150 155

gga ctt ccg gtg att ttt ctt tac aat ctg ctg gca aaa tat ttg caa 587  
Gly Leu Pro Val Ile Phe Leu Tyr Asn Leu Leu Ala Lys Tyr Leu Gln  
160 165 170 175

aat cag aag atc acc tgg ccc caa gtc ctc agt ggt gtg gtg ggc aac 635  
Asn Gln Lys Ile Thr Trp Pro Gln Val Leu Ser Gly Val Val Gly Asn  
180 185 190

tgt gtc aac ggt gtg gcc aac tat gcc ctg gtt tct gtg ctg aac ctg 683  
Cys Val Asn Gly Val Ala Asn Tyr Ala Leu Val Ser Val Leu Asn Leu  
195 200 205

ggg gtc agg ggc tcc gcc tat gcc aac atc atc tcc cag ttt gca cag 731  
Gly Val Arg Gly Ser Ala Tyr Ala Asn Ile Ile Ser Gln Phe Ala Gln  
210 215 220

acc gtc ttc ctc ctt ctc tac att gtg ctg aag aag ctg cac ctg gag 779  
Thr Val Phe Leu Leu Leu Tyr Ile Val Leu Lys Lys Leu His Leu Glu  
225 230 235

acg tgg gca ggt tgg tcc agc cag tgc ctg cag gac tgg ggc ccc ttc 827  
Thr Trp Ala Gly Trp Ser Ser Gln Cys Leu Gln Asp Trp Gly Pro Phe  
240 245 250 255

ttc tcc ctg gct gtc ccc agc atg ctc atg atc tgt gtt gag tgg tgg 875  
Phe Ser Leu Ala Val Pro Ser Met Leu Met Ile Cys Val Glu Trp Trp  
260 265 270

gcc tat gag atc ggg agc ttc ctc atg ggg ctg ctc agt gtg gtg gat 923  
Ala Tyr Glu Ile Gly Ser Phe Leu Met Gly Leu Leu Ser Val Val Asp  
275 280 285

ctc tct gcc cag gct gtc atc tac gag gtg gcc act gtg acc tac atg 971  
Leu Ser Ala Gln Ala Val Ile Tyr Glu Val Ala Thr Val Thr Tyr Met  
290 295 300

att ccc ttg ggg ctc agc atc ggg gtc tgt gtc cga gtg ggg atg gct 1019

160 200 PCT FINAL.ST25

```

Ile Pro Leu Gly Leu Ser Ile Gly Val Cys Val Arg Val Gly Met Ala
305                               310                               315

ctg ggg gct gcg gat act gtg cag gcc aag cgc tcy gcc gtc tcy ggc      1067
Leu Gly Ala Ala Asp Thr Val Gln Ala Lys Arg Ser Ala Val Ser Gly      335
320                               325                               330

gtg ctc agc ata gtt ggc att tcc ctg gtc ctg ggc acc ctg ata agc      1115
Val Leu Ser Ile Val Gly Ile Ser Leu Val Leu Gly Thr Leu Ile Ser      350
340                               345

atc ctg aaa aat cag ctg ggg cat att ttt acc aat gat gaa gat gtc      1163
Ile Leu Lys Asn Gln Leu Gly His Ile Phe Thr Asn Asp Glu Asp Val      365
355                               360

att gcc ctg gtg agc cag gtc ttg ccg gtt tat agt gtc ttt cac gtg      1211
Ile Ala Leu Val Ser Gln Val Leu Pro Val Tyr Ser Val Phe His Val      380
370                               375

ttt gag gcc atc tgt tgt gtc tat ggc gga gtt ctg aga gga act ggg      1259
Phe Glu Ala Ile Cys Cys Val Tyr Gly Gly Val Leu Arg Gly Thr Gly      395
385                               390

aag cag gcc ttt ggt gcc gct gtg aat gcc atc aca tat tac atc atc      1307
Lys Gln Ala Phe Gly Ala Ala Val Asn Ala Ile Thr Tyr Tyr Ile Ile      415
400                               405

ggc cta cca ctg ggc atc ctt ctg acc ttt gtg gtc aga atg aga atc      1355
Gly Leu Pro Leu Gly Ile Leu Leu Thr Phe Val Val Arg Met Arg Ile      430
420                               425

atg ggc ctc tgg ctg ggc atg ctg gcc tgt gtc ttc ctg gca act gct      1403
Met Gly Leu Trp Leu Gly Met Leu Ala Cys Val Phe Leu Ala Thr Ala      445
435                               440

gcc ttt gtt gct tat act gcc cgg ctg gac tgg aag ctt gct gca gag      1451
Ala Phe Val Ala Tyr Thr Ala Arg Leu Asp Trp Lys Leu Ala Ala Glu      460
450                               455

gag gct aag aaa cat tca ggc cgg cag cag cag cag aga gca gag agc      1499
Glu Ala Lys Lys His Ser Gly Arg Gln Gln Gln Gln Arg Ala Glu Ser      475
465                               470

act gca acc aga cct ggg cct gag aaa gca gtc cta tct tca gtg gct      1547
Thr Ala Thr Arg Pro Gly Pro Glu Lys Ala Val Leu Ser Ser Val Ala      495
480                               485

aca ggc agt tcc cct ggc att acc ttg aca acg tat tca agg tct gag      1595
Thr Gly Ser Ser Pro Gly Ile Thr Leu Thr Thr Tyr Ser Arg Ser Glu      510
500                               505

tgc cac gtg gac ttc ttc agg act cca gag gag gcc cac gcc ctt tca      1643
Cys His Val Asp Phe Phe Arg Thr Pro Glu Glu Ala His Ala Leu Ser      525
515                               520

gct cct acc agc aga cta tca gtg aaa cag ctg gtc atc cgc cgt ggg      1691
Ala Pro Thr Ser Arg Leu Ser Val Lys Gln Leu Val Ile Arg Arg Gly      540
530                               535

gct gct ctg ggg gcg gcg tca gcc aca ctg atg gtg ggg ctc acg gtc      1739
Ala Ala Leu Gly Ala Ala Ser Ala Thr Leu Met Val Gly Leu Thr Val      555
545                               550

agg atc cta gcc acc agg cac tagcaaagaa gcttggaat agaaagccag      1790
Arg Ile Leu Ala Thr Arg His                               565
560

gagtggctgt cccagtatg caaacacacc acggtctgcc ctgcaaaaac accaatgggg      1850

tctagtgcag gtggacactt tgaaccactc ctcaaaaaaa gaactttggc tgattccttg      1910

tggtgacact cagaggggctc tgaacagact tgacaattct gttctggtca agctggagtt      1970

ttcttctgtg acttggaactg ctctacagaa gacatcagcc aactgcacga gtcagagtcc      2030

agggattgtc actattatta ataattgtaaa tggcttcaaa tgggacactg cagataaaat      2090

cacaaaaacc actgttatat taaagattac acatttctctg ggaaaaaaa aaaaaaaaaa      2150

```

16U 200 PCT FINAL.ST25

<210> 89  
 <211> 566  
 <212> PRT  
 <213> Homo sapiens

<400> 89

Met Asp Ser Leu Gln Asp Thr Val Ala Leu Asp His Gly Gly Cys Cys  
 1 5 10 15

Pro Ala Leu Ser Arg Leu Val Pro Arg Gly Phe Gly Thr Glu Met Trp  
 20 25 30

Thr Leu Phe Ala Leu Ser Gly Pro Leu Phe Leu Phe Gln Val Leu Thr  
 35 40 45

Phe Met Ile Tyr Ile Val Ser Thr Val Phe Cys Gly His Leu Gly Lys  
 50 55 60

Val Glu Leu Ala Ser Val Thr Leu Ala Val Ala Phe Val Asn Val Cys  
 65 70 75 80

Gly Val Ser Val Gly Val Gly Leu Ser Ser Ala Cys Asp Thr Leu Met  
 85 90 95

Ser Gln Ser Phe Gly Ser Pro Asn Lys Lys His Val Gly Val Ile Leu  
 100 105 110

Gln Arg Gly Ala Leu Val Leu Leu Leu Cys Cys Leu Pro Cys Trp Ala  
 115 120 125

Leu Phe Leu Asn Thr Gln His Ile Leu Leu Leu Phe Arg Gln Asp Pro  
 130 135 140

Asp Val Ser Arg Leu Thr Gln Asp Tyr Val Met Ile Phe Ile Pro Gly  
 145 150 155 160

Leu Pro Val Ile Phe Leu Tyr Asn Leu Leu Ala Lys Tyr Leu Gln Asn  
 165 170 175

Gln Lys Ile Thr Trp Pro Gln Val Leu Ser Gly Val Val Gly Asn Cys  
 180 185 190

Val Asn Gly Val Ala Asn Tyr Ala Leu Val Ser Val Leu Asn Leu Gly  
 195 200 205

Val Arg Gly Ser Ala Tyr Ala Asn Ile Ile Ser Gln Phe Ala Gln Thr  
 210 215 220

Val Phe Leu Leu Leu Tyr Ile Val Leu Lys Lys Leu His Leu Glu Thr  
 225 230 235 240

Trp Ala Gly Trp Ser Ser Gln Cys Leu Gln Asp Trp Gly Pro Phe Phe  
 245 250 255

Ser Leu Ala Val Pro Ser Met Leu Met Ile Cys Val Glu Trp Trp Ala  
 260 265 270

Tyr Glu Ile Gly Ser Phe Leu Met Gly Leu Leu Ser Val Val Asp Leu  
 275 280 285

16U 200 PCT FINAL.ST25

Ser Ala Gln Ala Val Ile Tyr Glu Val Ala Thr Val Thr Tyr Met Ile  
 290 295 300

Pro Leu Gly Leu Ser Ile Gly Val Cys Val Arg Val Gly Met Ala Leu  
 305 310 315 320

Gly Ala Ala Asp Thr Val Gln Ala Lys Arg Ser Ala Val Ser Gly Val  
 325 330 335

Leu Ser Ile Val Gly Ile Ser Leu Val Leu Gly Thr Leu Ile Ser Ile  
 340 345 350

Leu Lys Asn Gln Leu Gly His Ile Phe Thr Asn Asp Glu Asp Val Ile  
 355 360 365

Ala Leu Val Ser Gln Val Leu Pro Val Tyr Ser Val Phe His Val Phe  
 370 375 380

Glu Ala Ile Cys Cys Val Tyr Gly Gly Val Leu Arg Gly Thr Gly Lys  
 385 390 395 400

Gln Ala Phe Gly Ala Ala Val Asn Ala Ile Thr Tyr Tyr Ile Ile Gly  
 405 410 415

Leu Pro Leu Gly Ile Leu Leu Thr Phe Val Val Arg Met Arg Ile Met  
 420 425 430

Gly Leu Trp Leu Gly Met Leu Ala Cys Val Phe Leu Ala Thr Ala Ala  
 435 440 445

Phe Val Ala Tyr Thr Ala Arg Leu Asp Trp Lys Leu Ala Ala Glu Glu  
 450 455 460

Ala Lys Lys His Ser Gly Arg Gln Gln Gln Gln Arg Ala Glu Ser Thr  
 465 470 475 480

Ala Thr Arg Pro Gly Pro Glu Lys Ala Val Leu Ser Ser Val Ala Thr  
 485 490 495

Gly Ser Ser Pro Gly Ile Thr Leu Thr Thr Tyr Ser Arg Ser Glu Cys  
 500 505 510

His Val Asp Phe Phe Arg Thr Pro Glu Glu Ala His Ala Leu Ser Ala  
 515 520 525

Pro Thr Ser Arg Leu Ser Val Lys Gln Leu Val Ile Arg Arg Gly Ala  
 530 535 540

Ala Leu Gly Ala Ala Ser Ala Thr Leu Met Val Gly Leu Thr Val Arg  
 545 550 555 560

Ile Leu Ala Thr Arg His  
 565

<210> 90  
 <211> 3067  
 <212> DNA  
 <213> Homo sapiens

<220>

16U 200 PCT FINAL.ST25

&lt;221&gt; CDS

&lt;222&gt; (36).. (2984)

&lt;223&gt;

&lt;400&gt; 90

```

ggactgtact ggttctgaga ttctgtgcaa gcctc atg gaa atg aag ctg cca      53
                Met Glu Met Lys Leu Pro
                1                5

ggc cag gaa ggg ttt gaa gcc tcc agt gct cct aga aat att cct tca      101
Gly Gln Glu Gly Phe Glu Ala Ser Ser Ala Pro Arg Asn Ile Pro Ser
                10                15                20

ggg gag ctg gac agc aac cct gac cct ggc acc ggc ccc agc cct gat      149
Gly Glu Leu Asp Ser Asn Pro Asp Pro Gly Thr Gly Pro Ser Pro Asp
                25                30                35

ggc ccc tca gac aca gag agc aag gaa ctg gga gta ccc aaa gac cct      197
Gly Pro Ser Asp Thr Glu Ser Lys Glu Leu Gly Val Pro Lys Asp Pro
                40                45                50

ctg ctc ttc att cag ctg aat gag ctg ctg ggc tgg ccc cag gcg ctg      245
Leu Leu Phe Ile Gln Leu Asn Glu Leu Leu Gly Trp Pro Gln Ala Leu
                55                60                65                70

gag tgg aga gag aca ggc agc tcc tct gca tct ctg ctc ctg gac atg      293
Glu Trp Arg Glu Thr Gly Ser Ser Ser Ala Ser Leu Leu Leu Asp Met
                75                80                85

gga gaa atg ccc tca ata aca ctg tct acc cac ctt cat cac agg tgg      341
Gly Glu Met Pro Ser Ile Thr Leu Ser Thr His Leu His His Arg Trp
                90                95                100

gta ctg ttt gag gag aag ttg gag gtg gct gca ggc cgg tgg agt gcc      389
Val Leu Phe Glu Glu Lys Leu Glu Val Ala Ala Gly Arg Trp Ser Ala
                105                110                115

ccc cac gtg ccc acc ctg gca ctg ccc agc ctc cag aag ctc cgc agc      437
Pro His Val Pro Thr Leu Ala Leu Pro Ser Leu Gln Lys Leu Arg Ser
                120                125                130

ctg ctg gcc gag ggc ctt gta ctg ctg gac tgc cca gct cag agc ctc      485
Leu Leu Ala Glu Gly Leu Val Leu Leu Asp Cys Pro Ala Gln Ser Leu
                135                140                145                150

ctg gag ctc gtg gag cag gtg acc agg gtg gag tgc ctg agc cca gag      533
Leu Glu Leu Val Glu Gln Val Thr Arg Val Glu Ser Leu Ser Pro Glu
                155                160                165

ctg aga ggg cag ttg cag gcc ttg ctg ctg cag aga ccc cag cat tac      581
Leu Arg Gly Gln Leu Gln Ala Leu Leu Gln Arg Pro Gln His Tyr
                170                175                180

aac cag acc aca ggc acc agg ccc tgc tgg ggc tct act cat cca aga      629
Asn Gln Thr Thr Gly Thr Arg Pro Cys Trp Gly Ser Thr His Pro Arg
                185                190                195

aag gct tct gac aat gag gaa gcc ccc ctg agg gaa cag tgt cag aac      677
Lys Ala Ser Asp Asn Glu Glu Ala Pro Leu Arg Glu Gln Cys Gln Asn
                200                205                210

ccc ctg aga cag aag cta cct cca gga gct gag gca ggg act gtg ctg      725
Pro-Leu Arg Gln Lys Leu Pro Pro Gly Ala Glu Ala Gly Thr Val Leu
                215                220                225                230

gca ggg gag ctg ggc ttc ctg gca cag cca ctg gga gcc ttt gtt cga      773
Ala Gly Glu Leu Gly Phe Leu Ala Gln Pro Leu Gly Ala Phe Val Arg
                235                240                245

ctg cgg aac cct gtg gta ctg ggg tcc ctt act gag gtg tcc ctc cca      821
Leu Arg Asn Pro Val Val Leu Gly Ser Leu Thr Glu Val Ser Leu Pro
                250                255                260

agc agg ttt ttc tgc ctt ctc ctg ggc ccc tgt atg ctg gga aag ggc      869
Ser Arg Phe Phe Cys Leu Leu Leu Gly Pro Cys Met Leu Gly Lys Gly
                265                270                275

tac cat gag atg gga cgg gca gca gct gtc ctc ctc agt gac ccg caa      917
Tyr His Glu Met Gly Arg Ala Ala Ala Val Leu Leu Ser Asp Pro Gln

```

280	285	16U 200 PCT FINAL.ST25 290	
ttc cag tgg tca gtt cgt cgg gcc agc aac ctt cat gac ctt ctg gca Phe Gln Trp Ser Val Arg Arg Ala Ser Asn Leu His Asp Leu Leu Ala 295 300 305 310			965
gcc ctg gat gca ttc cta gag gag gtg aca gtg ctt ccc cca ggt cgg Ala Leu Asp Ala Phe Leu Glu Glu Val Thr Val Leu Pro Pro Gly Arg 315 320 325			1013
tgg gac cca aca gcc cgg att ccc ccg ccc aaa tgt ctg cca tct cag Trp Asp Pro Thr Ala Arg Ile Pro Pro Pro Lys Cys Leu Pro Ser Gln 330 335 340			1061
cac aaa agg ctt ccc tcg caa cag cgg gag atc aga ggt ccc gcc gtc His Lys Arg Leu Pro Ser Gln Gln Arg Glu Ile Arg Gly Pro Ala Val 345 350 355			1109
ccg cgc ctg acc tcg gct gag gac agg cac cgc cat ggg cca cac gca Pro Arg Leu Thr Ser Ala Glu Asp Arg His Arg His Gly Pro His Ala 360 365 370			1157
cac agc ccg gag ttg cag cgg acc ggc agg ctg ttt ggg ggc ctt atc His Ser Pro Glu Leu Gln Arg Thr Gly Arg Leu Phe Gly Gly Leu Ile 375 380 385 390			1205
cag gac gtg cgc agg aag gtc ccg tgg tac ccc agc gat ttc ttg gac Gln Asp Val Arg Arg Lys Val Pro Trp Tyr Pro Ser Asp Phe Leu Asp 395 400 405			1253
gcc ctg cat ctc cag tgc ttc tcg gcc gta ctc tac att tac ctg gcc Ala Leu His Leu Gln Cys Phe Ser Ala Val Leu Tyr Ile Tyr Leu Ala 410 415 420			1301
act gtc act aat gcc atc act ttt ggg ggt ctg ctg gga gat gcc act Thr Val Thr Asn Ala Ile Thr Phe Gly Gly Leu Leu Gly Asp Ala Thr 425 430 435			1349
gat ggt gcc cag gga gtg ctg gaa agt ttc ctg ggc aca gca gtg gct Asp Gly Ala Gln Gly Val Leu Glu Ser Phe Leu Gly Thr Ala Val Ala 440 445 450			1397
gga gct gcc ttc tgc ctg atg gca ggc cag ccc ctc acc att ctg agc Gly Ala Ala Phe Cys Leu Met Ala Gly Gln Pro Leu Thr Ile Leu Ser 455 460 465 470			1445
agc acg ggg cca gtg ctg gtc ttt gag cgc ctg ctc ttc tct ttc agc Ser Thr Gly Pro Val Leu Val Phe Glu Arg Leu Leu Phe Ser Phe Ser 475 480 485			1493
aga gat tac agc ctg gac tac ctg ccc ttc cgc cta tgg gtg ggc atc Arg Asp Tyr Ser Leu Asp Tyr Leu Pro Phe Arg Leu Trp Val Gly Ile 490 495 500			1541
tgg gtg gct acc ttt tgc ctg gtg ctg gtg gcc aca gag gcc agt gtg Trp Val Ala Thr Phe Cys Leu Val Leu Val Ala Thr Glu Ala Ser Val 505 510 515			1589
ctg gtg cgc tac ttc acc cgc ttc act gag gaa ggt ttc tgt gcc ctc Leu Val Arg Tyr Phe Thr Arg Phe Thr Glu Glu Gly Phe Cys Ala Leu 520 525 530			1637
atc agc ctc atc ttc atc tac gat gct gtg ggc aaa atg ctg aac ttg Ile Ser Leu Ile Phe Ile Tyr Asp Ala Val Gly Lys Met Leu Asn Leu 535 540 545 550			1685
acc cat acc tat cct atc cag aag cct ggg tcc tct gcc tac ggg tgc Thr His Thr Tyr Pro Ile Gln Lys Pro Gly Ser Ser Ala Tyr Gly Cys 555 560 565			1733
ctc tgc caa tac cca gcc cca gga gga aat gag tct caa tgg ata agg Leu Cys Gln Tyr Pro Gly Pro Gly Asn Glu Ser Gln Trp Ile Arg 570 575 580			1781
aca agg cca aaa gac aga gac gac att gta agc atg gac tta ggc ctg Thr Arg Pro Lys Asp Arg Asp Ile Val Ser Met Asp Leu Gly Leu 585 590 595			1829
atc aat gca tcc ttg ctg ccg cca cct gag tgc acc cgg cag gga ggc			1877

16U 200 PCT FINAL.ST25

Ile Asn Ala Ser Leu Leu Pro Pro Pro Glu Cys Thr Arg Gln Gly Gly	1925
600 605 610	
cac cct cgt ggc cct ggc tgt cat aca gtc cca gac att gcc ttc ttc	1925
His Pro Arg Gly Pro Gly Cys His Thr Val Pro Asp Ile Ala Phe Phe	
615 620 625 630	
tcc ctt ctc ctc ttc ctt act tct ttc ttc ttt gct atg gcc ctc aag	1973
Ser Leu Leu Leu Phe Leu Thr Ser Phe Phe Ala Met Ala Leu Lys	
635 640 645	
tgt gta aag acc agc cgc ttc ttc ccc tct gtg gtg cgc aaa ggg ctc	2021
Cys Val Lys Thr Ser Arg Phe Phe Pro Ser Val Val Arg Lys Gly Leu	
650 655 660	
agc gac ttc tcc tca gtc ctg gcc atc ctg ctc ggc tgt ggc ctt gat	2069
Ser Asp Phe Ser Ser Val Leu Ala Ile Leu Leu Gly Cys Gly Leu Asp	
665 670 675	
gct ttc ctg ggc cta gcc aca cca aag ctc atg gta ccc aga gag ttc	2117
Ala Phe Leu Gly Leu Ala Thr Pro Lys Leu Met Val Pro Arg Glu Phe	
680 685 690	
aag ccc aca ctc cct ggg cgt ggc tgg ctg gtg tca cct ttt gga gcc	2165
Lys Pro Thr Leu Pro Gly Arg Gly Trp Leu Val Ser Pro Phe Gly Ala	
695 700 705 710	
aac ccc tgg tgg tgg agt gtg gca gct gcc ctg cct gcc ctg ctg ctg	2213
Asn Pro Trp Trp Trp Ser Val Ala Ala Ala Leu Pro Ala Leu Leu Leu	
715 720 725	
tct atc ctc atc ttc atg gac caa cag atc aca gca gtc atc ctc aac	2261
Ser Ile Leu Ile Phe Met Asp Gln Ile Thr Ala Val Ile Leu Asn	
730 735 740	
cgc atg gaa tac aga ctg cag aag gga gct ggc ttc cac ctg gac ctc	2309
Arg Met Glu Tyr Arg Leu Gln Lys Gly Ala Gly Phe His Leu Asp Leu	
745 750 755	
ttc tgt gtg gct gtg ctg atg cta ctc aca tca gcg ctt gga ctg cct	2357
Phe Cys Val Ala Val Leu Met Leu Leu Thr Ser Ala Leu Gly Leu Pro	
760 765 770	
tgg tat gtc tca gcc act gtc atc tcc ctg gct cac atg gac agt ctt	2405
Trp Tyr Val Ser Ala Thr Val Ile Ser Leu Ala His Met Asp Ser Leu	
775 780 785 790	
cgg aga gag agc aga gcc tgt gcc ccc ggg gag cgc ccc aac ttc ctg	2453
Arg Arg Glu Ser Arg Ala Cys Ala Pro Gly Glu Arg Pro Asn Phe Leu	
795 800 805	
ggt atc agg gaa cag agg ctg aca ggc ctg gtg gtg ttc atc ctt aca	2501
Gly Ile Arg Glu Gln Arg Leu Thr Gly Leu Val Val Phe Ile Leu Thr	
810 815 820	
gga gcc tcc atc ttc ctg gca cct gtg ctc aag ttc att cca atg cct	2549
Gly Ala Ser Ile Phe Leu Ala Pro Val Leu Lys Phe Ile Pro Met Pro	
825 830 835	
gtg ctc tat ggc atc ttc ctg tat atg ggg gtg gca gcg ctc agc agc	2597
Val Leu Tyr Gly Ile Phe Leu Tyr Met Gly Val Ala Ala Leu Ser Ser	
840 845 850	
att cag ttc act aat agg gtg aag ctg ttg ttg atg cca gca aaa cac	2645
Ile Gln Phe Thr Asn Arg Val Lys Leu Leu Leu Met Pro Ala Lys His	
855 860 865 870	
cag cca gac ctg cta ctc ttg cgg cat gtg cct ctg acc agg gtc cac	2693
Gln Pro Asp Leu Leu Leu Arg His Val Pro Leu Thr Arg Val His	
875 880 885	
ctc ttc aca gcc atc cag ctt gcc tgt ctg ggg ctg ctt tgg ata atc	2741
Leu Phe Thr Ala Ile Gln Leu Ala Cys Leu Gly Leu Leu Trp Ile Ile	
890 895 900	
aag tct acc cct gca gcc atc atc ttc ccc ctc atg ttg ctg ggc ctt	2789
Lys Ser Thr Pro Ala Ala Ile Ile Phe Pro Leu Met Leu Leu Gly Leu	
905 910 915	

160 200 PCT FINAL.ST25

gtg ggg gtc cga aag gcc ctg gag agg gtc ttc tca cca cag gaa ctc 2837  
Val Gly Val Arg Lys Ala Leu Glu Arg Val Phe Ser Pro Gln Glu Leu  
920 925 930

ctc tgg ctg gat gag ctg atg cca gag gag gag aga agc atc cct gag 2885  
Leu Trp Leu Asp Glu Leu Met Pro Glu Glu Glu Arg Ser Ile Pro Glu  
935 940 945 950

aag ggg ctg gag cca gaa cac tca ttc agt gga agt gac agt gaa gat 2933  
Lys Gly Leu Glu Pro Glu His Ser Phe Ser Gly Ser Asp Ser Glu Asp  
955 960 965

tca gag ctg atg tat cag cca aag gct cca gaa atc aac att tct gtg 2981  
Ser Glu Leu Met Tyr Gln Pro Lys Ala Pro Glu Ile Asn Ile Ser Val  
970 975 980

aat tagctggagt aggagtctgg gagtgagac cccaggaaac agcatgaggt 3034  
Asn

gaggggtgtga ggaagtgct cctgatgttg agg 3067

<210> 91  
<211> 983  
<212> PRT  
<213> Homo sapiens

<400> 91

Met Glu Met Lys Leu Pro Gly Gln Glu Gly Phe Glu Ala Ser Ser Ala  
1 5 10 15

Pro Arg Asn Ile Pro Ser Gly Glu Leu Asp Ser Asn Pro Asp Pro Gly  
20 25 30

Thr Gly Pro Ser Pro Asp Gly Pro Ser Asp Thr Glu Ser Lys Glu Leu  
35 40 45

Gly Val Pro Lys Asp Pro Leu Leu Phe Ile Gln Leu Asn Glu Leu Leu  
50 55 60

Gly Trp Pro Gln Ala Leu Glu Trp Arg Glu Thr Gly Ser Ser Ser Ala  
65 70 75 80

Ser Leu Leu Leu Asp Met Gly Glu Met Pro Ser Ile Thr Leu Ser Thr  
85 90 95

His Leu His His Arg Trp Val Leu Phe Glu Glu Lys Leu Glu Val Ala  
100 105 110

Ala Gly Arg Trp Ser Ala Pro His Val Pro Thr Leu Ala Leu Pro Ser  
115 120 125

Leu Gln Lys Leu Arg Ser Leu Leu Ala Glu Gly Leu Val Leu Leu Asp  
130 135 140

Cys Pro Ala Gln Ser Leu Leu Glu Leu Val Glu Gln Val Thr Arg Val  
145 150 155 160

Glu Ser Leu Ser Pro Glu Leu Arg Gly Gln Leu Gln Ala Leu Leu Leu  
165 170 175

Gln Arg Pro Gln His Tyr Asn Gln Thr Thr Gly Thr Arg Pro Cys Trp  
180 185 190

Gly Ser Thr His Pro Arg Lys Ala Ser Asp Asn Glu Glu Ala Pro Leu



Page 62

16U 200 PCT FINAL.ST25  
Ala Thr Glu Ala Ser Val Leu Val Arg Tyr Phe Thr Arg Phe Thr Glu  
515 520 525

Glu Gly Phe Cys Ala Leu Ile Ser Leu Ile Phe Ile Tyr Asp Ala Val  
530 535 540

Gly Lys Met Leu Asn Leu Thr His Thr Tyr Pro Ile Gln Lys Pro Gly  
545 550 555 560

Ser Ser Ala Tyr Gly Cys Leu Cys Gln Tyr Pro Gly Pro Gly Gly Asn  
565 570 575

Glu Ser Gln Trp Ile Arg Thr Arg Pro Lys Asp Arg Asp Asp Ile Val  
580 585 590

Ser Met Asp Leu Gly Leu Ile Asn Ala Ser Leu Leu Pro Pro Pro Glu  
595 600 605

Cys Thr Arg Gln Gly Gly His Pro Arg Gly Pro Gly Cys His Thr Val  
610 615 620

Pro Asp Ile Ala Phe Phe Ser Leu Leu Leu Phe Leu Thr Ser Phe Phe  
625 630 635 640

Phe Ala Met Ala Leu Lys Cys Val Lys Thr Ser Arg Phe Phe Pro Ser  
645 650 655

Val Val Arg Lys Gly Leu Ser Asp Phe Ser Ser Val Leu Ala Ile Leu  
660 665 670

Leu Gly Cys Gly Leu Asp Ala Phe Leu Gly Leu Ala Thr Pro Lys Leu  
675 680 685

Met Val Pro Arg Glu Phe Lys Pro Thr Leu Pro Gly Arg Gly Trp Leu  
690 695 700

Val Ser Pro Phe Gly Ala Asn Pro Trp Trp Trp Ser Val Ala Ala Ala  
705 710 715 720

Leu Pro Ala Leu Leu Leu Ser Ile Leu Ile Phe Met Asp Gln Gln Ile  
725 730 735

Thr Ala Val Ile Leu Asn Arg Met Glu Tyr Arg Leu Gln Lys Gly Ala  
740 745 750

Gly Phe His Leu Asp Leu Phe Cys Val Ala Val Leu Met Leu Leu Thr  
755 760 765

Ser Ala Leu Gly Leu Pro Trp Tyr Val Ser Ala Thr Val Ile Ser Leu  
770 775 780

Ala His Met Asp Ser Leu Arg Arg Glu Ser Arg Ala Cys Ala Pro Gly  
785 790 795 800

Glu Arg Pro Asn Phe Leu Gly Ile Arg Glu Gln Arg Leu Thr Gly Leu  
805 810 815

Val Val Phe Ile Leu Thr Gly Ala Ser Ile Phe Leu Ala Pro Val Leu  
820 825 830

## 160 200 PCT FINAL.ST25

Lys Phe Ile Pro Met Pro Val Leu Tyr Gly Ile Phe Leu Tyr Met Gly  
835 840 845

Val Ala Ala Leu Ser Ser Ile Gln Phe Thr Asn Arg Val Lys Leu Leu  
850 855 860

Leu Met Pro Ala Lys His Gln Pro Asp Leu Leu Leu Arg His Val  
865 870 875 880

Pro Leu Thr Arg Val His Leu Phe Thr Ala Ile Gln Leu Ala Cys Leu  
885 890 895

Gly Leu Leu Trp Ile Ile Lys Ser Thr Pro Ala Ala Ile Ile Phe Pro  
900 905 910

Leu Met Leu Leu Gly Leu Val Gly Val Arg Lys Ala Leu Glu Arg Val  
915 920 925

Phe Ser Pro Gln Glu Leu Leu Trp Leu Asp Glu Leu Met Pro Glu Glu  
930 935 940

Glu Arg Ser Ile Pro Glu Lys Gly Leu Glu Pro Glu His Ser Phe Ser  
945 950 955 960

Gly Ser Asp Ser Glu Asp Ser Glu Leu Met Tyr Gln Pro Lys Ala Pro  
965 970 975

Glu Ile Asn Ile Ser Val Asn  
980

<210> 92  
<211> 700  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (60)..(497)  
<223>

<400> 92  
gaaagaagga aataaacaca ggcaccaaac cactatccta agttgactgt cctttaaat 59  
atg tca aga tcc aga ctt ttc agt gtc acc tca gcg atc tca acg ata 107  
Met Ser Arg Ser Arg Leu Phe Ser Val Thr Ser Ala Ile Ser Thr Ile  
1 5 10 15  
ggg atc ttg tgt ttg ccg cta ttc cag ttg gtg ctc tgc gac cta cca 155  
Gly Ile Leu Cys Leu Pro Leu Phe Gln Leu Val Leu Ser Asp Leu Pro  
20 25 30  
tgc gaa gaa gat gaa atg tgt gta aat tat aat gac caa cac cct aat 203  
Cys Glu Glu Asp Glu Met Cys Val Asn Tyr Asn Asp Gln His Pro Asn  
35 40 45  
ggc tgg tat atc tgg atc ctc ctg ctg gtt ttg gtg gca gct ctt 251  
Gly Trp Tyr Ile Trp Ile Leu Leu Leu Val Leu Val Ala Ala Leu  
50 55 60  
ctc tgt gga gct gtg gtc ctc tgc ctc cag tgc tgg ctg agg aga ccc 299  
Leu Cys Gly Ala Val Val Leu Cys Leu Gln Cys Trp Leu Arg Arg Pro  
65 70 75 80  
cga att gat tct cac agg cgc acc atg gca gtt ttt gct gtt gga gac 347  
Arg Ile Asp Ser His Arg Arg Thr Met Ala Val Phe Ala Val Gly Asp  
85 90 95  
ttg gac tct att tat ggg aca gaa gca gct gtg agt cca act gtt gga 395

160 200 PCT FINAL.ST25  
 Leu Asp Ser Ile Tyr Gly Thr Glu Ala Ala Val Ser Pro Thr Val Gly  
 100 105 110  
 att cac ctt caa act caa acc cct gac cta tat cct gtt cct gct cca 443  
 Ile His Leu Gln Thr Gln Thr Pro Asp Leu Tyr Pro Val Pro Ala Pro  
 115 120 125  
 tgt ttt ggc cct tta ggc tcc cca cct cca tat gaa gaa att gta aaa 491  
 Cys Phe Gly Pro Leu Gly Ser Pro Pro Pro Tyr Glu Glu Ile Val Lys  
 130 135 140  
 aca acc tgattttagg tgtggattat caatttaaag tattaacgac atctgtaatt 547  
 Thr Thr  
 145  
 ccaaaacatc aaatttagga atagttattt cagttgttgg aaatgtccag agatctattc 607  
 atatagtctg aggaaggaca attcgacaaa agaattggatg ttggaaaaaa ttttggtcac 667  
 ggagatgttt aaatagtaaa gtacgaggct ttt 700

<210> 93  
 <211> 146  
 <212> PRT  
 <213> Homo sapiens

<400> 93

Met Ser Arg Ser Arg Leu Phe Ser Val Thr Ser Ala Ile Ser Thr Ile  
 1 5 10 15  
 Gly Ile Leu Cys Leu Pro Leu Phe Gln Leu Val Leu Ser Asp Leu Pro  
 20 25 30  
 Cys Glu Glu Asp Glu Met Cys Val Asn Tyr Asn Asp Gln His Pro Asn  
 35 40 45  
 Gly Trp Tyr Ile Trp Ile Leu Leu Leu Leu Val Leu Val Ala Ala Leu  
 50 55 60  
 Leu Cys Gly Ala Val Val Leu Cys Leu Gln Cys Trp Leu Arg Arg Pro  
 65 70 75 80  
 Arg Ile Asp Ser His Arg Arg Thr Met Ala Val Phe Ala Val Gly Asp  
 85 90 95  
 Leu Asp Ser Ile Tyr Gly Thr Glu Ala Ala Val Ser Pro Thr Val Gly  
 100 105 110  
 Ile His Leu Gln Thr Gln Thr Pro Asp Leu Tyr Pro Val Pro Ala Pro  
 115 120 125  
 Cys Phe Gly Pro Leu Gly Ser Pro Pro Pro Tyr Glu Glu Ile Val Lys  
 130 135 140

Thr Thr  
 145

<210> 94  
 <211> 1324  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (44)..(772)  
 <223>

<400> 94

Page 66

16U 200 PCT FINAL.ST25

caggaagag aaagcaggcc cagctggaga tttcctggtg gctgtccttg gccccaagc 1252  
 agactcacta atcccaaaca actcagctgc catctggcct ctctgaggac tctgggtacc 1312  
 ttaaagacta ta 1324

<210> 95  
 <211> 243  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 95

Met Glu Gln Gly Ser Gly Arg Leu Glu Asp Phe Pro Val Asn Val Phe  
 1 5 10 15

Ser Val Thr Pro Tyr Thr Pro Ser Thr Ala Asp Ile Gln Val Ser Asp  
 20 25 30

Asp Asp Lys Ala Gly Ala Thr Leu Leu Phe Ser Gly Ile Phe Leu Gly  
 35 40 45

Leu Val Gly Ile Thr Phe Thr Val Met Gly Trp Ile Lys Tyr Gln Gly  
 50 55 60

Val Ser His Phe Glu Trp Thr Gln Leu Leu Gly Pro Val Leu Leu Ser  
 65 70 75 80

Val Gly Val Thr Phe Ile Leu Ile Ala Val Cys Lys Phe Lys Met Leu  
 85 90 95

Ser Cys Gln Leu Cys Lys Glu Ser Glu Glu Arg Val Pro Asp Ser Glu  
 100 105 110

Gln Thr Pro Gly Gly Pro Ser Phe Val Phe Thr Gly Ile Asn Gln Pro  
 115 120 125

Ile Thr Phe His Gly Ala Thr Val Val Gln Tyr Ile Pro Pro Pro Tyr  
 130 135 140

Gly Ser Pro Glu Pro Met Gly Ile Asn Thr Ser Tyr Leu Gln Ser Val  
 145 150 155 160

Val Ser Pro Cys Gly Leu Ile Thr Ser Gly Gly Ala Ala Ala Ala Met  
 165 170 175

Ser Ser Pro Pro Gln Tyr Tyr Thr Ile Tyr Pro Gln Asp Asn Ser Ala  
 180 185 190

Phe Val Val Asp Glu Gly Cys Leu Ser Phe Thr Asp Gly Gly Asn His  
 195 200 205

Arg Pro Asn Pro Asp Val Asp Gln Leu Glu Glu Thr Gln Leu Glu Glu  
 210 215 220

Glu Ala Cys Ala Cys Phe Ser Pro Pro Pro Tyr Glu Glu Ile Tyr Ser  
 225 230 235 240

Leu Pro Arg

&lt;210&gt; 96

16U 200 PCT FINAL.ST25

<211> 5350  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (2275)..(3213)  
 <223>

<400> 96  
 gtccaggcgt accatgactc tcacattttg cagttgtttt atttgacggg acagacattg 60  
 actgacagtg gctggagcag ggctgatagt gaattttctga aacggtttac ctgattctct 120  
 gctttctcag ttcttgata tctgagagac agggcctcta tgctgtttca ctgctggata 180  
 tatgcttcat tcttgacca taattttttt ttcaaatatt tctagatgat gttgcttcat 240  
 tgtcttttgg aatctactaa ataattccac tgaatttttg aagtttatty ggaattattt 300  
 attttgcctt tatacttaga aaattacttt ctgtccagg aaaatatagt ttattagtct 360  
 agtaatttat taattgacta aaatctacca ttgttatgg ccaatgacat gtttatttac 420  
 tgaaaatata ttaagcccc ttgtgtttta agtctcttaa cataagaaag caatttgta 480  
 aaaactggca ttactttact ctatgcttt ctgtgtcctt tgctaagtat ttctaaaaca 540  
 aatgaaaac ccacgagttt agtcttggcc agggcaagat atttgaaata aaaaaggaaa 600  
 taatagacc aattgcaata attcttattt ataaatttta agttaatgat aaaaatata 660  
 aagtgtacat tacaatgtaa aaggttacat aagaaaagct gcaatataaa aaggatgaat 720  
 atgtgtctga tttaaataaa catttgacac gtattaata tattgaacat taatgatatc 780  
 taaaactatt catthttataa aggatatgca ttttctttta gtagagaata ataataatga 840  
 gcattcatat gtaaatcaca gaattctgaa caagagaaag atagtgtctat caacgggaaa 900  
 gggctgacca gcaccactga ccccccaaaa tagccaggta gaagaagagt cctacagcct 960  
 attacaaggt gattaattga ctatgtctc tgagaagaaa ttggaacttg gatgatctga 1020  
 agatagttat ctcaattgat tgttcacagc cagttacaga tagaattcct tgttctacat 1080  
 tttcttcctt tctcactagt gcacttgagt agtctttaaa aaaaattgca acttcagaga 1140  
 ccccatgct tgaaccactg ggagaagaaa ccttaggatg acctacctgc atacaataaa 1200  
 tatgttggat gtcacgataa gataagtata aattgaggca aactttctct caccaaaatt 1260  
 ctacaggcaa aatggggaga ttggaagaaa agatgtgggc ttgtaaaatc caattacatt 1320  
 ttactttaat ttataaaga aggttcacat caagaaatc caagtgaggt tcagaccaat 1380  
 cacctcagaa taaactgatt ggatgataat gctgattcct aaagcatcat tgatctgaga 1440  
 tagccataat ttttttttga tatcttgaaa gattggcaga aacacaacgg attagaacat 1500  
 ctgtgatggaa attatgaaaa tatgaataaa taactcaca gattaatgtc ttgtaatag 1560  
 gttaagtggg agtataaaaa tacattttat aaatcacata tgtgtaaaag taaatcattt 1620  
 tagagaaatt tacaagttgt actagtgtct ttaatacatt taaagaaatt tgactaaatt 1680  
 tgtaacgtta tataaggggt ttgaatttta tgtttaaaat gtttacaatt actggtggct 1740  
 taatatattg cttttaagta ttgaaaaatt gtatgttcgt agatttgtaa cgagatttaa 1800  
 gaaacacaag tattactaat ctttttttgc agacatgact ctgaggggtc aaatatatag 1860  
 aaatatctat attggttatt agctctgtaa aatcccatgg gaatgggatt tgggcataac 1920  
 aggaacatgc aactataaga tactaacaca cacaaaatgt gaacatatat aagtaaaaat 1980  
 aactattagt gactatataa tctataggaa ataatttaat ttcagttgta tggacctctt 2040  
 cattgagaat ataaatattt cattcccat ctatgagggg aatcagattc acaatctaatt 2100

## 16U 200 PCT FINAL.ST25

gtgctgtctc ttttttagtgc aaattcacag ttcattgttg aaatacactc tgattttcac 2160  
 attgattttt aaaaggtaaa gtgaagcaaa catactttta cgtggtacac acatgattat 2220  
 aaataaagt tactttttgtc ctccaggtaa agccacttca gccgatcata cagc atg Met 2277  
 1  
 cgg ctg gcc aac cag acc ctg ggt ggt gac ttt ttc ctg ttg gga atc 2325  
 Arg Leu Ala Asn Gln Thr Leu Gly Gly Asp Phe Phe Leu Leu Gly Ile  
 5 10 15  
 ttc agc cag atc tca cac cct ggc cgc ctc tgc ttg ctt atc ttc agt 2373  
 Phe Ser Gln Ile Ser His Pro Gly Arg Leu Cys Leu Leu Ile Phe Ser  
 20 25 30  
 ata ttt ttg atg gct gtg tct tgg aat att aca ttg ata ctt ctg atc 2421  
 Ile Phe Leu Met Ala Val Ser Trp Asn Ile Thr Leu Ile Leu Leu Ile  
 35 40 45  
 cac att gac tcc tct ctg cat act ccc atg tac ttc ttt ata aac cag 2469  
 His Ile Asp Ser Ser Leu His Thr Pro Met Tyr Phe Phe Ile Asn Gln  
 50 55 60 65  
 ctc tca ctc ata gac ttg aca tat att tct gtc act gtc ccc aaa atg 2517  
 Leu Ser Leu Ile Asp Leu Thr Tyr Ile Ser Val Thr Val Pro Lys Met  
 70 75 80  
 ctg gtg aac cag ctg gcc aaa gac aag acc atc tcg gtc ctt ggg tgt 2565  
 Leu Val Asn Gln Leu Ala Lys Asp Lys Thr Ile Ser Val Leu Gly Cys  
 85 90 95  
 ggc acc cag atg tac ttc tac ctg cag ttg gga ggt gca gag tgc tgc 2613  
 Gly Thr Gln Met Tyr Phe Tyr Leu Gln Leu Gly Gly Ala Glu Cys Cys  
 100 105 110  
 ctt cta gcc gcc atg gcc tat gac cgc tat gtg gct atc tgc cat cct 2661  
 Leu Leu Ala Ala Met Ala Tyr Asp Arg Tyr Val Ala Ile Cys His Pro  
 115 120 125  
 ctc cgt tac tct gtg ctc atg agc cat agg gta tgt ctc ctc ctg gca 2709  
 Leu Arg Tyr Ser Val Leu Met Ser His Arg Val Cys Leu Leu Leu Ala  
 130 135 140 145  
 tca ggc tgc tgg ttt gtg ggc tca gtg gat ggc ttc atg ctc act ccc 2757  
 Ser Gly Cys Trp Phe Val Gly Ser Val Asp Gly Phe Met Leu Thr Pro  
 150 155 160  
 atc gcc atg agc ttc ccc ttc tgc aga tcc cat gag att cag cac ttc 2805  
 Ile Ala Met Ser Phe Pro Phe Cys Arg Ser His Glu Ile Gln His Phe  
 165 170 175  
 ttc tgt gag gtc cct gct gtt ttg aag ctc tct tgc tca gac acc tca 2853  
 Phe Cys Glu Val Pro Ala Val Leu Lys Leu Ser Cys Ser Asp Thr Ser  
 180 185 190  
 ctt tac aag att ttc atg tac ttg tgc tgt gtc atc atg ctc ctg ata 2901  
 Leu Tyr Lys Ile Phe Met Tyr Leu Cys Cys Val Ile Met Leu Leu Ile  
 195 200 205  
 cct gtg acg gtc att tca gtg tct tac tac tat atc atc ctc acc atc 2949  
 Pro Val Thr Val Ile Ser Val Ser Tyr Tyr Tyr Ile Ile Leu Thr Ile  
 210 215 220 225  
 cat aag atg aac tca gtt gag ggt cgg aaa aag gcc ttc acc acc tgc 2997  
 His Lys Met Asn Ser Val Glu Gly Arg Lys Lys Ala Phe Thr Thr Cys  
 230 235 240  
 tcc tcc cac att aca gtg gtc agc ctc ttc tat gga gct gct att tac 3045  
 Ser Ser His Ile Thr Val Val Ser Leu Phe Tyr Gly Ala Ala Ile Tyr  
 245 250 255  
 aac tac atg ctc ccc agc tcc tac caa act cct gag aaa gat atg atg 3093  
 Asn Tyr Met Leu Pro Ser Ser Tyr Gln Thr Pro Glu Lys Asp Met Met  
 260 265 270  
 tca tcc ttt ttc tac act atc ctt aca cct gtc ttg aat cct atc att 3141  
 Ser Ser Phe Phe Tyr Thr Ile Leu Thr Pro Val Leu Asn Pro Ile Ile



16U 200 PCT FINAL.ST25  
285

275 280

tac agt ttc agg aat aag gat gtc aca agg gct ttg aaa aaa atg ctg 3189  
Tyr Ser Phe Arg Asn Lys Asp Val Thr Arg Ala Leu Lys Lys Met Leu  
290 295 300 305

agc gtg cag aaa cct cca tat taa agtgtgaaag aacttaagtt ggctcctctt 3243  
Ser Val Gln Lys Pro Pro Tyr  
310

tcttagagtc tctcttctact ttaggtgtcc ttccacaaaa caatcagcat attgtggtag 3303

tgtctgactc cctgagttgt ccttcagggg gattcagccc agtgttcttc cctcctataa 3363

tcacacttga gatgatgttc acttatcccc ccttccctc gtagcattga tctctagtcc 3423

agtccttcgg ggccaatggg ccttttttta gattacagtg gagaaatatg aaaataaatg 3483

tgtttatgac ccttgagcac ctccaccac agagaaaatt tgttttgcta tcatgggccc 3543

attgatgagt atgaataaac accatattca gagtgttctt cagcatccac tctgtgctaa 3603

acgcttttcg ttccaccctt ccttcgacct tcacctctg tggctgaggc taaggtcacc 3663

cacatttcac aaatgacaaa acagcctttg aggcttcccc tgacttgccc caagcagggg 3723

atcctcaggg acaagggggg tcatcctcc ataggcattt ggagataaac acattcaaga 3783

cctcagagat gctaaatgta cagttgagat tttcttcca tcagaatttc tagaatgtgt 3843

tctcaatcaa attcttattt tctgtgagca tataagaagt caaacctccc aaaattagag 3903

cagagacatg ggctatccag tagacatggg ctacaacatg tttggagtat aattggttta 3963

ttcatagact taaccagaga aatatggaag ttctgcacac ttctccctgt tcaagccaat 4023

ggtgacacat acttagaata taatttcaaa tcacagtttt acgtatgtgc atggttgtat 4083

ttgtatttaa caaataacat aataattata acgtcttctg tgattattat gatctggcac 4143

catttttagt gcgtgacatg tatggaacac tttattttc acagcctatt attagcctta 4203

ttctacagtt gatttaactg aaacccatgg gtttgagtaa catgaacaaa aggggtgtga 4263

gcttataaag tgctcaacag ggatttaagc ccaggcaggc aggccggagt ccctgcccct 4323

gaccactgca tgtgccacgt cttgtggagt ctgtggcctt ttccacactg cattgcctct 4383

ccctctggga gggccatact ccaaccttgg aaacactata gttctttcca taccacatgt 4443

tttcacgtgg ctttccctct ctctggaatg tttttttatc tgtaagtaca aggatacgaa 4503

gataactttc catgactaca taatcttctt ttaggcccc agtcattcat tcattcaaca 4563

aataactact gagcccctat agtttgccag gccccgttct acaaaactgag gatacatcag 4623

tgagcaaaac aaataaaaaat ctctatcttt ttagcactt aaaggggtgta tacagaaaat 4683

aaatttggtg attgagaaga agacatggag tattatcaga agaaaagtgt tggaatatct 4743

tgagcaggag aggggtcttg gagtgtgtag gggtcacgtt ttatgtaggg atttaggcta 4803

atcctcactg gttatagttg agcaaatgag tggagcttcc aagttaatga gccacattga 4863

tattgggaga aatgctttca agacagagca tagggacatc taccagcctg tcaatcaaga 4923

gtccagtagg accatgtctc agtaataggg atgaactaga ttagattga gtctaactcc 4983

aattataaaa aatgatagta aaataaattt ttccaacaaa caaaagtga taaaattctt 5043

cagccataga aaaattatct caaaagtaaa ctcaagaaata taagcaaaaa tgacaacat 5103

caaccccaaa gagtaatatg taaatgagtc ataataata ttgacttagc aataatttta 5163

atgtaataata cagtttagat ttgtgcaaaa cttaaatgta tgaaaaatca tgttgaagat 5223

atatcaatat tgatgtagta gaggtagtaa attgtgttaa accttagtaa atcaagagta 5283

catgctgtaa tgtttatagt aaacgcaaaa accagtttat aaaatgaaaa aatgatagat 5343

160 200 PCT FINAL.ST25

ttttata

5350

<210> 97  
 <211> 312  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 97

Met Arg Leu Ala Asn Gln Thr Leu Gly Gly Asp Phe Phe Leu Leu Gly  
 1 5 10 15

Ile Phe Ser Gln Ile Ser His Pro Gly Arg Leu Cys Leu Leu Ile Phe  
 20 25 30

Ser Ile Phe Leu Met Ala Val Ser Trp Asn Ile Thr Leu Ile Leu Leu  
 35 40 45

Ile His Ile Asp Ser Ser Leu His Thr Pro Met Tyr Phe Phe Ile Asn  
 50 55 60

Gln Leu Ser Leu Ile Asp Leu Thr Tyr Ile Ser Val Thr Val Pro Lys  
 65 70 75 80

Met Leu Val Asn Gln Leu Ala Lys Asp Lys Thr Ile Ser Val Leu Gly  
 85 90 95

Cys Gly Thr Gln Met Tyr Phe Tyr Leu Gln Leu Gly Gly Ala Glu Cys  
 100 105 110

Cys Leu Leu Ala Ala Met Ala Tyr Asp Arg Tyr Val Ala Ile Cys His  
 115 120 125

Pro Leu Arg Tyr Ser Val Leu Met Ser His Arg Val Cys Leu Leu Leu  
 130 135 140

Ala Ser Gly Cys Trp Phe Val Gly Ser Val Asp Gly Phe Met Leu Thr  
 145 150 155 160

Pro Ile Ala Met Ser Phe Pro Phe Cys Arg Ser His Glu Ile Gln His  
 165 170 175

Phe Phe Cys Glu Val Pro Ala Val Leu Lys Leu Ser Cys Ser Asp Thr  
 180 185 190

Ser Leu Tyr Lys Ile Phe Met Tyr Leu Cys Cys Val Ile Met Leu Leu  
 195 200 205

Ile Pro Val Thr Val Ile Ser Val Ser Tyr Tyr Tyr Ile Ile Leu Thr  
 210 215 220

Ile His Lys Met Asn Ser Val Glu Gly Arg Lys Lys Ala Phe Thr Thr  
 225 230 235 240

Cys Ser Ser His Ile Thr Val Val Ser Leu Phe Tyr Gly Ala Ala Ile  
 245 250 255

Tyr Asn Tyr Met Leu Pro Ser Ser Tyr Gln Thr Pro Glu Lys Asp Met  
 260 265 270

160 200 PCT FINAL.ST25

Met Ser Ser Phe Phe Tyr Thr Ile Leu Thr Pro Val Leu Asn Pro Ile  
 275 280 285

Ile Tyr Ser Phe Arg Asn Lys Asp Val Thr Arg Ala Leu Lys Lys Met  
 290 295 300

Leu Ser Val Gln Lys Pro Pro Tyr  
 305 310

<210> 98  
 <211> 3486  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(3483)  
 <223>

<400> 98

atg ggg cca cct gaa ttc atg tat gaa cag cag gac aat tca acg cac Met Gly Pro Pro Glu Phe Met Tyr Glu Gln Gln Asp Asn Ser Thr His 1 5 10 15	48
ctg cag cca ctt aag aca tgc ccc gtg gca agg cag cta atc cga ggg Leu Gln Pro Leu Lys Thr Cys Pro Val Ala Arg Gln Leu Ile Arg Gly 20 25 30	96
gtg ctg cgg gca cct gat gga gcc aag cca gga gag gac agg ggc cag Val Leu Arg Ala Pro Asp Gly Ala Lys Pro Gly Glu Asp Arg Gly Gln 35 40 45	144
gcc cgc tgc aat gga cgt gta tgt gga gag aaa tca aaa caa cct att Ala Arg Cys Asn Gly Arg Val Cys Gly Glu Lys Ser Lys Gln Pro Ile 50 55 60	192
gag gct ttt aag ccc gtc tgc tac aaa ccc caa ttt atg tcc cac att Glu Ala Phe Lys Pro Val Cys Tyr Lys Pro Gln Phe Met Ser His Ile 65 70 75 80	240
att ccc ctt tac tcc atc cat gca tcc cag agt tcc agc caa tcc aag Ile Pro Leu Tyr Ser Ile His Ala Ser Gln Ser Ser Ser Gln Ser Lys 85 90 95	288
ctg cct gca cat ctc cat ttg gac ccc tta ggc tgt gcc agt ctc agc Leu Pro Ala His Leu His Leu Asp Pro Leu Gly Cys Ala Ser Leu Ser 100 105 110	336
ttc tcc tcc acc cag ccc tca cca cct tat tac cca ggg ttg gta cta Phe Ser Ser Thr Gln Pro Ser Pro Pro Tyr Tyr Pro Gly Leu Val Leu 115 120 125	384
gga tgc agc aag cag aat act gga ggt gca aaa tgt cag aag cca ctc Gly Cys Ser Lys Gln Asn Thr Gly Gly Ala Lys Cys Gln Lys Pro Leu 130 135 140	432
act cgc agg ttt gag cac ttg gga aca gca aag aag ccc aag aaa tca Thr Arg Arg Phe Glu His Leu Gly Thr Ala Lys Lys Pro Lys Lys Ser 145 150 155 160	480
gtc tgg cca ctg cag agc ctg cct caa aga gat ttg aag ctg gtc aat Val Trp Pro Leu Gln Ser Leu Pro Gln Arg Asp Leu Lys Leu Val Asn 165 170 175	528
gca agg agc cag gcc tgc tgg aat cca agg acc tgg ggt gca gca acc Ala Arg Ser Gln Ala Cys Trp Asn Pro Arg Thr Trp Gly Ala Ala Thr 180 185 190	576
cca gat aca gac cct gaa gag gcc aac agc ggt cag cag aac ata aag Pro Asp Thr Asp Pro Glu Glu Ala Asn Ser Gly Gln Gln Asn Ile Lys 195 200 205	624
gag caa cag tac cgt gtc tct ctg ggg aac aac act ggt tct ccc ttg Glu Gln Gln Tyr Arg Val Ser Leu Gly Asn Asn Thr Gly Ser Pro Leu 210 215 220	672

16U 200 PCT FINAL.ST25

tgt tcc acg gag gtg aac ttt ggc agc agg cag cag ggc aag ctg aat 720  
Cys Ser Thr Glu Val Asn Phe Gly Ser Arg Gln Gln Gly Lys Leu Asn  
225 230 235 240

aga acc acc agg gaa gca tgg aag gag gcc agc cgc tgg gat ctg cca 768  
Arg Thr Thr Arg Glu Ala Trp Lys Glu Ala Ser Arg Trp Asp Leu Pro  
245 250 255

gct ctg ggc ccc agc ggc cac cct ctg cag ctc aaa gtc acc ttt gct 816  
Ala Leu Gly Pro Ser Gly His Pro Leu Gln Leu Lys Val Thr Phe Ala  
260 265 270

cct ctc ctc tcc tcg gct ggc cag cca gaa cca gcc cag aac tcc ctc 864  
Pro Leu Leu Ser Ser Ala Gly Gln Pro Glu Pro Ala Gln Asn Ser Leu  
275 280 285

ccc tcc gct cag cag gac cca gga act ggt ccc tac tgg gca att att 912  
Pro Ser Ala Gln Gln Asp Pro Gly Thr Gly Pro Tyr Trp Ala Ile Ile  
290 295 300

aat cag att ctt gac att cct cag ccc cag gtt ggc tgg aga agc atg 960  
Asn Gln Ile Leu Asp Ile Pro Gln Pro Gln Val Gly Trp Arg Ser Met  
305 310 315 320

ttc ccc aga gga gca gag gcc cag gac tgg cat ttg gat atg cag ctg 1008  
Phe Pro Arg Gly Ala Glu Ala Gln Asp Trp His Leu Asp Met Gln Leu  
325 330 335

acc ggc aag gtg gtg ctg tca gcc gct gcc ctg ctc ctg gtg act gtg 1056  
Thr Gly Lys Val Val Leu Ser Ala Ala Ala Leu Leu Leu Val Thr Val  
340 345 350

gcc tac agg ctg tac aag tcg agg cct gcc cca gcc cag cgg tgg ggt 1104  
Ala Tyr Arg Leu Tyr Lys Ser Arg Pro Ala Pro Ala Gln Arg Trp Gly  
355 360 365

ggg aat ggc cag gca gaa gcc aag gag gaa gca gag ggc tca ggg cag 1152  
Gly Asn Gly Gln Ala Glu Ala Lys Glu Glu Ala Glu Gly Ser Gly Gln  
370 375 380

cct gct gta cag gag gct tct cct ggg gtg ctc ctg agg ggg cca aga 1200  
Pro Ala Val Gln Glu Ala Ser Pro Gly Val Leu Leu Arg Gly Pro Arg  
385 390 395 400

cgt cgg agg agc agc aag cgg gct gaa gca cca cag ggc tgc agc tgt 1248  
Arg Arg Arg Ser Lys Arg Ala Glu Ala Pro Gln Gly Cys Ser Cys  
405 410 415

gag aat cca aga ggc ccc tat gtc ctg gtc acg ggg gcc act tcc aca 1296  
Glu Asn Pro Arg Gly Pro Tyr Val Leu Val Thr Gly Ala Thr Ser Thr  
420 425 430

gac agg aag ccc cag aga aaa ggc tca ggt gag gag cgg ggc ggg cag 1344  
Asp Arg Lys Pro Gln Arg Lys Gly Ser Gly Glu Glu Arg Gly Gly Gln  
435 440 445

ggc tcg gac tct gag cag gtg cct cct tgc tgc ccc agc cag gaa acc 1392  
Gly Ser Asp Ser Glu Gln Val Pro Pro Cys Cys Pro Ser Gln Glu Thr  
450 455 460

aga aca gct gtt ggc agt aac cct gac cct ccc cat ttc ccc cgc ttg 1440  
Arg Thr Ala Val Gly Ser Asn Pro Asp Pro Pro His Phe Pro Arg Leu  
465 470 475 480

ggc agc gaa ccg aag agc tcc cca gct gga ctc att gca gca gcc gac 1488  
Gly Ser Glu Pro Lys Ser Ser Pro Ala Gly Leu Ile Ala Ala Ala Asp  
485 490 495

ggc agc tgt gcc ggt ggt gag cct tct cca tgg cag gac agt aaa ccc 1536  
Gly Ser Cys Ala Gly Gly Glu Pro Ser Pro Trp Gln Asp Ser Lys Pro  
500 505 510

cgt gag cat cca gga ctg ggg caa cta gaa cct ccc cac tgt cac tac 1584  
Arg Glu His Pro Gly Leu Gly Gln Leu Glu Pro Pro His Cys His Tyr  
515 520 525

gtg gct ccc ttg caa ggc agc agt gac atg aac cag agc tgg gtc ttc 1632  
Val Ala Pro Leu Gln Gly Ser Ser Asp Met Asn Gln Ser Trp Val Phe  
530 535 540

## 16U 200 PCT FINAL.ST25

acc cgt gtg ata ggg gtc agc aga gaa gag gct ggg gct ctc gag gct Thr Arg Val Ile Gly Val Ser Arg Glu Glu Ala Gly Ala Leu Glu Ala 545 550 555 560	1680
gcc tcc gat gtt gac ctg acc ctg cat cag cag gag ggc gcc ccc aac Ala Ser Asp Val Asp Leu Thr Leu His Gln Gln Glu Gly Ala Pro Asn 565 570 575	1728
tcc tcc tat acc ttc tca tcc ata gcc cgc gtc cga atg gag gag cat Ser Ser Tyr Thr Phe Ser Ser Ile Ala Arg Val Arg Met Glu Glu His 580 585 590	1776
ttc ata cag aag gcg gag ggg gtt gag ccc cgg ctc aag ggc aag gtg Phe Ile Gln Lys Ala Glu Gly Val Glu Pro Arg Leu Lys Gly Lys Val 595 600 605	1824
tac gac tac tat gtg gaa tct acc tct cag gcc atc ttc cag ggc agg Tyr Asp Tyr Tyr Val Glu Ser Thr Ser Gln Ala Ile Phe Gln Gly Arg 610 615 620	1872
ctg gct ccc agg aca gca gcc ctg act gag gtt cca tcc cct agg cca Leu Ala Pro Arg Thr Ala Ala Leu Thr Glu Val Pro Ser Pro Arg Pro 625 630 635 640	1920
ccg cca ggg tcc ctg gga aca ggg gct gcc tcg gga ggc caa gcc ggt Pro Pro Gly Ser Leu Gly Thr Gly Ala Ala Ser Gly Gly Gln Ala Gly 645 650 655	1968
gac aca aag ggt gca gcc gaa aga gcc gcc tcc ccg cag aca ggg ccg Asp Thr Lys Gly Ala Ala Glu Arg Ala Ala Ser Pro Gln Thr Gly Pro 660 665 670	2016
tgg ccc tcc acc cga ggc ttc agc cgg aag gag agc ctt ctg cag ata Trp Pro Ser Thr Arg Gly Phe Ser Arg Lys Glu Ser Leu Leu Gln Ile 675 680 685	2064
gcg gag aac cca gag ctg cag ctg cag cca gat ggc ttc cgg ctc ccc Ala Glu Asn Pro Glu Leu Gln Leu Gln Pro Asp Gly Phe Arg Leu Pro 690 695 700	2112
gct cca ccc tgc cca gac ccg ggc gcc ctg cct ggc tta ggc aga agc Ala Pro Pro Cys Pro Asp Pro Gly Ala Leu Pro Gly Leu Gly Arg Ser 705 710 715 720	2160
agc cgg gag ccc cat gtg cag ccg gtg gcc ggg acc aat ttc ttc cat Ser Arg Glu Pro His Val Gln Pro Val Ala Gly Thr Asn Phe Phe His 725 730 735	2208
atc ccg ctc acc cct gct tca gcc cca cag gtc cgc ctg gat ctg ggc Ile Pro Leu Thr Pro Ala Ser Ala Pro Gln Val Arg Leu Asp Leu Gly 740 745 750	2256
aat tgc tat gag gtg ctg acc ttg gcc aag agg cag aac ctg gag gcc Asn Cys Tyr Glu Val Leu Thr Leu Ala Lys Arg Gln Asn Leu Glu Ala 755 760 765	2304
ctg aaa gag gcg gcc tac aag gtg atg agc gaa aac tac ctg cag gtg Leu Lys Glu Ala Ala Tyr Lys Val Met Ser Glu Asn Tyr Leu Gln Val 770 775 780	2352
ctg cgc agc ccg gac atc tac ggg tgc ctg agc ggg gca gag cgc gag Leu Arg Ser Pro Asp Ile Tyr Gly Cys Leu Ser Gly Ala Glu Arg Glu 785 790 795 800	2400
ctg atc ctg cag cgc cgg ctc cgg ggc cgc cag tac ctg gtg gtg gct Leu Ile Leu Gln Arg Arg Leu Arg Gly Arg Gln Tyr Leu Val Val Ala 805 810 815	2448
gac gtg tgc ccc aag gaa gac tcc ggc ggc ctc tgt tgc tat gac gat Asp Val Cys Pro Lys Glu Asp Ser Gly Gly Leu Cys Cys Tyr Asp Asp 820 825 830	2496
gag cag gat gtc tgg cgc ccg ctg gct cgc atg ccc ccc gag gcc gtg Glu Gln Asp Val Trp Arg Pro Leu Ala Arg Met Pro Pro Glu Ala Val 835 840 845	2544
tcc cgg ggc tgt gcc atc tgc agt ctc ttc aat tat ctc ttc gtg gtg Ser Arg Gly Cys Ala Ile Cys Ser Leu Phe Asn Tyr Leu Phe Val Val 850 855 860	2592

850	855	160 200 PCT FINAL.ST25 860	
tcc ggc tgc cag ggg ccc ggg cac cag ccc tcc agc cgc gtc ttc tgc Ser Gly Cys Gln Gly Pro Gly His Gln Pro Ser Ser Arg Val Phe Cys 865 870 875 880			2640
tac aac ccg ctc acg ggg atc tgg agc gag gtg tgc ccg ctg aac cag Tyr Asn Pro Leu Thr Gly Ile Trp Ser Glu Val Cys Pro Leu Asn Gln 885 890 895			2688
gcc cgg ccg cac tgc cgg ctg gtg gcc ctg gac ggg cac ctg tat gcc Ala Arg Pro His Cys Arg Leu Val Ala Leu Asp Gly His Leu Tyr Ala 900 905 910			2736
atc ggc gga gag tgt ctg aac tcg gtg gag cgt tac gac ccc cgc ctg Ile Gly Gly Glu Cys Leu Asn Ser Val Glu Arg Tyr Asp Pro Arg Leu 915 920 925			2784
gac cgc tgg gac ttt gcc ccg ccg ctc ccc agt gac acg ttc gcc ctg Asp Arg Trp Asp Phe Ala Pro Pro Leu Pro Ser Asp Thr Phe Ala Leu 930 935 940			2832
gcg cac acg gcc acg gtg cgt gcc aag gaa atc ttc gtc acc ggc ggc Ala His Thr Ala Thr Val Arg Ala Lys Glu Ile Phe Val Thr Gly Gly 945 950 955 960			2880
tcg ctg cgc ttc ctg ctg ttc cgc ttc tct gcg cag gag cag cgc tgg Ser Leu Arg Phe Leu Leu Phe Arg Phe Ser Ala Gln Glu Gln Arg Trp 965 970 975			2928
tgg gcc ggc ccc acc ggg ggc agc aag gac cgc acg gcc gag atg gtg Trp Ala Gly Pro Thr Gly Gly Ser Lys Asp Arg Thr Ala Glu Met Val 980 985 990			2976
gcg gtc aac ggc ttt ctc tac cgc ttt gac ctc aac cgc agc ctg ggc Ala Val Asn Gly Phe Leu Tyr Arg Phe Asp Leu Asn Arg Ser Leu Gly 995 1000 1005			3024
atc gcc gtg tac cgc tgc agc gcc agc acc cgg ctc tgg tac gag Ile Ala Val Tyr Arg Cys Ser Ala Ser Thr Arg Leu Trp Tyr Glu 1010 1015 1020			3069
tgc gcc acg tac ccg acg cct tac ccg gat gcc ttc cag tgc gcc Cys Ala Thr Tyr Arg Thr Pro Tyr Pro Asp Ala Phe Gln Cys Ala 1025 1030 1035			3114
gtg gtg gac aac ctc atc tac tgc gtg gga cgc cgg agc acc ctc Val Val Asp Asn Leu Ile Tyr Cys Val Gly Arg Arg Ser Thr Leu 1040 1045 1050			3159
tgc ttc cta gca gac tct gtc tca ccc aga tct gta gcc gtc ttc Cys Phe Leu Ala Asp Ser Val Ser Pro Arg Ser Val Ala Val Phe 1055 1060 1065			3204
ctg tct gga agc tgg ggc aac cac cac cag tca gca ctt cag ggt Leu Ser Gly Ser Trp Gly Asn His His Gln Ser Ala Leu Gln Gly 1070 1075 1080			3249
gac agc ata att tgc cct cct tgt gcc agg tgg tcc cag cta gat Asp Ser Ile Ile Cys Pro Pro Cys Ala Arg Trp Ser Gln Leu Asp 1085 1090 1095			3294
cct gtg tcc acg gaa gct gct ggt gcc cag gct gtg ggt ctt gtt Pro Val Ser Thr Glu Ala Ala Gly Ala Gln Ala Val Gly Leu Val 1100 1105 1110			3339
gga aga agc agg act gga aca aag gat gaa aag gag gtt ggc atg Gly Arg Ser Arg Thr Gly Thr Lys Asp Glu Lys Glu Val Gly Met 1115 1120 1125			3384
gac ata aga gga gag ctt gca ctg gac cac cga aga cca cca tcc Asp Ile Arg Gly Glu Leu Ala Leu Asp His Arg Arg Pro Pro Ser 1130 1135 1140			3429
ctg gtc tgg gct ctg gca cca ggc tct gcc agt ggc agc tca gag Leu Val Trp Ala Leu Ala Pro Gly Ser Ala Ser Gly Ser Ser Glu 1145 1150 1155			3474
gcc aca ggg tga			3486

160 200 PCT FINAL.ST25

Ala Thr Gly  
1160

<210> 99  
 <211> 1161  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 99

Met Gly Pro Pro Glu Phe Met Tyr Glu Gln Asp Asn Ser Thr His  
 1 5 10 15

Leu Gln Pro Leu Lys Thr Cys Pro Val Ala Arg Gln Leu Ile Arg Gly  
 20 25 30

Val Leu Arg Ala Pro Asp Gly Ala Lys Pro Gly Glu Asp Arg Gly Gln  
 35 40 45

Ala Arg Cys Asn Gly Arg Val Cys Gly Glu Lys Ser Lys Gln Pro Ile  
 50 55 60

Glu Ala Phe Lys Pro Val Cys Tyr Lys Pro Gln Phe Met Ser His Ile  
 65 70 75 80

Ile Pro Leu Tyr Ser Ile His Ala Ser Gln Ser Ser Ser Gln Ser Lys  
 85 90 95

Leu Pro Ala His Leu His Leu Asp Pro Leu Gly Cys Ala Ser Leu Ser  
 100 105 110

Phe Ser Ser Thr Gln Pro Ser Pro Pro Tyr Tyr Pro Gly Leu Val Leu  
 115 120 125

Gly Cys Ser Lys Gln Asn Thr Gly Gly Ala Lys Cys Gln Lys Pro Leu  
 130 135 140

Thr Arg Arg Phe Glu His Leu Gly Thr Ala Lys Lys Pro Lys Lys Ser  
 145 150 155 160

Val Trp Pro Leu Gln Ser Leu Pro Gln Arg Asp Leu Lys Leu Val Asn  
 165 170 175

Ala Arg Ser Gln Ala Cys Trp Asn Pro Arg Thr Trp Gly Ala Ala Thr  
 180 185 190

Pro Asp Thr Asp Pro Glu Glu Ala Asn Ser Gly Gln Gln Asn Ile Lys  
 195 200 205

Glu Gln Gln Tyr Arg Val Ser Leu Gly Asn Asn Thr Gly Ser Pro Leu  
 210 215 220

Cys Ser Thr Glu Val Asn Phe Gly Ser Arg Gln Gln Gly Lys Leu Asn  
 225 230 235 240

Arg Thr Thr Arg Glu Ala Trp Lys Glu Ala Ser Arg Trp Asp Leu Pro  
 245 250 255

Ala Leu Gly Pro Ser Gly His Pro Leu Gln Leu Lys Val Thr Phe Ala  
 260 265 270

160 200 PCT FINAL.ST25

Pro Leu Leu Ser Ser Ala Gly Gln Pro Glu Pro Ala Gln Asn Ser Leu  
 275 280 285

Pro Ser Ala Gln Gln Asp Pro Gly Thr Gly Pro Tyr Trp Ala Ile Ile  
 290 295 300

Asn Gln Ile Leu Asp Ile Pro Gln Pro Gln Val Gly Trp Arg Ser Met  
 305 310 315 320

Phe Pro Arg Gly Ala Glu Ala Gln Asp Trp His Leu Asp Met Gln Leu  
 325 330 335

Thr Gly Lys Val Val Leu Ser Ala Ala Ala Leu Leu Leu Val Thr Val  
 340 345 350

Ala Tyr Arg Leu Tyr Lys Ser Arg Pro Ala Pro Ala Gln Arg Trp Gly  
 355 360 365

Gly Asn Gly Gln Ala Glu Ala Lys Glu Glu Ala Glu Gly Ser Gly Gln  
 370 375 380

Pro Ala Val Gln Glu Ala Ser Pro Gly Val Leu Leu Arg Gly Pro Arg  
 385 390 395 400

Arg Arg Arg Ser Ser Lys Arg Ala Glu Ala Pro Gln Gly Cys Ser Cys  
 405 410 415

Glu Asn Pro Arg Gly Pro Tyr Val Leu Val Thr Gly Ala Thr Ser Thr  
 420 425 430

Asp Arg Lys Pro Gln Arg Lys Gly Ser Gly Glu Glu Arg Gly Gly Gln  
 435 440 445

Gly Ser Asp Ser Glu Gln Val Pro Pro Cys Cys Pro Ser Gln Glu Thr  
 450 455 460

Arg Thr Ala Val Gly Ser Asn Pro Asp Pro Pro His Phe Pro Arg Leu  
 465 470 475 480

Gly Ser Glu Pro Lys Ser Ser Pro Ala Gly Leu Ile Ala Ala Ala Asp  
 485 490 495

Gly Ser Cys Ala Gly Gly Glu Pro Ser Pro Trp Gln Asp Ser Lys Pro  
 500 505 510

Arg Glu His Pro Gly Leu Gly Gln Leu Glu Pro Pro His Cys His Tyr  
 515 520 525

Val Ala Pro Leu Gln Gly Ser Ser Asp Met Asn Gln Ser Trp Val Phe  
 530 535 540

Thr Arg Val Ile Gly Val Ser Arg Glu Glu Ala Gly Ala Leu Glu Ala  
 545 550 555 560

Ala Ser Asp Val Asp Leu Thr Leu His Gln Gln Glu Gly Ala Pro Asn  
 565 570 575

Ser Ser Tyr Thr Phe Ser Ser Ile Ala Arg Val Arg Met Glu Glu His  
 580 585 590



## 160 200 PCT FINAL.ST25

Phe Ile Gln Lys Ala Glu Gly Val Glu Pro Arg Leu Lys Gly Lys Val  
595 600 605

Tyr Asp Tyr Tyr Val Glu Ser Thr Ser Gln Ala Ile Phe Gln Gly Arg  
610 615 620

Leu Ala Pro Arg Thr Ala Ala Leu Thr Glu Val Pro Ser Pro Arg Pro  
625 630 635 640

Pro Pro Gly Ser Leu Gly Thr Gly Ala Ala Ser Gly Gly Gln Ala Gly  
645 650 655

Asp Thr Lys Gly Ala Ala Glu Arg Ala Ala Ser Pro Gln Thr Gly Pro  
660 665 670

Trp Pro Ser Thr Arg Gly Phe Ser Arg Lys Glu Ser Leu Leu Gln Ile  
675 680 685

Ala Glu Asn Pro Glu Leu Gln Leu Gln Pro Asp Gly Phe Arg Leu Pro  
690 695 700

Ala Pro Pro Cys Pro Asp Pro Gly Ala Leu Pro Gly Leu Gly Arg Ser  
705 710 715 720

Ser Arg Glu Pro His Val Gln Pro Val Ala Gly Thr Asn Phe Phe His  
725 730 735

Ile Pro Leu Thr Pro Ala Ser Ala Pro Gln Val Arg Leu Asp Leu Gly  
740 745 750

Asn Cys Tyr Glu Val Leu Thr Leu Ala Lys Arg Gln Asn Leu Glu Ala  
755 760 765

Leu Lys Glu Ala Ala Tyr Lys Val Met Ser Glu Asn Tyr Leu Gln Val  
770 775 780

Leu Arg Ser Pro Asp Ile Tyr Gly Cys Leu Ser Gly Ala Glu Arg Glu  
785 790 795 800

Leu Ile Leu Gln Arg Arg Leu Arg Gly Arg Gln Tyr Leu Val Val Ala  
805 810 815

Asp Val Cys Pro Lys Glu Asp Ser Gly Gly Leu Cys Cys Tyr Asp Asp  
820 825 830

Glu Gln Asp Val Trp Arg Pro Leu Ala Arg Met Pro Pro Glu Ala Val  
835 840 845

Ser Arg Gly Cys Ala Ile Cys Ser Leu Phe Asn Tyr Leu Phe Val Val  
850 855 860

Ser Gly Cys Gln Gly Pro Gly His Gln Pro Ser Ser Arg Val Phe Cys  
865 870 875 880

Tyr Asn Pro Leu Thr Gly Ile Trp Ser Glu Val Cys Pro Leu Asn Gln  
885 890 895

Ala Arg Pro His Cys Arg Leu Val Ala Leu Asp Gly His Leu Tyr Ala  
900 905 910

16U 200 PCT FINAL.ST25

Ile Gly Gly Glu Cys Leu Asn Ser Val Glu Arg Tyr Asp Pro Arg Leu  
 915 920 925

Asp Arg Trp Asp Phe Ala Pro Pro Leu Pro Ser Asp Thr Phe Ala Leu  
 930 935 940

Ala His Thr Ala Thr Val Arg Ala Lys Glu Ile Phe Val Thr Gly Gly  
 945 950 955 960

Ser Leu Arg Phe Leu Leu Phe Arg Phe Ser Ala Gln Glu Gln Arg Trp  
 965 970 975

Trp Ala Gly Pro Thr Gly Gly Ser Lys Asp Arg Thr Ala Glu Met Val  
 980 985 990

Ala Val Asn Gly Phe Leu Tyr Arg Phe Asp Leu Asn Arg Ser Leu Gly  
 995 1000 1005

Ile Ala Val Tyr Arg Cys Ser Ala Ser Thr Arg Leu Trp Tyr Glu  
 1010 1015 1020

Cys Ala Thr Tyr Arg Thr Pro Tyr Pro Asp Ala Phe Gln Cys Ala  
 1025 1030 1035

Val Val Asp Asn Leu Ile Tyr Cys Val Gly Arg Arg Ser Thr Leu  
 1040 1045 1050

Cys Phe Leu Ala Asp Ser Val Ser Pro Arg Ser Val Ala Val Phe  
 1055 1060 1065

Leu Ser Gly Ser Trp Gly Asn His His Gln Ser Ala Leu Gln Gly  
 1070 1075 1080

Asp Ser Ile Ile Cys Pro Pro Cys Ala Arg Trp Ser Gln Leu Asp  
 1085 1090 1095

Pro Val Ser Thr Glu Ala Ala Gly Ala Gln Ala Val Gly Leu Val  
 1100 1105 1110

Gly Arg Ser Arg Thr Gly Thr Lys Asp Glu Lys Glu Val Gly Met  
 1115 1120 1125

Asp Ile Arg Gly Glu Leu Ala Leu Asp His Arg Arg Pro Pro Ser  
 1130 1135 1140

Leu Val Trp Ala Leu Ala Pro Gly Ser Ala Ser Gly Ser Ser Glu  
 1145 1150 1155

Ala Thr Gly  
 1160

<210> 100  
 <211> 2953  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (350)..(2536)  
 <223>

## 16U 200 PCT FINAL.ST25

<400> 100  
ctcagctctg caaagagctc ctccccctcc aggaaaagca cttctcccca ggcagggcgg 60  
tcagtccctt cagcgcacct gcatgcacac acaccacctc acaaccacac actgcatgca 120  
cacacataca ccacagccac acactgtgca tacacgcaca cccacaacc cacatactgc 180  
atgcacacac acacacctac aagctgcatg ctgcatacac aagtcataca ggagataaac 240  
tcagagtccc agccccaat agaccccatc tcttgctcag ttgctgtcat cctagacctg 300  
tttctttcgc cacatttcta taatctgcca gtgtctgcaa ggagaagac atg ggg ggt 358  
Met Gly Gly  
1  
ttt cta cct aag gca gaa ggg ccc ggg agc caa ctc cag aaa ctt ctg 406  
Phe Leu Pro Lys Ala Glu Gly Pro Gly Ser Gln Leu Gln Lys Leu Leu  
5 10 15  
ccc tcc ttt ctg gtc aga gaa caa gac tgg gac cag cac ctg gac aag 454  
Pro Ser Phe Leu Val Arg Glu Gln Asp Trp Asp Gln His Leu Asp Lys  
20 25 30 35  
ctt cat atg ctg cag cag aag agg att cta gag tct cca ctg ctt cga 502  
Leu His Met Leu Gln Lys Arg Ile Leu Glu Ser Pro Leu Leu Arg  
40 45 50  
gca tcc aag gaa aat gac ctg tct gtt ctt agg caa ctt cta ctg gac 550  
Ala Ser Lys Glu Asn Asp Leu Ser Val Leu Arg Gln Leu Leu Asp  
55 60 65  
tgc acc tgt gac gtt cga caa aga gga gcc ctg ggg gag acg gcg ctg 598  
Cys Thr Cys Asp Val Arg Gln Arg Gly Ala Leu Gly Glu Thr Ala Leu  
70 75 80  
cac ata gca gcc ctc tat gac aac ttg gag gcg gcc ttg gtg ctg atg 646  
His Ile Ala Ala Leu Tyr Asp Asn Leu Glu Ala Ala Leu Val Leu Met  
85 90 95  
gag gct gcc cca gag ctg gtc ttt gag ccc acc aca tgt gag gct ttt 694  
Glu Ala Ala Pro Glu Leu Val Phe Glu Pro Thr Thr Cys Glu Ala Phe  
100 105 110 115  
gca ggt cag act gca ctg cac atc gct gtt gtg aac cag aat gtg aac 742  
Ala Gly Gln Thr Ala Leu His Ile Ala Val Val Asn Gln Asn Val Asn  
120 125 130  
ctg gtg cgt gcc ctg ctc acc cgc agg gcc agt gtc tct gcc aga gcc 790  
Leu Val Arg Ala Leu Leu Thr Arg Arg Ala Ser Val Ser Ala Arg Ala  
135 140 145  
aca ggc act gcc ttc cgc cgt agt ccc cgc aac ctc atc tac ttt ggg 838  
Thr Gly Thr Ala Phe Arg Arg Ser Pro Arg Asn Leu Ile Tyr Phe Gly  
150 155 160  
gag cac cct ttg tcc ttt gct gcc tgt gtg aac agc gag gag atc gtg 886  
Glu His Pro Leu Ser Phe Ala Ala Cys Val Asn Ser Glu Glu Ile Val  
165 170 175  
cgg ctg ctc att gag cat gga gct gac atc agg gcc cag gac tcc ctg 934  
Arg Leu Leu Ile Glu His Gly Ala Asp Ile Arg Ala Gln Asp Ser Leu  
180 185 190 195  
gga aac aca gta tta cac atc ctc atc ctc cag ccc aac aaa acc ttt 982  
Gly Asn Thr Val Leu His Ile Leu Ile Leu Gln Pro Asn Lys Thr Phe  
200 205 210  
gcc tgc cag atg tac aac ctg ctg ctg tcc tac gat gga cat ggg gac 1030  
Ala Cys Gln Met Tyr Asn Leu Leu Leu Ser Tyr Asp Gly His Gly Asp  
215 220 225  
cac ctg cag ccc ctg gac ctt gtg ccc aat cac cag ggt ctc acc ccc 1078  
His Leu Gln Pro Leu Asp Leu Val Pro Asn His Gln Gly Leu Thr Pro  
230 235 240  
ttc aag ctg gct gga gtg gag ggt aac act gtg atg ttc cag cac ctg 1126  
Phe Lys Leu Ala Gly Val Glu Gly Asn Thr Val Met Phe Gln His Leu  
245 250 255

16U 200 PCT FINAL.ST25

atg cag aag cgg agg cac atc cag tgg acg tat gga ccc ctg acc tcc Met Gln Lys Arg Arg His Ile Gln Trp Thr Tyr Gly Pro Leu Thr Ser 260 265 270 275	1174
att ctc tac gac ctc aca gag atc gac tcc tgg gga gag gag ctg tcc Ile Leu Tyr Asp Leu Thr Glu Ile Asp Ser Trp Gly Glu Glu Leu Ser 280 285 290	1222
ttc ctg gag ctt gtg gtc tcc tct gat aaa cga gag gct cgc caa att Phe Leu Glu Leu Val Val Ser Ser Asp Lys Arg Glu Ala Arg Gln Ile 295 300 305	1270
ctg gaa cag acc cca gtg aag gag ctg gtg agc ttc aag tgg aac aag Leu Glu Gln Thr Pro Val Lys Glu Leu Val Ser Phe Lys Trp Asn Lys 310 315 320	1318
tat ggc cgg ccg tac ttc tgc atc ctg gct gcc ttg tac ctg ctc tac Tyr Gly Arg Pro Tyr Phe Cys Ile Leu Ala Ala Leu Tyr Leu Leu Tyr 325 330 335	1366
atg atc tgc ttt acc acg tgc tgc gtc tac cgc ccc ctt aag ttt cgt Met Ile Cys Phe Thr Thr Cys Cys Val Tyr Arg Pro Leu Lys Phe Arg 340 345 350 355	1414
ggg ggc aac cgc act cat tct cga gac atc acc atc ctc cag caa aaa Gly Gly Asn Arg Thr His Ser Arg Asp Ile Thr Ile Leu Gln Gln Lys 360 365 370	1462
cta cta cag gag gcc tat gag aca cgt gaa gat atc atc agg ctg gtg Leu Leu Gln Glu Ala Tyr Glu Thr Arg Glu Asp Ile Ile Arg Leu Val 375 380 385	1510
ggg gag ctg gtg agc atc gtt ggg gct gtg atc atc ctg ctc cta gag Gly Glu Leu Val Ser Ile Val Gly Ala Val Ile Ile Leu Leu Leu Glu 390 395 400	1558
att cca gac atc ttc agg gtt ggt gcc tct cgc tat ttt gga aag acg Ile Pro Asp Ile Phe Arg Val Gly Ala Ser Arg Tyr Phe Gly Lys Thr 405 410 415	1606
att ctt ggg ggg cca ttc cat gtc atc atc atc acc tat gcc tcc ctg Ile Leu Gly Gly Pro Phe His Val Ile Ile Ile Thr Tyr Ala Ser Leu 420 425 430 435	1654
gtg ctg gtg acc atg gtg atg cgg ctc acc aac acc aat ggg gag gtg Val Leu Val Thr Met Val Met Arg Leu Thr Asn Thr Asn Gly Glu Val 440 445 450	1702
gtg ccc atg tcc ttt gcc ctg gtg ctg ggc tgg tgc agt gtc atg tat Val Pro Met Ser Phe Ala Leu Val Leu Gly Trp Cys Ser Val Met Tyr 455 460 465	1750
ttc act cga gga ttc cag atg ctg ggt ccc ttc acc atc atg atc cag Phe Thr Arg Gly Phe Gln Met Leu Gly Pro Phe Thr Ile Met Ile Gln 470 475 480	1798
aag atg att ttt gga gac cta atg cgt ttc tgc tgg ctg atg gct gtg Lys Met Ile Phe Gly Asp Leu Met Arg Phe Cys Trp Leu Met Ala Val 485 490 495	1846
gtc atc ttg gga ttt gcc tcc gcg ttc tat atc att ttc cag aca gag Val Ile Leu Gly Phe Ala Ser Ala Phe Tyr Ile Ile Phe Gln Thr Glu 500 505 510 515	1894
gac cca acc agt ctg ggg caa ttc tat gac tac ccc atg gca ctg ttc Asp Pro Thr Ser Leu Gly Gln Phe Tyr Asp Tyr Pro Met Ala Leu Phe 520 525 530	1942
acc acc ttt gag ctt ttt ctc act gtt att gat gca cct gcc aac tac Thr Thr Phe Glu Leu Phe Leu Thr Val Ile Asp Ala Pro Ala Asn Tyr 535 540 545	1990
gac gtg gac ttg ccc ttc atg ttc agc att gtc aac ttc gcc ttc gcc Asp Val Asp Leu Pro Phe Met Phe Ser Ile Val Asn Phe Ala Phe Ala 550 555 560	2038
atc att gcc aca ctg ctc atg ctc aac ttg ttc atc gcc atg atg ggc Ile Ile Ala Thr Leu Leu Met Leu Asn Leu Phe Ile Ala Met Met Gly 2086	

16U 200 PCT FINAL.ST25  
575

565 570

gac acc cac tgg agg gtg gcc cag gag agg gat gag ctc tgg agg gcc 2134  
Asp Thr His Trp Arg Val Ala Gln Glu Arg Asp Glu Leu Trp Arg Ala  
580 585 590 595

cag gtc gtg gcc acc aca gtg atg ctg gag cgg aag ctg cct cgc tgc 2182  
Gln Val Val Ala Thr Val Met Leu Glu Arg Lys Leu Pro Arg Cys  
600 605 610

ctg tgg cct cgc tcc ggg atc tgt ggg tgc gaa ttc ggg ctg ggg gac 2230  
Leu Trp Pro Arg Ser Gly Ile Cys Gly Cys Glu Phe Gly Leu Gly Asp  
615 620 625

cgc tgg ttc ctg cgg gtt gag aac cac aat gat cag aat cct ctg cga 2278  
Arg Trp Phe Leu Arg Val Glu Asn His Asn Asp Gln Asn Pro Leu Arg  
630 635 640

gtg ctt cgc tat gtg gaa gtg ttc aag aac tca gac aag gag gat gac 2326  
Val Leu Arg Tyr Val Glu Val Phe Lys Asn Ser Asp Lys Glu Asp Asp  
645 650 655

cag gag cat cca tct gag aaa cag ccc tct ggg gct gag agt ggg act 2374  
Gln Glu His Pro Ser Glu Lys Gln Pro Ser Gly Ala Glu Ser Gly Thr  
660 665 670 675

cta gcc aga gcc tct ttg gct ctt cca act tcc tcc ctg tcc cgg acc 2422  
Leu Ala Arg Ala Ser Leu Ala Leu Pro Thr Ser Ser Leu Ser Arg Thr  
680 685 690

gcg tcc cag agc agc agt cac cga ggc tgg gag atc ctt cgt caa aac 2470  
Ala Ser Gln Ser Ser Ser His Arg Gly Trp Glu Ile Leu Arg Gln Asn  
695 700 705

acc ctg ggg cac ttg aat ctt gga ctg aac ctt agt gag ggg gat gga 2518  
Thr Leu Gly His Leu Asn Leu Gly Leu Asn Leu Ser Glu Gly Asp Gly  
710 715 720

gag gag gtc tac cat ttt tgattaacat cgctatcact cttgacctta 2566  
Glu Glu Val Tyr His Phe  
725

ctcccgggttg gcctgggggc ggggacagag acggagacct ctgcctatgc aagtgtctaa 2626

cttctgtgcc tgttaatcat gggaggggtga gacagaacaa tccctaaagg gtcattgcctc 2686

acacttcaca tcagaatttc tggcaatggg caatgggcat cgattgtctc acgtattttc 2746

tgggctcttg caagtcaccc atctcaggaa aaaggagggt ggcaactaaa gacatgaggc 2806

agggatgcta gattaatgtc aggaccatt tctcttctgc cccacgcagc ccctagaaag 2866

tagtaagctg tgaggctatt ctggctcccc agggcttacg tgggaagagc caggcatggc 2926

atagagggttg tggcccttct ttttttc 2953

<210> 101  
<211> 729  
<212> PRT  
<213> Homo sapiens

<400> 101

Met Gly Gly Phe Leu Pro Lys Ala Glu Gly Pro Gly Ser Gln Leu Gln  
1 5 10 15

Lys Leu Leu Pro Ser Phe Leu Val Arg Glu Gln Asp Trp Asp Gln His  
20 25 30

Leu Asp Lys Leu His Met Leu Gln Gln Lys Arg Ile Leu Glu Ser Pro  
35 40 45

Leu Leu Arg Ala Ser Lys Glu Asn Asp Leu Ser Val Leu Arg Gln Leu  
50 55 60

16U 200 PCT FINAL.ST25

Leu Leu Asp Cys Thr Cys Asp Val Arg Gln Arg Gly Ala Leu Gly Glu  
 65 70 75 80

Thr Ala Leu His Ile Ala Ala Leu Tyr Asp Asn Leu Glu Ala Ala Leu  
 85 90 95

Val Leu Met Glu Ala Ala Pro Glu Leu Val Phe Glu Pro Thr Thr Cys  
 100 105 110

Glu Ala Phe Ala Gly Gln Thr Ala Leu His Ile Ala Val Val Asn Gln  
 115 120 125

Asn Val Asn Leu Val Arg Ala Leu Leu Thr Arg Arg Ala Ser Val Ser  
 130 135 140

Ala Arg Ala Thr Gly Thr Ala Phe Arg Arg Ser Pro Arg Asn Leu Ile  
 145 150 155 160

Tyr Phe Gly Glu His Pro Leu Ser Phe Ala Ala Cys Val Asn Ser Glu  
 165 170 175

Glu Ile Val Arg Leu Leu Ile Glu His Gly Ala Asp Ile Arg Ala Gln  
 180 185 190

Asp Ser Leu Gly Asn Thr Val Leu His Ile Leu Ile Leu Gln Pro Asn  
 195 200 205

Lys Thr Phe Ala Cys Gln Met Tyr Asn Leu Leu Leu Ser Tyr Asp Gly  
 210 215 220

His Gly Asp His Leu Gln Pro Leu Asp Leu Val Pro Asn His Gln Gly  
 225 230 235 240

Leu Thr Pro Phe Lys Leu Ala Gly Val Glu Gly Asn Thr Val Met Phe  
 245 250 255

Gln His Leu Met Gln Lys Arg Arg His Ile Gln Trp Thr Tyr Gly Pro  
 260 265 270

Leu Thr Ser Ile Leu Tyr Asp Leu Thr Glu Ile Asp Ser Trp Gly Glu  
 275 280 285

Glu Leu Ser Phe Leu Glu Leu Val Val Ser Ser Asp Lys Arg Glu Ala  
 290 295 300

Arg Gln Ile Leu Glu Gln Thr Pro Val Lys Glu Leu Val Ser Phe Lys  
 305 310 315 320

Trp Asn Lys Tyr Gly Arg Pro Tyr Phe Cys Ile Leu Ala Ala Leu Tyr  
 325 330 335

Leu Leu Tyr Met Ile Cys Phe Thr Thr Cys Cys Val Tyr Arg Pro Leu  
 340 345 350

Lys Phe Arg Gly Gly Asn Arg Thr His Ser Arg Asp Ile Thr Ile Leu  
 355 360 365

Gln Gln Lys Leu Leu Gln Glu Ala Tyr Glu Thr Arg Glu Asp Ile Ile  
 370 375 380

160 200 PCT FINAL.ST25

Arg Leu Val Gly Glu Leu Val Ser Ile Val Gly Ala Val Ile Ile Leu  
385 390 395 400

Leu Leu Glu Ile Pro Asp Ile Phe Arg Val Gly Ala Ser Arg Tyr Phe  
405 410 415

Gly Lys Thr Ile Leu Gly Gly Pro Phe His Val Ile Ile Ile Thr Tyr  
420 425 430

Ala Ser Leu Val Leu Val Thr Met Val Met Arg Leu Thr Asn Thr Asn  
435 440 445

Gly Glu Val Val Pro Met Ser Phe Ala Leu Val Leu Gly Trp Cys Ser  
450 455 460

Val Met Tyr Phe Thr Arg Gly Phe Gln Met Leu Gly Pro Phe Thr Ile  
465 470 475 480

Met Ile Gln Lys Met Ile Phe Gly Asp Leu Met Arg Phe Cys Trp Leu  
485 490 495

Met Ala Val Val Ile Leu Gly Phe Ala Ser Ala Phe Tyr Ile Ile Phe  
500 505 510

Gln Thr Glu Asp Pro Thr Ser Leu Gly Gln Phe Tyr Asp Tyr Pro Met  
515 520 525

Ala Leu Phe Thr Thr Phe Glu Leu Phe Leu Thr Val Ile Asp Ala Pro  
530 535 540

Ala Asn Tyr Asp Val Asp Leu Pro Phe Met Phe Ser Ile Val Asn Phe  
545 550 555 560

Ala Phe Ala Ile Ile Ala Thr Leu Leu Met Leu Asn Leu Phe Ile Ala  
565 570 575

Met Met Gly Asp Thr His Trp Arg Val Ala Gln Glu Arg Asp Glu Leu  
580 585 590

Trp Arg Ala Gln Val Val Ala Thr Thr Val Met Leu Glu Arg Lys Leu  
595 600 605

Pro Arg Cys Leu Trp Pro Arg Ser Gly Ile Cys Gly Cys Glu Phe Gly  
610 615 620

Leu Gly Asp Arg Trp Phe Leu Arg Val Glu Asn His Asn Asp Gln Asn  
625 630 635 640

Pro Leu Arg Val Leu Arg Tyr Val Glu Val Phe Lys Asn Ser Asp Lys  
645 650 655

Glu Asp Asp Gln Glu His Pro Ser Glu Lys Gln Pro Ser Gly Ala Glu  
660 665 670

Ser Gly Thr Leu Ala Arg Ala Ser Leu Ala Leu Pro Thr Ser Ser Leu  
675 680 685

Ser Arg Thr Ala Ser Gln Ser Ser Ser His Arg Gly Trp Glu Ile Leu

690

695

16U 200 PCT FINAL.ST25  
700

Arg Gln Asn Thr Leu Gly His Leu Asn Leu Gly Leu Asn Leu Ser Glu  
705 710 715 720

Gly Asp Gly Glu Glu Val Tyr His Phe  
725

<210> 102  
<211> 1545  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (130)..(438)  
<223>

<400> 102  
atttgtgatg ggcactggct cctggctgag gaccgcctct tcgggctctg gcacttctgc 60  
accaccacca accagacgat ctgcttcaga gacctgggcc aggcccatgt gcccgggctg 120  
gccgtgggc atg ggc ctg gta cgc agc gtg ggc gcc ttg gcc gtg gtg gcc 171  
Met Gly Leu Val Arg Ser Val Gly Ala Leu Ala Val Val Ala  
1 5 10  
gcc att ttt ggc ctg gag ttc ctc atg gtg tcc cag ttg tgc gag gac 219  
Ala Ile Phe Gly Leu Glu Phe Leu Met Val Ser Gln Leu Cys Glu Asp  
15 20 25 30  
aaa cac tca cag tgc aag tgg gtc atg ggt tcc atc ctc ctc ctg gtg 267  
Lys His Ser Gln Cys Lys Trp Val Met Gly Ser Ile Leu Leu Leu Val  
35 40 45  
tct ttc gtc ctc tcc tcc ggc ggg ctc ctg ggt ttt gtg atc ctc ctc 315  
Ser Phe Val Leu Ser Ser Gly Gly Leu Leu Gly Phe Val Ile Leu Leu  
50 55 60  
agg aac caa gtc aca ctc atc ggc ttc acc cta atg ttt tgg tgc gaa 363  
Arg Asn Gln Val Thr Leu Ile Gly Phe Thr Leu Met Phe Trp Cys Glu  
65 70 75  
ttc act gcc tcc ttc ctc ctc ttc ctg aac gcc atc agc ggc ctt cac 411  
Phe Thr Ala Ser Phe Leu Leu Phe Leu Asn Ala Ile Ser Gly Leu His  
80 85 90  
atc aac agc atc acc cat ccc tgg gaa tgaccgtgga aattttaggc 458  
Ile Asn Ser Ile Thr His Pro Trp Glu  
95 100  
ccctccagg gacatcagat tccacaagaa aatatggtca aaatgggact ttccagcat 518  
gtggcctctg gtggggctgg gttggacaag ggccttgaaa cggctgcctg tttgccgata 578  
acttgtgggt ggtcagccag aaatggcccg ggggcctctg cacctggtct gcagggccag 638  
aggccaggag ggtgcctcag tgccaccaac tgcacaggct tagccagatg ttgattttag 698  
aggaagaaaa aaacatttta aaactccttc ttgaattttc ttccctggac tggaaatacag 758  
ttggaagcac aggggtaact ggtacctgag ctagctgcac agccaaggat agttcatgcc 818  
tgtttcattg acacgtgctg ggataggggc tgcagaatcc ctggggctcc cagggttgtt 878  
aagaatggat cattcttcca gctaagggtc caatcagtgc ctaggacttt cttccaccag 938  
ctcaaagggc ctctgatgt atgtccctgg ctacagcttt ggtcatgccaa aagaggcaga 998  
gttcaggatt ccctcagaat gccctgcaca cagtaggttt ccaaaccatt tgactcgggt 1058  
tgcctccctg cccgttgttt aaaccttaca aacctggat aacccatct tctagcagct 1118  
ggctgtgcct ctgggagctc tgcctatcag aacctacct taagggtgggt ttccttccga 1178  
gaagagttct tgagcaagct ctcccaggag ggcccacctg actgctaata cacagccctc 1238



## 160 200 PCT FINAL.ST25

cccaaggccc gtgtgtgcat gtgtctgtct ttgtgaggg ttagacagcc tcagggcacc 1298  
 atttttaatc ccagaacaca ttccaagag cacgtatcta gacctgctgg actctgcagg 1358  
 ggggtgagggg gaacagcgag agcttgaggta atgattaaca ccatgctgg ggatgcatgg 1418  
 aggtgaaggg ggccaggaac cagtggagat ttccatcctt gccagcacgt ctgtacttct 1478  
 gttcattaaa gtgtccctt tctagtcgat gtgtcactgc tgtatcatac ttttatgcta 1538  
 cacaacc 1545

<210> 103  
 <211> 103  
 <212> PRT  
 <213> Homo sapiens

<400> 103

Met Gly Leu Val Arg Ser Val Gly Ala Leu Ala Val Val Ala Ala Ile  
 1 5 10 15

Phe Gly Leu Glu Phe Leu Met Val Ser Gln Leu Cys Glu Asp Lys His  
 20 25 30

Ser Gln Cys Lys Trp Val Met Gly Ser Ile Leu Leu Leu Val Ser Phe  
 35 40 45

Val Leu Ser Ser Gly Gly Leu Leu Gly Phe Val Ile Leu Leu Arg Asn  
 50 55 60

Gln Val Thr Leu Ile Gly Phe Thr Leu Met Phe Trp Cys Glu Phe Thr  
 65 70 75 80

Ala Ser Phe Leu Leu Phe Leu Asn Ala Ile Ser Gly Leu His Ile Asn  
 85 90 95

Ser Ile Thr His Pro Trp Glu  
 100

<210> 104  
 <211> 24  
 <212> DNA  
 <213> Homo sapiens

<400> 104  
 gcgcttcgg acctgtatct ccac 24

<210> 105  
 <211> 24  
 <212> DNA  
 <213> Homo sapiens

<400> 105  
 caagctctgg gtctcgggca gaag 24

<210> 106  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 106  
 aaagagcctc taaagaaggg ttccagacta ccaggagctc actggaaata 50

<210> 107  
 <211> 24  
 <212> DNA

16U 200 PCT FINAL.ST25

<213> Homo sapiens  
<400> 107  
accatcctgc aaacttggat gggc 24

<210> 108  
<211> 24  
<212> DNA  
<213> Homo sapiens  
<400> 108  
aaggagccgg aagacagggg gagg 24

<210> 109  
<211> 50  
<212> DNA  
<213> Homo sapiens  
<400> 109  
gctttatgta tatgaaaacc ctgtttatct gagcctagaa ctgtctttgc 50

<210> 110  
<211> 50  
<212> DNA  
<213> Homo sapiens  
<400> 110  
agtgatagtt ttaaattggga gggaataaag tctgcaaaat ttcccatat 50

<210> 111  
<211> 24  
<212> DNA  
<213> Homo sapiens  
<400> 111  
gagtcctcct gtgcgtttgg gctg 24

<210> 112  
<211> 24  
<212> DNA  
<213> Homo sapiens  
<400> 112  
aagtgtaaag catgccccgc ctga 24

<210> 113  
<211> 50  
<212> DNA  
<213> Homo sapiens  
<400> 113  
agtcccagct taaaaaagag acagacagac agagagagag agagacagag 50

<210> 114  
<211> 50  
<212> DNA  
<213> Homo sapiens  
<400> 114  
ttagtgatgt aaaaaaatgt gaagaagaga gagtcaaggc agtaaaagga 50

<210> 115  
<211> 24  
<212> DNA  
<213> Homo sapiens  
<400> 115  
gttcgctatg ctgccacggt catc 24

<210> 116

16U 200 PCT FINAL.ST25

<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 116  
agtcctggca gtcctggcat tgtg 24

<210> 117  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 117  
gatacaata attaaaagcc cagggttaagg taaatatatt aaagaccaag 50

<210> 118  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 118  
atctcacgaa ttaaaaatgc tgagggtgga aattgttatc aattctatgt 50

<210> 119  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 119  
caggattacg cacaaacggc atgg 24

<210> 120  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 120  
tgaggagcgag agatagcaga gccc 24

<210> 121  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 121  
ctagactatt taaaaaaacc cctggcttgc acagtggctc aagcctgtaa 50

<210> 122  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 122  
ctgggtcctgg gcaccctgat aagc 24

<210> 123-  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 123  
cccagggtctg gttgcagtgc tctc 24

<210> 124  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 124  
agctgtcctc attaaaagt acctggagtg agatggattc ttctgcctat 50

16U 200 PCT FINAL.ST25

<210> 125  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 125  
ccaattcttc tgaaaaacgg gagtcactgt gggcaccatc acgcccgggt 50

<210> 126  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 126  
ctgaggtgtc cctcccaagc aggt 24

<210> 127  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 127  
tacggccgag aagcactgga gatg 24

<210> 128  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 128  
taaacaata cataaatgag gcagttacta gtagtggtaa ctgctaggaa 50

<210> 129  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 129  
actaaaaata taaaaatcag ccaggcctgg tggcacatgt ctgtaatctc 50

<210> 130  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 130  
gggatgcatt ataaatgcaa ccagccagag ggcccctggc ttcagaacct 50

<210> 131  
<211> 27  
<212> DNA  
<213> Homo sapiens

<400> 131  
gtcacctcag cgatctcaac gataggg 27

<210> 132  
<211> 28  
<212> DNA  
<213> Homo sapiens

<400> 132  
tggagcagga acaggatata ggtagggg 28

<210> 133  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 133

16U 200 PCT FINAL.ST25

atataccttg tttaaaagag gggattatc acaataaaac aaggaaagct 50

<210> 134  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 134  
accctactt ttaaaggcct tgacaaacag tgctaaagtt ctcaccttaa 50

<210> 135  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 135  
gggtgggaag gaagcaggga agag 24

<210> 136  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 136  
ccagctagtt catgcttggc gcag 24

<210> 137  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 137  
ttattgggca taaaaatatg aagagaggtc ccagagagtc cctaggttct 50

<210> 138  
<211> 30  
<212> DNA  
<213> Homo sapiens

<400> 138  
ctgttgggaa tcttcagcca gatctcacac 30

<210> 139  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 139  
atggaggttt ctgcacgctc agca 24

<210> 140  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 140  
aagcaatttg ttaaaaactg gcattacttt actcttatgc ttctgtgtc 50

<210> 141  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 141  
actttaattt tataaagaag gttcacatca agaaattcca agtgaggttc 50

<210> 142  
<211> 24  
<212> DNA  
<213> Homo sapiens

16U 200 PCT FINAL.ST25

<400> 142  
gggccacttc cacagacagg aagc 24

<210> 143  
<211> 33  
<212> DNA  
<213> Homo sapiens

<400> 143  
tggcctgaga ggtagattcc acatagtagt cgt 33

<210> 144  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 144  
aaggcttctt caaaaaaagc gggcttggtc tgggccagaa aatcagagtg 50

<210> 145  
<211> 31  
<212> DNA  
<213> Homo sapiens

<400> 145  
ctcctttctg gtcagagaac aagactggga c 31

<210> 146  
<211> 27  
<212> DNA  
<213> Homo sapiens

<400> 146  
gtgatgtctc gagaatgagt gcggttg 27

<210> 147  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 147  
cagcgaggca gaaaaatgtc ccacaagttg agccctcccc actcccagtg 50

<210> 148  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 148  
taatataaaa tatataaaat agtgaacat tacttattcc tcttggtgtt 50

<210> 149  
<211> 27  
<212> DNA  
<213> Homo sapiens

<400> 149  
gcagatgacc cgacctgact gtcttc 27

<210> 150  
<211> 27  
<212> DNA  
<213> Homo sapiens

<400> 150  
tggctgtgca gctagctcag gtaccag 27

<210> 151  
<211> 50

160 200 PCT FINAL.ST25

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 151

gccagagagt ttaaatgaag ccctactttg gggcaggagc gggaggaaac 50

&lt;210&gt; 152

&lt;211&gt; 945

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)..(945)

&lt;223&gt;

&lt;400&gt; 152

atg ggt gta aaa aac cat tcc aca gtg act gag ttt ctt ctt tca gga 48  
Met Gly Val Lys Asn His Ser Thr Val Thr Glu Phe Leu Leu Ser Gly

1 5 10 15

tta act gaa caa gca gag ctt cag ctg ccc ctc ttc tgc ctc ttc tta 96  
Leu Thr Glu Gln Ala Glu Leu Gln Leu Pro Leu Phe Cys Leu Phe Leu

20 25 30

gga att tac aca gtt act gtg gtg gga aac ctc agc atg atc tca att 144  
Gly Ile Tyr Thr Val Thr Val Gly Asn Leu Ser Met Ile Ser Ile

35 40 45

att agg ctg aat cgt caa ctt cat acc ccc atg tac tat ttc ctg agt 192  
Ile Arg Leu Asn Arg Gln Leu His Thr Pro Met Tyr Tyr Phe Leu Ser

50 55 60

agt ttg tct ttt tta gat ttc tgc tat tct tct gtc att acc cct aaa 240  
Ser Leu Ser Phe Leu Asp Phe Cys Tyr Ser Ser Val Ile Thr Pro Lys

65 70 75 80

atg cta tca ggg ttt tta tgc aga gat aga tcc atc tcc tat tct gga 288  
Met Leu Ser Gly Phe Leu Cys Arg Asp Arg Ser Ile Ser Tyr Ser Gly

85 90 95

tgc atg att cag ctg ttt ttt ttc tgt gtt tgt gtt att tct gaa tgc 336  
Cys Met Ile Gln Leu Phe Phe Phe Cys Val Cys Val Ile Ser Glu Cys

100 105 110

tac atg ctg gca gcc atg gcc tgc gat cgc tac gtg gcc atc tgc agc 384  
Tyr Met Leu Ala Ala Met Ala Cys Asp Arg Tyr Val Ala Ile Cys Ser

115 120 125

cca ctg ctc tac agg gtc atc atg tcc cct agg gtc tgt tct ctg ctg 432  
Pro Leu Leu Tyr Arg Val Ile Met Ser Pro Arg Val Cys Ser Leu Leu

130 135 140

gtg gct gct gtc ttc tca gta ggt ttc act gat gct gtg atc cat gga 480  
Val Ala Ala Val Phe Ser Val Gly Phe Thr Asp Ala Val Ile His Gly

145 150 155 160

ggg tgt ata ctc agg ttg tct ttc tgt gga tca aac atc att aaa cat 528  
Gly Cys Ile Leu Arg Leu Ser Phe Cys Gly Ser Asn Ile Ile Lys His

165 170 175

tat ttc tgt gac att gtc cct ctt att aaa ctc tcc tgc tcc agc act 576  
Tyr Phe Cys Asp Ile Val Pro Leu Ile Lys Leu Ser Cys Ser Ser Thr

180 185 190

tat att gat gag ctt ttg att ttt gtc att ggt gga ttt aac atg gtg 624  
Tyr Ile Asp Glu Leu Leu Ile Phe Val Ile Gly Gly Phe Asn Met Val

195 200 205

gcc aca agc cta aca atc att att tca tat gct ttt atc ctc acc agc 672  
Ala Thr Ser Leu Thr Ile Ile Ile Ser Tyr Ala Phe Ile Leu Thr Ser

210 215 220

atc ctg cgc atc cac tct aaa aag ggc agg tgc aaa gcg ttt agc acc 720  
Ile Leu Arg Ile His Ser Lys Lys Gly Arg Cys Lys Ala Phe Ser Thr

225 230 235 240

tgt agc tcc cac ctg aca gct gtt ctt atg ttt tat ggg tct ctg atg 768

16U 200 PCT FINAL.ST25  
 Cys Ser Ser His Leu Thr Ala Val Leu Met Phe Tyr Gly Ser Leu Met  
                   245                  250                  255  
 tcc atg tat ctc aaa cct gct tct agc agt tca ctc acc cag gag aaa 816  
 Ser Met Tyr Leu Lys Pro Ala Ser Ser Ser Leu Thr Gln Glu Lys  
                   260                  265                  270  
 gta tcc tca gta ttt tat acc act gtg att ctc atg ttg aat ccc ttg 864  
 Val Ser Ser Val Phe Tyr Thr Thr Val Ile Leu Met Leu Asn Pro Leu  
                   275                  280                  285  
 ata tat agt ctg agg aac aat gaa gta aga aat gct ctg atg aaa ctt 912  
 Ile Tyr Ser Leu Arg Asn Asn Glu Val Arg Asn Ala Leu Met Lys Leu  
                   290                  295                  300  
 tta aga aga aaa ata tct tta tct cca gga taa 945  
 Leu Arg Arg Lys Ile Ser Leu Ser Pro Gly  
                   305                  310

<210> 153  
 <211> 314  
 <212> PRT  
 <213> Homo sapiens

<400> 153

Met Gly Val Lys Asn His Ser Thr Val Thr Glu Phe Leu Leu Ser Gly  
 1                  5                  10                  15

Leu Thr Glu Gln Ala Glu Leu Gln Leu Pro Leu Phe Cys Leu Phe Leu  
                   20                  25                  30

Gly Ile Tyr Thr Val Thr Val Val Gly Asn Leu Ser Met Ile Ser Ile  
                   35                  40                  45

Ile Arg Leu Asn Arg Gln Leu His Thr Pro Met Tyr Tyr Phe Leu Ser  
                   50                  55                  60

Ser Leu Ser Phe Leu Asp Phe Cys Tyr Ser Ser Val Ile Thr Pro Lys  
 65                  70                  75                  80

Met Leu Ser Gly Phe Leu Cys Arg Asp Arg Ser Ile Ser Tyr Ser Gly  
                   85                  90                  95

Cys Met Ile Gln Leu Phe Phe Phe Cys Val Cys Val Ile Ser Glu Cys  
                   100                  105                  110

Tyr Met Leu Ala Ala Met Ala Cys Asp Arg Tyr Val Ala Ile Cys Ser  
                   115                  120                  125

Pro Leu Leu Tyr Arg Val Ile Met Ser Pro Arg Val Cys Ser Leu Leu  
                   130                  135                  140

Val Ala Ala Val Phe Ser Val Gly Phe Thr Asp Ala Val Ile His Gly  
 145                  150                  155                  160

Gly Cys Ile Leu Arg Leu Ser Phe Cys Gly Ser Asn Ile Ile Lys His  
                   165                  170                  175

Tyr Phe Cys Asp Ile Val Pro Leu Ile Lys Leu Ser Cys Ser Ser Thr  
                   180                  185                  190

Tyr Ile Asp Glu Leu Leu Ile Phe Val Ile Gly Gly Phe Asn Met Val  
                   195                  200                  205



16U 200 PCT FINAL.ST25

Ala Thr Ser Leu Thr Ile Ile Ile Ser Tyr Ala Phe Ile Leu Thr Ser  
 210 215 220

Ile Leu Arg Ile His Ser Lys Lys Gly Arg Cys Lys Ala Phe Ser Thr  
 225 230 235 240

Cys Ser Ser His Leu Thr Ala Val Leu Met Phe Tyr Gly Ser Leu Met  
 245 250 255

Ser Met Tyr Leu Lys Pro Ala Ser Ser Ser Ser Leu Thr Gln Glu Lys  
 260 265 270

Val Ser Ser Val Phe Tyr Thr Thr Val Ile Leu Met Leu Asn Pro Leu  
 275 280 285

Ile Tyr Ser Leu Arg Asn Asn Glu Val Arg Asn Ala Leu Met Lys Leu  
 290 295 300

Leu Arg Arg Lys Ile Ser Leu Ser Pro Gly  
 305 310

<210> 154  
 <211> 34  
 <212> DNA  
 <213> Homo sapiens

<400> 154  
 ctgtgatcca tggaggttgt atactcaggt tgtc 34

<210> 155  
 <211> 36  
 <212> DNA  
 <213> Homo sapiens

<400> 155  
 tcacagagc atttcttact tcattgttcc tcagac 36

<210> 156  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 156  
 caggagaatt aaatataaga gtggtcagtg tgtttgtaac actcaggaca 50

<210> 157  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 157  
 aaaacatgct ttaaaaaacc catgatatta aagacaaaaa actgagcata 50

<210> 158  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 158  
 atgaacagct tattaatatag ccaggtagct gggcagaatg agaaaatgca 50

<210> 159  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 159

16U 200 PCT FINAL.ST25

gcccacact aaataaaggg tcagctttct cagagataag gccatgattg 50

<210> 160  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 160  
 tgctataaaa tgtttttaaa aagtgtgaag ttggcctatc accaagtaag 50

<210> 161  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 161  
 taaatatgt atttatatag tccttcagga ggactgaggc atcctccagt 50

<210> 162  
 <211> 957  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(957)  
 <223>

<400> 162  
 atg aat cca gca aat cat tcc cag gtg gca gga ttt gtt cta ctg ggg 48  
 Met Asn Pro Ala Asn His Ser Gln Val Ala Gly Phe Val Leu Leu Gly  
 1 5 10 15

ctc tct cag gtt tgg gag ctt cgg ttt gtt ttc ttc act gtt ttc tct 96  
 Leu Ser Gln Val Trp Glu Leu Arg Phe Val Phe Phe Thr Val Phe Ser  
 20 25 30

gct gtg tat ttt atg act gta gtg gga aac ctt ctt att gtg gtc ata 144  
 Ala Val Tyr Phe Met Thr Val Val Gly Asn Leu Leu Ile Val Val Ile  
 35 40 45

gtg acc tcc gac cca cac ctg cac aca acc atg tat ttt ctc ttg ggc 192  
 Val Thr Ser Asp Pro His Leu His Thr Thr Met Tyr Phe Leu Leu Gly  
 50 55 60

aat ctt tct ttc ctg gac ttt tgc tac tct tcc atc aca gca cct agg 240  
 Asn Leu Ser Phe Leu Asp Phe Cys Tyr Ser Ser Ile Thr Ala Pro Arg  
 65 70 75 80

atg ctg gtt gac ttg ctc tca ggc aac cct acc att tcc ttt ggt gga 288  
 Met Leu Val Asp Leu Leu Ser Gly Asn Pro Thr Ile Ser Phe Gly Gly  
 85 90 95

tgc ctg act caa ctc ttc ttc ttc cac ttc att gga ggc atc aag atc 336  
 Cys Leu Thr Gln Leu Phe Phe Phe His Phe Ile Gly Gly Ile Lys Ile  
 100 105 110

ttc ctg ctg act gtc atg gcg tat gac cgc tac att gcc att tcc cag 384  
 Phe Leu Leu Thr Val Met Ala Tyr Asp Arg Tyr Ile Ala Ile Ser Gln  
 115 120 125

ccc ctg cac tac acg ctc att atg aat cag act gtc tgt gca ctc ctt 432  
 Pro Leu His Tyr Thr Leu Ile Met Asn Gln Thr Val Cys Ala Leu Leu  
 130 135 140

atg gca gcc tcc tgg gtg ggg ggc ttc atc cac tcc ata gta cag att 480  
 Met Ala Ala Ser Trp Val Gly Gly Phe Ile His Ser Ile Val Gln Ile  
 145 150 155 160

gca ttg act atc cag ctg cca ttc tgt ggg cct gac aag ctg gac aac 528  
 Ala Leu Thr Ile Gln Leu Pro Phe Cys Gly Pro Asp Lys Leu Asp Asn  
 165 170 175

ttt tat tgt gat gtg cct cag ctg atc aaa ttg gcc tgc aca gat acc 576  
 Phe Tyr Cys Asp Val Pro Gln Leu Ile Lys Leu Ala Cys Thr Asp Thr  
 180 185 190

## 16U 200 PCT FINAL.ST25

ttt gtc tta gag ctt tta atg gtg tct aac aat ggc ctg gtg acc ctg 624  
 Phe Val Leu Glu Leu Leu Met Val Ser Asn Asn Gly Leu Val Thr Leu  
 195 200 205  
 atg tgt ttt ctg gtg ctt ctg gga tgc tac aca gca ctg cta gtc atg 672  
 Met Cys Phe Leu Val Leu Leu Gly Ser Tyr Thr Ala Leu Leu Val Met  
 210 215 220  
 ctg cga agc cac tca cgg gag ggc cgc agc aag gcc ctg tct acc tgt 720  
 Leu Arg Ser His Ser Arg Glu Gly Arg Ser Lys Ala Leu Ser Thr Cys  
 225 230 235 240  
 gcc tct cac att gct gtg gtg acc tta atc ttt gtg cct tgc atc tac 768  
 Ala Ser His Ile Ala Val Val Thr Leu Ile Phe Val Pro Cys Ile Tyr  
 245 250 255  
 gtc tat aca agg cct ttt cgg aca ttc ccc atg gac aag gcc gtc tct 816  
 Val Tyr Thr Arg Pro Phe Arg Thr Phe Pro Met Asp Lys Ala Val Ser  
 260 265 270  
 gtg cta tac aca att gtc acc ccc atg ctg aat cct gcc atc tat acc 864  
 Val Leu Tyr Thr Ile Val Thr Pro Met Leu Asn Pro Ala Ile Tyr Thr  
 275 280 285  
 ctg aga aac aag gaa gtg atc atg gcc atg aag aag ctg tgg agg agg 912  
 Leu Arg Asn Lys Glu Val Ile Met Ala Met Lys Lys Leu Trp Arg Arg  
 290 295 300  
 aaa aag gac cct att ggt ccc ctg gag cac aga ccc tta cat tag 957  
 Lys Lys Asp Pro Ile Gly Pro Leu Glu His Arg Pro Leu His  
 305 310 315  
 <210> 163  
 <211> 318  
 <212> PRT  
 <213> Homo sapiens  
 <400> 163  
 Met Asn Pro Ala Asn His Ser Gln Val Ala Gly Phe Val Leu Leu Gly  
 1 5 10 15  
 Leu Ser Gln Val Trp Glu Leu Arg Phe Val Phe Phe Thr Val Phe Ser  
 20 25 30  
 Ala Val Tyr Phe Met Thr Val Val Gly Asn Leu Leu Ile Val Val Ile  
 35 40 45  
 Val Thr Ser Asp Pro His Leu His Thr Thr Met Tyr Phe Leu Leu Gly  
 50 55 60  
 Asn Leu Ser Phe Leu Asp Phe Cys Tyr Ser Ser Ile Thr Ala Pro Arg  
 65 70 75 80  
 Met Leu Val Asp Leu Leu Ser Gly Asn Pro Thr Ile Ser Phe Gly Gly  
 85 90 95  
 Cys Leu Thr Gln Leu Phe Phe Phe His Phe Ile Gly Gly Ile Lys Ile  
 100 105 110  
 Phe Leu Leu Thr Val Met Ala Tyr Asp Arg Tyr Ile Ala Ile Ser Gln  
 115 120 125  
 Pro Leu His Tyr Thr Leu Ile Met Asn Gln Thr Val Cys Ala Leu Leu  
 130 135 140  
 Met Ala Ala Ser Trp Val Gly Gly Phe Ile His Ser Ile Val Gln Ile  
 145 150 155 160

16U 200 PCT FINAL.ST25

Ala Leu Thr Ile Gln Leu Pro Phe Cys Gly Pro Asp Lys Leu Asp Asn  
 165 170 175

Phe Tyr Cys Asp Val Pro Gln Leu Ile Lys Leu Ala Cys Thr Asp Thr  
 180 185 190

Phe Val Leu Glu Leu Leu Met Val Ser Asn Asn Gly Leu Val Thr Leu  
 195 200 205

Met Cys Phe Leu Val Leu Leu Gly Ser Tyr Thr Ala Leu Leu Val Met  
 210 215 220

Leu Arg Ser His Ser Arg Glu Gly Arg Ser Lys Ala Leu Ser Thr Cys  
 225 230 235 240

Ala Ser His Ile Ala Val Val Thr Leu Ile Phe Val Pro Cys Ile Tyr  
 245 250 255

Val Tyr Thr Arg Pro Phe Arg Thr Phe Pro Met Asp Lys Ala Val Ser  
 260 265 270

Val Leu Tyr Thr Ile Val Thr Pro Met Leu Asn Pro Ala Ile Tyr Thr  
 275 280 285

Leu Arg Asn Lys Glu Val Ile Met Ala Met Lys Lys Leu Trp Arg Arg  
 290 295 300

Lys Lys Asp Pro Ile Gly Pro Leu Glu His Arg Pro Leu His  
 305 310 315

<210> 164  
 <211> 26  
 <212> DNA  
 <213> Homo sapiens

<400> 164  
 gaatccagca aatcattccc aggtgg 26

<210> 165  
 <211> 29  
 <212> DNA  
 <213> Homo sapiens

<400> 165  
 ctaatgtaag ggtctgtgct ccaggggac 29

<210> 166  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 166  
 cactaccctt ttaaagtga gggggcagtg atttcttttc ttttcttttt 50

<210> 167  
 <211> 972  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(972)  
 <223>

## 16U 200 PCT FINAL.ST25

<400> 167  
 atg aac cct gaa aac tgg act cag gta aca agc ttt gtc ctt ctg ggt 48  
 Met Asn Pro Glu Asn Trp Thr Gln Val Thr Ser Phe Val Leu Leu Gly  
 1 5 10 15

ttc ccc agt agc cac ctc ata cag ttc ctg gtg ttc ctg ggg tta atg 96  
 Phe Pro Ser Ser His Leu Ile Gln Phe Leu Val Phe Leu Gly Leu Met  
 20 25 30

gtg acc tac att gta aca gcc aca ggc aag ctg cta att att gtg ctc 144  
 Val Thr Tyr Ile Val Thr Ala Thr Gly Lys Leu Leu Ile Ile Val Leu  
 35 40 45

agc tgg ata gac caa cgc ctg cac ata cag atg tac ttc ttc ctg cgg 192  
 Ser Trp Ile Asp Gln Arg Leu His Ile Gln Met Tyr Phe Phe Leu Arg  
 50 55 60

aat ttc tcc ttc ctg gag ctg ttg ctg gta act gtt gtg gtt ccc aag 240  
 Asn Phe Ser Phe Leu Glu Leu Leu Val Thr Val Val Val Pro Lys  
 65 70 75 80

atg ctt gtc gtc atc ctc acg ggg gat cac acc atc tca ttt gtc agc 288  
 Met Leu Val Val Ile Leu Thr Gly Asp His Thr Ile Ser Phe Val Ser  
 85 90 95

tgc atc atc cag tcc tac ctc tac ttc ttt cta ggc acc act gac ttc 336  
 Cys Ile Ile Gln Ser Tyr Leu Tyr Phe Phe Leu Gly Thr Thr Asp Phe  
 100 105 110

ttc ctc ttg gcc gtc atg tct ctg gat cgt tac ctg gca atc tgc cga 384  
 Phe Leu Leu Ala Val Met Ser Leu Asp Arg Tyr Leu Ala Ile Cys Arg  
 115 120 125

cca ctc cgc tat gag acc ctg atg aat ggc cat gtc tgt tcc caa cta 432  
 Pro Leu Arg Tyr Glu Thr Leu Met Asn Gly His Val Cys Ser Gln Leu  
 130 135 140

gtg ctg gcc tcc tgg cta gct gga ttc ctc tgg gtc ctt tgc ccc act 480  
 Val Leu Ala Ser Trp Leu Ala Gly Phe Leu Trp Val Leu Cys Pro Thr  
 145 150 155 160

gtc ctc atg gcc agc ctg cct ttc tgt ggc ccc aat ggt att gac cac 528  
 Val Leu Met Ala Ser Leu Pro Phe Cys Gly Pro Asn Gly Ile Asp His  
 165 170 175

ttc ttt cgt gac agt tgg ccc ttg ctc agg ctt tct tgt ggg gac acc 576  
 Phe Phe Arg Asp Ser Trp Pro Leu Leu Arg Leu Ser Cys Gly Asp Thr  
 180 185 190

cac ctg ctg aaa ctg gtg gct ttc atg ctc tct acg ttg gtg tta ctg 624  
 His Leu Leu Lys Leu Val Ala Phe Met Leu Ser Thr Leu Val Leu Leu  
 195 200 205

ggc tca ctg gct ctg acc tca gtt tcc tat gcc tgc att ctt gcc act 672  
 Gly Ser Leu Ala Leu Thr Ser Val Ser Tyr Ala Cys Ile Leu Ala Thr  
 210 215 220

gtt ctc agg gcc cct aca gct gct gag cga agg aaa gcg ttt tcc act 720  
 Val Leu Arg Ala Pro Thr Ala Ala Glu Arg Lys Ala Phe Ser Thr  
 225 230 235 240

tgc gcc tgc cat ctt aca gtg gtg gtc atc atc tat ggc agt tcc atc 768  
 Cys Ala Ser His Leu Thr Val Val Val Ile Ile Tyr Gly Ser Ser Ile  
 245 250 255

ttt ctc tac att cgt atg tca gag gct cag tcc aaa ctg ctc aac aaa 816  
 Phe Leu Tyr Ile Arg Met Ser Glu Ala Gln Ser Lys Leu Leu Asn Lys  
 260 265 270

ggc gcc tcc gtc ctg agc tgc atc atc aca ccc ctc ttg aac cca ttc 864  
 Gly Ala Ser Val Leu Ser Cys Ile Ile Thr Pro Leu Leu Asn Pro Phe  
 275 280 285

atc ttc act ctc cgc aat gac aag gtg cag caa gca ctg aga gaa gcc 912  
 Ile Phe Thr Leu Arg Asn Asp Lys Val Gln Gln Ala Leu Arg Glu Ala  
 290 295 300

ttg ggg tgg ccc agg ctc act gct gtg atg aaa ctg agg gtc aca agt 960  
 Leu Gly Trp Pro Arg Leu Thr Ala Val Met Lys Leu Arg Val Thr Ser

16U 200 PCT FINAL.ST25  
315 320

305 310

caa agg aaa tga  
Gln Arg Lys

972

<210> 168  
<211> 323  
<212> PRT  
<213> Homo sapiens

&lt;400&gt; 168

Met Asn Pro Glu Asn Trp Thr Gln Val Thr Ser Phe Val Leu Leu Gly  
1 5 10 15Phe Pro Ser Ser His Leu Ile Gln Phe Leu Val Phe Leu Gly Leu Met  
20 25 30Val Thr Tyr Ile Val Thr Ala Thr Gly Lys Leu Leu Ile Ile Val Leu  
35 40 45Ser Trp Ile Asp Gln Arg Leu His Ile Gln Met Tyr Phe Phe Leu Arg  
50 55 60Asn Phe Ser Phe Leu Glu Leu Leu Val Thr Val Val Val Pro Lys  
65 70 75 80Met Leu Val Val Ile Leu Thr Gly Asp His Thr Ile Ser Phe Val Ser  
85 90 95Cys Ile Ile Gln Ser Tyr Leu Tyr Phe Phe Leu Gly Thr Thr Asp Phe  
100 105 110Phe Leu Leu Ala Val Met Ser Leu Asp Arg Tyr Leu Ala Ile Cys Arg  
115 120 125Pro Leu Arg Tyr Glu Thr Leu Met Asn Gly His Val Cys Ser Gln Leu  
130 135 140Val Leu Ala Ser Trp Leu Ala Gly Phe Leu Trp Val Leu Cys Pro Thr  
145 150 155 160Val Leu Met Ala Ser Leu Pro Phe Cys Gly Pro Asn Gly Ile Asp His  
165 170 175Phe Phe Arg Asp Ser Trp Pro Leu Leu Arg Leu Ser Cys Gly Asp Thr  
180 185 190His Leu Leu Lys Leu Val Ala Phe Met Leu Ser Thr Leu Val Leu Leu  
195 200 205Gly Ser Leu Ala Leu Thr Ser Val Ser Tyr Ala Cys Ile Leu Ala Thr  
210 215 220Val Leu Arg Ala Pro Thr Ala Ala Glu Arg Arg Lys Ala Phe Ser Thr  
225 230 235 240Cys Ala Ser His Leu Thr Val Val Val Ile Ile Tyr Gly Ser Ser Ile  
245 250 255

Phe Leu Tyr Ile Arg Met Ser Glu Ala Gln Ser Lys Leu Leu Asn Lys

16U 200 PCT FINAL.ST25  
270

260

265

Gly Ala Ser Val Leu Ser Cys Ile Ile Thr Pro Leu Leu Asn Pro Phe  
275 280 285

Ile Phe Thr Leu Arg Asn Asp Lys Val Gln Gln Ala Leu Arg Glu Ala  
290 295 300

Leu Gly Trp Pro Arg Leu Thr Ala Val Met Lys Leu Arg Val Thr Ser  
305 310 315 320

Gln Arg Lys

<210> 169  
<211> 25  
<212> DNA  
<213> Homo sapiens

<400> 169  
tgtgctcagc tggatagacc aacgc

25

<210> 170  
<211> 30  
<212> DNA  
<213> Homo sapiens

<400> 170  
ctgagaacag tggcaagaat gcaggcatag

30

<210> 171  
<211> 450  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(450)  
<223>

<400> 171  
atg gac ctt ccc cat gtc cca gct ctg gac gcc cca ctc ttt gga gtc  
Met Asp Leu Pro His Val Pro Ala Leu Asp Ala Pro Leu Phe Gly Val  
1 5 10 15

48

ttc ctg gtg gtt tat gtg ctt act gtg ctg ggg aac ctc ctc atc ctg  
Phe Leu Val Val Tyr Val Leu Thr Val Leu Gly Asn Leu Leu Ile Leu  
20 25 30

96

ctg gtg atc agg gtg tac tct cac ctc cac acc ccc aag tac tac ttc  
Leu Val Ile Arg Val Tyr Ser His Leu His Thr Pro Lys Tyr Tyr Phe  
35 40 45

144

ctc acc aat ctg tcc ttc att gac ttg tgg ttc ttc act gtc atg gtg  
Leu Thr Asn Leu Ser Phe Ile Asp Leu Trp Phe Phe Thr Val Met Val  
50 55 60

192

ccc aaa atg ccg agg acc ttg ttg tcc ctg tgt ggc aag gct gtg tcc  
Pro Lys Met Pro Arg Thr Leu Leu Ser Leu Cys Gly Lys Ala Val Ser  
65 70 75 80

240

ttc cac agt tgt atg acc caa ctc tat ttc ttc tac ttc ctg ggg agc  
Phe His Ser Cys Met Thr Gln Leu Tyr Phe Phe Tyr Phe Leu Gly Ser  
85 90 95

288

acc gag tgt ttg ctc tac acg gtc atg tcc tat gat cgc tat aga gga  
Thr Glu Cys Leu Leu Tyr Thr Val Met Ser Tyr Asp Arg Tyr Arg Gly  
100 105 110

336

aat act cag cac ttc cca ggt agt gaa aac act ccc cac gaa gtg agc  
Asn Thr Gln His Phe Pro Gly Ser Glu Asn Thr Pro His Glu Val Ser  
115 120 125

384

## 16U 200 PCT FINAL.ST25

caa atg cta gtg gcc cgg ggg gca cac ggg ctc cca ctc atc atc ctg 432  
 Gln Met Leu Val Ala Arg Gly Ala His Gly Leu Pro Leu Ile Ile Leu  
 130 135 140

gca gat ctg agt ggg taa 450  
 Ala Asp Leu Ser Gly  
 145

<210> 172  
 <211> 149  
 <212> PRT  
 <213> Homo sapiens

<400> 172

Met Asp Leu Pro His Val Pro Ala Leu Asp Ala Pro Leu Phe Gly Val  
 1 5 10 15

Phe Leu Val Val Tyr Val Leu Thr Val Leu Gly Asn Leu Leu Ile Leu  
 20 25 30

Leu Val Ile Arg Val Tyr Ser His Leu His Thr Pro Lys Tyr Tyr Phe  
 35 40 45

Leu Thr Asn Leu Ser Phe Ile Asp Leu Trp Phe Phe Thr Val Met Val  
 50 55 60

Pro Lys Met Pro Arg Thr Leu Leu Ser Leu Cys Gly Lys Ala Val Ser  
 65 70 75 80

Phe His Ser Cys Met Thr Gln Leu Tyr Phe Phe Tyr Phe Leu Gly Ser  
 85 90 95

Thr Glu Cys Leu Leu Tyr Thr Val Met Ser Tyr Asp Arg Tyr Arg Gly  
 100 105 110

Asn Thr Gln His Phe Pro Gly Ser Glu Asn Thr Pro His Glu Val Ser  
 115 120 125

Gln Met Leu Val Ala Arg Gly Ala His Gly Leu Pro Leu Ile Ile Leu  
 130 135 140

Ala Asp Leu Ser Gly  
 145

<210> 173  
 <211> 23  
 <212> DNA  
 <213> Homo sapiens

<400> 173

agctctggac gccccactct ttg 23

<210> 174  
 <211> 27  
 <212> DNA  
 <213> Homo sapiens

<400> 174

accactcag atctgccagg atgatga 27

<210> 175  
 <211> 936  
 <212> DNA  
 <213> Homo sapiens



16U 200 PCT FINAL.ST25

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (1)..(936)

&lt;223&gt;

&lt;400&gt; 175

atg tcc aac gcc agc ctc gtg aca gca ttc atc ctc aca ggc ctt ccc	48
Met Ser Asn Ala Ser Leu Val Thr Ala Phe Ile Leu Thr Gly Leu Pro	
1 5 10 15	
cat gcc cca ggg ctg gac gcc ctc ctc ttt gga atc ttc ctg gtg gtt	96
His Ala Pro Gly Leu Asp Ala Leu Leu Phe Gly Ile Phe Leu Val Val	
20 25 30	
tac gtg ctc act gtg ctg ggg aac ctc ctc atc ctg ctg gtg atc agg	144
Tyr Val Leu Thr Val Leu Gly Asn Leu Leu Ile Leu Leu Val Ile Arg	
35 40 45	
gtg gat tct cac ctc cac acc ccc atg tac tac ttc ctc acc aac ctg	192
Val Asp Ser His Leu His Thr Pro Met Tyr Tyr Phe Leu Thr Asn Leu	
50 55 60	
tcc ttc att gac atg tgg ttc tcc act gtc acg gtg ccc aaa atg ctg	240
Ser Phe Ile Asp Met Trp Phe Ser Thr Val Thr Val Pro Lys Met Leu	
65 70 75 80	
atg acc ttg gtg tcc cca agc ggc agg gct atc tcc ttc cac agc tgc	288
Met Thr Leu Val Ser Pro Ser Gly Arg Ala Ile Ser Phe His Ser Cys	
85 90 95	
gtg gct cag ctc tat ttt ttc cac ttc ctg ggg agc acc gag tgt ttc	336
Val Ala Gln Leu Tyr Phe Phe His Phe Leu Gly Ser Thr Glu Cys Phe	
100 105 110	
ctc tac aca gtc atg tcc tat gat cgc tac ttg gcc atc agt tac ccg	384
Leu Tyr Thr Val Met Ser Tyr Asp Arg Tyr Leu Ala Ile Ser Tyr Pro	
115 120 125	
ctc agg tac acc agc atg atg agt ggg agc agg tgt gcc ctc ctg gcc	432
Leu Arg Tyr Thr Ser Met Met Ser Gly Ser Arg Cys Ala Leu Leu Ala	
130 135 140	
acc ggc act tgg ctc agt ggc tct ctg cac tct gct gtc cag acc ata	480
Thr Gly Thr Trp Leu Ser Gly Ser Leu His Ser Ala Val Gln Thr Ile	
145 150 155 160	
ttg act ttc cat ttg ccc tac tgt gga ccc aac cag atc cag cac tac	528
Leu Thr Phe His Leu Pro Tyr Cys Gly Pro Asn Gln Ile Gln His Tyr	
165 170 175	
ttc tgt gac gca ccg ccc atc ctg aaa ctg gcc tgt gca gac acc tca	576
Phe Cys Asp Ala Pro Pro Ile Leu Lys Leu Ala Cys Ala Asp Thr Ser	
180 185 190	
gcc aac gtg atg gtc atc ttt gtg gac att ggg ata gtg gcc tca ggc	624
Ala Asn Val Met Val Ile Phe Val Asp Ile Gly Ile Val Ala Ser Gly	
195 200 205	
tgc ttt gtc ctg ata gtg ctg tcc tat gtg tcc atc gtc tgt tcc atc	672
Cys Phe Val Leu Ile Val Leu Ser Tyr Val Ser Ile Val Cys Ser Ile	
210 215 220	
ctg cgg atc cgc acc tca gat ggg agg cgc aga gcc ttt cag acc tgt	720
Leu Arg Ile Arg Thr Ser Asp Gly Arg Arg Ala Phe Gln Thr Cys	
225 230 235 240	
gcc tcc cac tgt att gtg gtc ctt tgc ttc ttt gtt ccc tgt gtt gtc	768
Ala Ser His Cys Ile Val Val Leu Cys Phe Phe Val Pro Cys Val Val	
245 250 255	
att tat ctg agg cca ggc tcc atg gat gcc atg gat gga gtt gtg gcc	816
Ile Tyr Leu Arg Pro Gly Ser Met Asp Ala Met Asp Gly Val Val Ala	
260 265 270	
att ttc tac act gtg ctg acg ccc ctt ctc aac cct gtt gtg tac acc	864
Ile Phe Tyr Thr Val Leu Thr Pro Leu Leu Asn Pro Val Val Tyr Thr	
275 280 285	

16U 200 PCT FINAL.ST25  
 ctg aga aac aag gag gtg aag aaa gct gtg ttg aaa ctt aga gac aaa 912  
 Leu Arg Asn Lys Glu Val Lys Lys Ala Val Leu Lys Leu Arg Asp Lys  
 290 295 300

gta gca cat cct cag agg aaa taa 936  
 Val Ala His Pro Gln Arg Lys  
 305 310

<210> 176  
 <211> 311  
 <212> PRT  
 <213> Homo sapiens

<400> 176

Met Ser Asn Ala Ser Leu Val Thr Ala Phe Ile Leu Thr Gly Leu Pro  
 1 5 10 15

His Ala Pro Gly Leu Asp Ala Leu Leu Phe Gly Ile Phe Leu Val Val  
 20 25 30

Tyr Val Leu Thr Val Leu Gly Asn Leu Leu Ile Leu Leu Val Ile Arg  
 35 40 45

Val Asp Ser His Leu His Thr Pro Met Tyr Tyr Phe Leu Thr Asn Leu  
 50 55 60

Ser Phe Ile Asp Met Trp Phe Ser Thr Val Thr Val Pro Lys Met Leu  
 65 70 75 80

Met Thr Leu Val Ser Pro Ser Gly Arg Ala Ile Ser Phe His Ser Cys  
 85 90 95

Val Ala Gln Leu Tyr Phe Phe His Phe Leu Gly Ser Thr Glu Cys Phe  
 100 105 110

Leu Tyr Thr Val Met Ser Tyr Asp Arg Tyr Leu Ala Ile Ser Tyr Pro  
 115 120 125

Leu Arg Tyr Thr Ser Met Met Ser Gly Ser Arg Cys Ala Leu Leu Ala  
 130 135 140

Thr Gly Thr Trp Leu Ser Gly Ser Leu His Ser Ala Val Gln Thr Ile  
 145 150 155 160

Leu Thr Phe His Leu Pro Tyr Cys Gly Pro Asn Gln Ile Gln His Tyr  
 165 170 175

Phe Cys Asp Ala Pro Pro Ile Leu Lys Leu Ala Cys Ala Asp Thr Ser  
 180 185 190

Ala Asn Val Met Val Ile Phe Val Asp Ile Gly Ile Val Ala Ser Gly  
 195 200 205

Cys Phe Val Leu Ile Val Leu Ser Tyr Val Ser Ile Val Cys Ser Ile  
 210 215 220

Leu Arg Ile Arg Thr Ser Asp Gly Arg Arg Arg Ala Phe Gln Thr Cys  
 225 230 235 240

Ala Ser His Cys Ile Val Val Leu Cys Phe Phe Val Pro Cys Val Val  
 245 250 255

## 16U 200 PCT FINAL.ST25

Ile Tyr Leu Arg Pro Gly Ser Met Asp Ala Met Asp Gly Val Val Ala  
 260 265 270

Ile Phe Tyr Thr Val Leu Thr Pro Leu Leu Asn Pro Val Val Tyr Thr  
 275 280 285

Leu Arg Asn Lys Glu Val Lys Lys Ala Val Leu Lys Leu Arg Asp Lys  
 290 295 300

Val Ala His Pro Gln Arg Lys  
 305 310

<210> 177  
 <211> 29  
 <212> DNA  
 <213> Homo sapiens

<400> 177  
 caaccagatc cagcactact tctgtgacg 29

<210> 178  
 <211> 33  
 <212> DNA  
 <213> Homo sapiens

<400> 178  
 ttatttcctc tgaggatgtg ctactttgtc tct 33

<210> 179  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 179  
 taggagaagc cctttaaaag caggcaatag taaggacatc agtaacaata 50

<210> 180  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 180  
 gctgggtgct ctttatatcc ccagagggag agagaccaag ggtgagaaga 50

<210> 181  
 <211> 921  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(921)  
 <223>

<400> 181  
 atg gtg act gag ttt ctt ctt ctc ggc ttc tcc cac ctg gcc gac ctc 48  
 Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser His Leu Ala Asp Leu  
 1 5 10 15

cag ggc ttg ctc ttc tct gtc ttt ctc act atc tac ctg ctg acc gtg 96  
 Gln Gly Leu Leu Phe Ser Val Phe Leu Thr Ile Tyr Leu Leu Thr Val  
 20 25 30

gca ggc aat ttc ctc att gtg gtg ctg gtc tcc act gat gct gcc ctc 144  
 Ala Gly Asn Phe Leu Ile Val Val Leu Val Ser Thr Asp Ala Ala Leu  
 35 40 45

cag tcc cct atg tac ttc ttc ctg cgc acc ctc tcg gcc ttg gag att 192  
 Gln Ser Pro Met Tyr Phe Phe Leu Arg Thr Leu Ser Ala Leu Glu Ile  
 50 55 60

## 16U 200 PCT FINAL.ST25

ggc tat acg tct gtc acg gtc ccc ctg cta ctt cac cac ctc ctt act 240  
 Gly Tyr Thr Ser Val Thr Val Pro Leu Leu Leu His His Leu Leu Thr  
 65 70 75 80  
 ggc cgg cgc cac atc tct cgc tct gga tgt gct ctc cag atg ttc ttc 288  
 Gly Arg Arg His Ile Ser Arg Ser Gly Cys Ala Leu Gln Met Phe Phe  
 85 90 95  
 ttc ctc ttc ttt ggc gcc acg gag tgc tgc ctc ctg gca gcc atg gcc 336  
 Phe Leu Phe Phe Gly Ala Thr Glu Cys Cys Leu Leu Ala Ala Met Ala  
 100 105 110  
 tat gac cgc tat gca gcc atc tgt gaa ccc ctc cgc tac cca ctg ctg 384  
 Tyr Asp Arg Tyr Ala Ala Ile Cys Glu Pro Leu Arg Tyr Pro Leu Leu  
 115 120 125  
 ctg agc cac cgg gtg tgt cta cag cta gct ggg tcg gcg tgg gcc tgt 432  
 Leu Ser His Arg Val Cys Leu Gln Leu Ala Gly Ser Ala Trp Ala Cys  
 130 135 140  
 ggg gtg ctg gtg ggg ctg ggc cac acc cct ttc atc ttc tct ttg ccc 480  
 Gly Val Leu Val Gly Leu Gly His Thr Pro Phe Ile Phe Ser Leu Pro  
 145 150 155 160  
 ttc tgc ggc ccc aat acc atc ccg cag ttc ttc tgt gag atc cag cct 528  
 Phe Cys Gly Pro Asn Thr Ile Pro Gln Phe Phe Cys Glu Ile Gln Pro  
 165 170 175  
 gtc ctg cag ctg gta tgt gga gac acc tcg ctt aat gaa ctg cag att 576  
 Val Leu Gln Leu Val Cys Gly Asp Thr Ser Leu Asn Glu Leu Gln Ile  
 180 185 190  
 atc ctg gca aca gcc ctc ctc atc ctc tgc ccc ttt ggc ctc atc ctg 624  
 Ile Leu Ala Thr Ala Leu Leu Ile Leu Cys Pro Phe Gly Leu Ile Leu  
 195 200 205  
 ggc tcc tac ggg cgt atc ctc gtt acc atc ttc cgg atc cca tct gtt 672  
 Gly Ser Tyr Gly Arg Ile Leu Val Thr Ile Arg Ile Pro Ser Val  
 210 215 220  
 gcg ggc cgc cgc aag gcc ttc tcc acc tgc tcc tcc cac ctg atc gtg 720  
 Ala Gly Arg Arg Lys Ala Phe Ser Thr Cys Ser Ser His Leu Ile Val  
 225 230 235 240  
 gtc tcc ctc ttc tat ggc acc gca ctc ttt atc tat att cgc cct aag 768  
 Val Ser Leu Phe Tyr Gly Thr Ala Leu Phe Ile Tyr Ile Arg Pro Lys  
 245 250 255  
 gcc agc tac gat ccg gcc act gac cct ctg gtg tcc ctc ttc tat gct 816  
 Ala Ser Tyr Asp Pro Ala Thr Asp Pro Leu Val Ser Leu Phe Tyr Ala  
 260 265 270  
 gtg gtc acc ccc atc ctc aac ccc atc atc tac agc ctg cgg aac aca 864  
 Val Val Thr Pro Ile Leu Asn Pro Ile Ile Tyr Ser Leu Arg Asn Thr  
 275 280 285  
 gag gtc aaa gct gcc cta aag aga acc atc cag aaa acg gtg cct atg 912  
 Glu Val Lys Ala Ala Leu Lys Arg Thr Ile Gln Lys Thr Val Pro Met  
 290 295 300  
 gag att tga 921  
 Glu Ile  
 305

<210> 182  
 <211> 306  
 <212> PRT  
 <213> Homo sapiens

<400> 182

Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser His Leu Ala Asp Leu  
 1 5 10 15

Gln Gly Leu Leu Phe Ser Val Phe Leu Thr Ile Tyr Leu Leu Thr Val  
 20 25 30

## 160 200 PCT FINAL.ST25

Ala Gly Asn Phe Leu Ile Val Val Leu Val Ser Thr Asp Ala Ala Leu  
 35 40 45  
 Gln Ser Pro Met Tyr Phe Phe Leu Arg Thr Leu Ser Ala Leu Glu Ile  
 50 55 60  
 Gly Tyr Thr Ser Val Thr Val Pro Leu Leu Leu His His Leu Leu Thr  
 65 70 75 80  
 Gly Arg Arg His Ile Ser Arg Ser Gly Cys Ala Leu Gln Met Phe Phe  
 85 90 95  
 Phe Leu Phe Phe Gly Ala Thr Glu Cys Cys Leu Leu Ala Ala Met Ala  
 100 105 110  
 Tyr Asp Arg Tyr Ala Ala Ile Cys Glu Pro Leu Arg Tyr Pro Leu Leu  
 115 120 125  
 Leu Ser His Arg Val Cys Leu Gln Leu Ala Gly Ser Ala Trp Ala Cys  
 130 135 140  
 Gly Val Leu Val Gly Leu Gly His Thr Pro Phe Ile Phe Ser Leu Pro  
 145 150 155 160  
 Phe Cys Gly Pro Asn Thr Ile Pro Gln Phe Phe Cys Glu Ile Gln Pro  
 165 170 175  
 Val Leu Gln Leu Val Cys Gly Asp Thr Ser Leu Asn Glu Leu Gln Ile  
 180 185 190  
 Ile Leu Ala Thr Ala Leu Leu Ile Leu Cys Pro Phe Gly Leu Ile Leu  
 195 200 205  
 Gly Ser Tyr Gly Arg Ile Leu Val Thr Ile Phe Arg Ile Pro Ser Val  
 210 215 220  
 Ala Gly Arg Arg Lys Ala Phe Ser Thr Cys Ser Ser His Leu Ile Val  
 225 230 235 240  
 Val Ser Leu Phe Tyr Gly Thr Ala Leu Phe Ile Tyr Ile Arg Pro Lys  
 245 250 255  
 Ala Ser Tyr Asp Pro Ala Thr Asp Pro Leu Val Ser Leu Phe Tyr Ala  
 260 265 270  
 Val Val Thr Pro Ile Leu Asn Pro Ile Ile Tyr Ser Leu Arg Asn Thr  
 275 280 285  
 Glu Val Lys Ala Ala Leu Lys Arg Thr Ile Gln Lys Thr Val Pro Met  
 290 295 300  
 Glu Ile  
 305  
 <210> 183  
 <211> 20  
 <212> DNA  
 <213> Homo sapiens

16U 200 PCT FINAL.ST25

<400> 183  
 ctcggcttct cccacctggc 20

<210> 184  
 <211> 23  
 <212> DNA  
 <213> Homo sapiens

<400> 184  
 ggcgcctaaag aagaggaaga aga 23

<210> 185  
 <211> 897  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(897)  
 <223>

<400> 185  
 atg ggt cga gga aac agc act gaa gtg act gaa ttc cat ctt ctg gga 48  
 Met Gly Arg Gly Asn Ser Thr Glu Val Thr Glu Phe His Leu Leu Gly  
 1 5 10 15  
 ttt ggt gtc caa cac gaa ttt cag cat gtc ctt ttc att gta ctt ctt 96  
 Phe Gly Val Gln His Glu Phe Gln His Val Leu Phe Ile Val Leu Leu  
 20 25 30  
 ctt atc tat gtg acc tcc ctg ata gga aat att gga atg atc tta ctc 144  
 Leu Ile Tyr Val Thr Ser Leu Ile Gly Asn Ile Gly Met Ile Leu Leu  
 35 40 45  
 atc aag acc gat tcc aga ctt caa aca ccc atg tac ttt ttt cca caa 192  
 Ile Lys Thr Asp Ser Arg Leu Gln Thr Pro Met Tyr Phe Phe Pro Gln  
 50 55 60  
 cat ttg gct ttt gtt gat atc tgt tat act tct gct atc act ccc aag 240  
 His Leu Ala Phe Val Asp Ile Cys Tyr Thr Ser Ala Ile Thr Pro Lys  
 65 70 75 80  
 atg ctc caa agc ttc aca gaa gaa aat aat ttg ata aca ttt cgg ggc 288  
 Met Leu Gln Ser Phe Thr Glu Glu Asn Asn Leu Ile Thr Phe Arg Gly  
 85 90 95  
 tgt gtg ata caa ttc tta gtt tat gca aca ttt gca acc agt gac tgt 336  
 Cys Val Ile Gln Phe Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys  
 100 105 110  
 tac ctc cta gct att atg gca atg gat tgt tat gtt gcc atc tgt aag 384  
 Tyr Leu Leu Ala Ile Met Ala Met Asp Cys Tyr Val Ala Ile Cys Lys  
 115 120 125  
 ccc ctt cgc tat ccc atg atc atg tcc caa aca gtc tac atc caa ctc 432  
 Pro Leu Arg Tyr Pro Met Ile Met Ser Gln Thr Val Tyr Ile Gln Leu  
 130 135 140  
 gta gct ggc tca tat att ata ggc tca ata aat gcc tct gta cat aca 480  
 Val Ala Gly Ser Tyr Ile Ile Gly Ser Ile Asn Ala Ser Val His Thr  
 145 150 155 160  
 ggt ttt aca ttt tca ctg tcc ttc tgc aag tct aat aaa atc aat cac 528  
 Gly Phe Thr Phe Ser Leu Ser Phe Cys Lys Ser Asn Lys Ile Asn His  
 165 170 175  
 ttt ttc tgt gat ggt ctc cca att ctt gcc ctt tca tgc tcc aac att 576  
 Phe Phe Cys Asp Gly Leu Pro Ile Leu Ala Leu Ser Cys Ser Asn Ile  
 180 185 190  
 gac atc aac atc att cta gat gtt gtc ttt gtg gga ttt gac ttg atg 624  
 Asp Ile Asn Ile Ile Leu Asp Val Val Phe Val Gly Phe Asp Leu Met  
 195 200 205  
 ttc act gag ttg gtc atc atc ttt tcc tac atc tac att atg gtc acc 672  
 Phe Thr Glu Leu Val Ile Ile Phe Ser Tyr Ile Tyr Ile Met Val Thr  
 210 215 220

## 16U 200 PCT FINAL.ST25

atc ctg aag atg tct tct act gct ggg agg aaa aaa tcc ttc tcc aca 720  
 ile leu lys met ser ser thr ala gly arg lys lys ser phe ser thr  
 225 230 235 240  
 tgt gcc tcc cac ctg aca gca gta acc att ttc tat ggg aca ctc tct 768  
 cys ala ser his leu thr ala val thr ile phe tyr gly thr leu ser  
 245 250 255  
 tac atg tac tta cag cct cag tct aat aat tct cag gag aat atg aaa 816  
 tyr met tyr leu gln pro gln ser asn asn ser gln glu asn met lys  
 260 265 270  
 gta gcc tct ata ttt tat ggc act gtt att ccc atg ttg aat cct tta 864  
 val ala ser ile phe tyr gly thr val ile pro met leu asn pro leu  
 275 280 285  
 atc tat agc ttg aga aat aag gaa gga aaa taa 897  
 ile tyr ser leu arg asn lys glu gly lys  
 290 295  
 <210> 186  
 <211> 298  
 <212> PRT  
 <213> Homo sapiens  
 <400> 186  
 Met Gly Arg Gly Asn Ser Thr Glu Val Thr Glu Phe His Leu Leu Gly  
 1 5 10 15  
 Phe Gly Val Gln His Glu Phe Gln His Val Leu Phe Ile Val Leu Leu  
 20 25 30  
 Leu Ile Tyr Val Thr Ser Leu Ile Gly Asn Ile Gly Met Ile Leu Leu  
 35 40 45  
 Ile Lys Thr Asp Ser Arg Leu Gln Thr Pro Met Tyr Phe Phe Pro Gln  
 50 55 60  
 His Leu Ala Phe Val Asp Ile Cys Tyr Thr Ser Ala Ile Thr Pro Lys  
 65 70 75 80  
 Met Leu Gln Ser Phe Thr Glu Glu Asn Asn Leu Ile Thr Phe Arg Gly  
 85 90 95  
 Cys Val Ile Gln Phe Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys  
 100 105 110  
 Tyr Leu Leu Ala Ile Met Ala Met Asp Cys Tyr Val Ala Ile Cys Lys  
 115 120 125  
 Pro Leu Arg Tyr Pro Met Ile Met Ser Gln Thr Val Tyr Ile Gln Leu  
 130 135 140  
 Val Ala Gly Ser Tyr Ile Ile Gly Ser Ile Asn Ala Ser Val His Thr  
 145 150 155 160  
 Gly Phe Thr Phe Ser Leu Ser Phe Cys Lys Ser Asn Lys Ile Asn His  
 165 170 175  
 Phe Phe Cys Asp Gly Leu Pro Ile Leu Ala Leu Ser Cys Ser Asn Ile  
 180 185 190  
 Asp Ile Asn Ile Ile Leu Asp Val Val Phe Val Gly Phe Asp Leu Met  
 195 200 205

16U 200 PCT FINAL.ST25

Phe Thr Glu Leu Val Ile Ile Phe Ser Tyr Ile Tyr Ile Met Val Thr  
 210 215 220

Ile Leu Lys Met Ser Ser Thr Ala Gly Arg Lys Lys Ser Phe Ser Thr  
 225 230 235 240

Cys Ala Ser His Leu Thr Ala Val Thr Ile Phe Tyr Gly Thr Leu Ser  
 245 250 255

Tyr Met Tyr Leu Gln Pro Gln Ser Asn Asn Ser Gln Glu Asn Met Lys  
 260 265 270

Val Ala Ser Ile Phe Tyr Gly Thr Val Ile Pro Met Leu Asn Pro Leu  
 275 280 285

Ile Tyr Ser Leu Arg Asn Lys Glu Gly Lys  
 290 295

<210> 187  
 <211> 930  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(930)  
 <223>

<400> 187  
 atg aca cta gga aac agc act gaa gtc act gaa ttc tat ctt ctg gga 48  
 Met Thr Leu Gly Asn Ser Thr Glu Val Thr Glu Phe Tyr Leu Leu Gly  
 1 5 10 15  
 ttt ggt gcc cag cat gag ttt tgg tgt atc ctc ttc att gta ttc ctt 96  
 Phe Gly Ala Gln His Glu Phe Trp Cys Ile Leu Phe Ile Val Phe Leu  
 20 25 30  
 ctc atc tat gtg acc tcc ata atg ggt aat agt gga ata atc tta ctc 144  
 Leu Ile Tyr Val Thr Ser Ile Met Gly Asn Ser Gly Ile Ile Leu Leu  
 35 40 45  
 atc aac aca gat tcc aga ttt caa aca ctc acg tac ttt ttt cta caa 192  
 Ile Asn Thr Asp Ser Arg Phe Gln Thr Leu Thr Tyr Phe Phe Leu Gln  
 50 55 60  
 cat ttg gct ttt gtt gat atc tgt tac act tct gct atc act ccc aag 240  
 His Leu Ala Phe Val Asp Ile Cys Tyr Thr Ser Ala Ile Thr Pro Lys  
 65 70 75 80  
 atg ctc caa agc ttc aca gaa gaa aag aat ttg atg tta ttt cag ggc 288  
 Met Leu Gln Ser Phe Thr Glu Glu Lys Asn Leu Met Leu Phe Gln Gly  
 85 90 95  
 tgt gtg ata caa ttc tta gtt tat gca aca ttt gca acc agt gac tgt 336  
 Cys Val Ile Gln Phe Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys  
 100 105 110  
 tat ctc ctg gct atg atg gca gtg gat cct tat gtt gcc atc tgt aag 384  
 Tyr Leu Leu Ala Met Met Ala Val Asp Pro Tyr Val Ala Ile Cys Lys  
 115 120 125  
 ccc ctt cac tat act gta atc atg tcc cga aca gtc tgc atc cgt ttg 432  
 Pro Leu His Tyr Thr Val Ile Met Ser Arg Thr Val Cys Ile Arg Leu  
 130 135 140  
 gta gct ggt tca tac atc atg ggc tca ata aat gcc tct gta caa aca 480  
 Val Ala Gly Ser Tyr Ile Met Gly Ser Ile Asn Ala Ser Val Gln Thr  
 145 150 155 160  
 ggt ttt aca tgt tca ctg tcc ttc tgc aag tcc aat agc atc aat cac 528  
 Gly Phe Thr Cys Ser Leu Ser Phe Cys Lys Ser Asn Ser Ile Asn His



165 170 175 160 200 PCT FINAL.ST25

ttt ttc tgt gat gtt ccc cct att ctt gct ctt tca tgc tcc aat gtt 576  
Phe Phe Cys Asp Val Pro Pro Ile Leu Ala Leu Ser Cys Ser Asn Val  
180 185 190

gac atc aac atc atg cta ctt gtt gtc ttt gtg gga tct aac ttg ata 624  
Asp Ile Asn Ile Met Leu Leu Val Val Phe Val Gly Ser Asn Leu Ile  
195 200 205

ttc act ggg ttg gtc gtc atc ttt tcc tac atc tac atc atg gcc acc 672  
Phe Thr Gly Leu Val Val Ile Phe Ser Tyr Ile Tyr Ile Met Ala Thr  
210 215 220

atc ctg aaa atg tct tct agt gca gga agg aaa aaa tcc ttc tca aca 720  
Ile Leu Lys Met Ser Ser Ser Ala Gly Arg Lys Lys Ser Phe Ser Thr  
225 230 235 240

tgt gct tcc cac ctg acc gca gtc acc att ttc tat ggg aca ctc tct 768  
Cys Ala Ser His Leu Thr Ala Val Thr Ile Phe Tyr Gly Thr Leu Ser  
245 250 255

tac atg tat ttg cag tct cat tct aat aat tcc cag gaa aat atg aaa 816  
Tyr Met Tyr Leu Gln Ser His Ser Asn Ser Gln Glu Asn Met Lys  
260 265 270

gtg gcc ttt ata ttt tat ggc aca gtt att ccc atg tta aat cct tta 864  
Val Ala Phe Ile Phe Tyr Gly Thr Val Ile Pro Met Leu Asn Pro Leu  
275 280 285

atc tat agc ttg aga aat aag gaa gta aaa gaa gct tta aaa gtg ata 912  
Ile Tyr Ser Leu Arg Asn Lys Glu Val Lys Glu Ala Leu Lys Val Ile  
290 295 300

ggg aaa aag tta ttt taa 930  
Gly Lys Lys Leu Phe  
305

<210> 188  
<211> 309  
<212> PRT  
<213> Homo sapiens

<400> 188

Met Thr Leu Gly Asn Ser Thr Glu Val Thr Glu Phe Tyr Leu Leu Gly  
1 5 10 15

Phe Gly Ala Gln His Glu Phe Trp Cys Ile Leu Phe Ile Val Phe Leu  
20 25 30

Leu Ile Tyr Val Thr Ser Ile Met Gly Asn Ser Gly Ile Ile Leu Leu  
35 40 45

Ile Asn Thr Asp Ser Arg Phe Gln Thr Leu Thr Tyr Phe Phe Leu Gln  
50 55 60

His Leu Ala Phe Val Asp Ile Cys Tyr Thr Ser Ala Ile Thr Pro Lys  
65 70 75 80

Met Leu Gln Ser Phe Thr Glu Glu Lys Asn Leu Met Leu Phe Gln Gly  
85 90 95

Cys Val Ile Gln Phe Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys  
100 105 110

Tyr Leu Leu Ala Met Met Ala Val Asp Pro Tyr Val Ala Ile Cys Lys  
115 120 125

Pro Leu His Tyr Thr Val Ile Met Ser Arg Thr Val Cys Ile Arg Leu

160 200 PCT FINAL.ST25

130

135

140

Val Ala Gly Ser Tyr Ile Met Gly Ser Ile Asn Ala Ser Val Gln Thr  
 145 150 155 160

Gly Phe Thr Cys Ser Leu Ser Phe Cys Lys Ser Asn Ser Ile Asn His  
 165 170 175

Phe Phe Cys Asp Val Pro Pro Ile Leu Ala Leu Ser Cys Ser Asn Val  
 180 185 190

Asp Ile Asn Ile Met Leu Leu Val Val Phe Val Gly Ser Asn Leu Ile  
 195 200 205

Phe Thr Gly Leu Val Val Ile Phe Ser Tyr Ile Tyr Ile Met Ala Thr  
 210 215 220

Ile Leu Lys Met Ser Ser Ser Ala Gly Arg Lys Lys Ser Phe Ser Thr  
 225 230 235 240

Cys Ala Ser His Leu Thr Ala Val Thr Ile Phe Tyr Gly Thr Leu Ser  
 245 250 255

Tyr Met Tyr Leu Gln Ser His Ser Asn Asn Ser Gln Glu Asn Met Lys  
 260 265 270

Val Ala Phe Ile Phe Tyr Gly Thr Val Ile Pro Met Leu Asn Pro Leu  
 275 280 285

Ile Tyr Ser Leu Arg Asn Lys Glu Val Lys Glu Ala Leu Lys Val Ile  
 290 295 300

Gly Lys Lys Leu Phe  
 305

<210> 189  
 <211> 522  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(522)  
 <223>

<400> 189

atg ctc caa agc ttc acg gaa gaa aag aat ttg ata tca ttt tgg ggc 48  
 Met Leu Gln Ser Phe Thr Glu Glu Lys Asn Leu Ile Ser Phe Trp Gly  
 1 5 10 15

tgc atg ata caa tta ttg gtt tat gca aca ttt gca acc agt gac tgt 96  
 Cys Met Ile Gln Leu Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys  
 20 25 30

tat ctc ctg gct atg ata gca gtg gac cat tat gtt gca atc tgt aag 144  
 Tyr Leu Leu Ala Met Ile Ala Val Asp His Tyr Val Ala Ile Cys Lys  
 35 40 45

ccc ctt cac tat acc gta atc acg tcc caa aca gtc tgc atc cat ttg 192  
 Pro Leu His Tyr Thr Val Ile Thr Ser Gln Thr Val Cys Ile His Leu  
 50 55 60

gta gct ggt tca tac atc atg ggc tca ata aat gcc tct gta cat aca 240  
 Val Ala Gly Ser Tyr Ile Met Gly Ser Ile Asn Ala Ser Val His Thr  
 65 70 75 80

ggc ttt gca ttt tca ctg tct ttc tgc aag tcc aat aac atc aac cac 288

160 200 PCT FINAL.ST25

Gly Phe Ala Phe Ser Leu Ser Phe Cys Lys Ser Asn Asn Ile Asn His  
85 90 95

ttt ttc tgt gat ggt ccc cca att ctt gcc ctt tca tgc tcc aat att 336  
Phe Phe Cys Asp Gly Pro Pro Ile Leu Ala Leu Ser Cys Ser Asn Ile  
100 105 110

gac atc aac atc atg cta ctt gtt gtc ttt gtg gga ttt aac ttg atg 384  
Asp Ile Asn Ile Met Leu Leu Val Val Phe Val Gly Phe Asn Leu Met  
115 120 125

ttc act ggg ttg gag aat atg aaa gtg gcc tct ata ttt tat ggc act 432  
Phe Thr Gly Leu Glu Asn Met Lys Val Ala Ser Ile Phe Tyr Gly Thr  
130 135 140

gtt att ccc atg ttg aat cct tta atc tat agc ttg aga aat aag gaa 480  
Val Ile Pro Met Leu Asn Pro Leu Ile Tyr Ser Leu Arg Asn Lys Glu  
145 150 155 160

gta aaa gaa gct tta aaa ttg ata ggg aaa aag ttc ttt taa 522  
Val Lys Glu Ala Leu Lys Leu Ile Gly Lys Lys Phe Phe  
165 170

<210> 190  
<211> 173  
<212> PRT  
<213> Homo sapiens

<400> 190

Met Leu Gln Ser Phe Thr Glu Glu Lys Asn Leu Ile Ser Phe Trp Gly  
1 5 10 15

Cys Met Ile Gln Leu Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys  
20 25 30

Tyr Leu Leu Ala Met Ile Ala Val Asp His Tyr Val Ala Ile Cys Lys  
35 40 45

Pro Leu His Tyr Thr Val Ile Thr Ser Gln Thr Val Cys Ile His Leu  
50 55 60

Val Ala Gly Ser Tyr Ile Met Gly Ser Ile Asn Ala Ser Val His Thr  
65 70 75 80

Gly Phe Ala Phe Ser Leu Ser Phe Cys Lys Ser Asn Asn Ile Asn His  
85 90 95

Phe Phe Cys Asp Gly Pro Pro Ile Leu Ala Leu Ser Cys Ser Asn Ile  
100 105 110

Asp Ile Asn Ile Met Leu Leu Val Val Phe Val Gly Phe Asn Leu Met  
115 120 125

Phe Thr Gly Leu Glu Asn Met Lys Val Ala Ser Ile Phe Tyr Gly Thr  
130 135 140

Val Ile Pro Met Leu Asn Pro Leu Ile Tyr Ser Leu Arg Asn Lys Glu  
145 150 155 160

Val Lys Glu Ala Leu Lys Leu Ile Gly Lys Lys Phe Phe  
165 170

<210> 191  
<211> 499  
<212> DNA  
<213> Homo sapiens

16U 200 PCT FINAL.ST25

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (43)..(372)

&lt;223&gt;

&lt;400&gt; 191

cgttatgtgg ccttctgtaa cccactccat tatccagggg tt atg tcc cag aga 54  
 Met Ser Gln Arg  
 1

ctc tgc att aag cta tta gtt agt tca tat gtc atg ggt ttc cta aat 102  
 Leu Cys Ile Lys Leu Val Ser Ser Tyr Val Met Gly Phe Leu Asn  
 5 10 15 20

gcc tct ata aac ata agt ttc act ttc tca ttg aac ttc tgc aaa tcc 150  
 Ala Ser Ile Asn Ile Ser Phe Thr Phe Ser Leu Asn Phe Cys Lys Ser  
 25 30 35

aaa aca att aat cac ttt ttc tgt gat gaa cct cca att att gcc cta 198  
 Lys Thr Ile Asn His Phe Phe Cys Asp Glu Pro Pro Ile Ile Ala Leu  
 40 45 50

cca tgc tcc aat att gac ctc aac atc atg tta tta aca gta ttt gtg 246  
 Pro Cys Ser Asn Ile Asp Leu Asn Ile Met Leu Leu Thr Val Phe Val  
 55 60 65

gga tta aat ttg atg tgc act gtg atg gtg gtc atc att tcc tgc ata 294  
 Gly Leu Asn Leu Met Cys Thr Val Met Val Val Ile Ile Ser Cys Ile  
 70 75 80

tat gtc ctg gtt gcc atc ctg agg ata tct tct gct gca ggg aag aaa 342  
 Tyr Val Leu Val Ala Ile Leu Arg Ile Ser Ser Ala Ala Gly Lys Lys  
 85 90 95 100

aaa gtc tct cta cat gtg cct ccc acc tga cagcagtcac cattttctat 392  
 Lys Val Ser Leu His Val Pro Pro Thr  
 105

ggggttctct cttacatgta tctatgccat cgtattaatg agtctcaaaa acaagaaaaa 452

gtggcctctg tgttttatgg cattattatt cccatgttaa acccctt 499

&lt;210&gt; 192

&lt;211&gt; 109

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 192

Met Ser Gln Arg Leu Cys Ile Lys Leu Leu Val Ser Ser Tyr Val Met  
 1 5 10 15

Gly Phe Leu Asn Ala Ser Ile Asn Ile Ser Phe Thr Phe Ser Leu Asn  
 20 25 30

Phe Cys Lys Ser Lys Thr Ile Asn His Phe Phe Cys Asp Glu Pro Pro  
 35 40 45

Ile Ile Ala Leu Pro Cys Ser Asn Ile Asp Leu Asn Ile Met Leu Leu  
 50 55 60

Thr Val Phe Val Gly Leu Asn Leu Met Cys Thr Val Met Val Val Ile  
 65 70 75 80

Ile Ser Cys Ile Tyr Val Leu Val Ala Ile Leu Arg Ile Ser Ser Ala  
 85 90 95

Ala Gly Lys Lys Lys Val Ser Leu His Val Pro Pro Thr  
 100 105

## 160 200 PCT FINAL.ST25

<210> 193  
 <211> 681  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(681)  
 <223>

<400> 193  
 atg gct tat gac cgc tac atg gca atc tcc aag ccc ctg ctt tat tcc 48  
 Met Ala Tyr Asp Arg Tyr Met Ala Ile Ser Lys Pro Leu Leu Tyr Ser  
 1 5 10 15  
 cgg gcc aca ttc cca gag tta tgt gcc agt ctt gtt gag gct tca cac 96  
 Arg Ala Thr Phe Pro Glu Leu Cys Ala Ser Leu Val Glu Ala Ser His  
 20 25 30  
 ctt ggc ggc ttt gta aac tca acc atc atc acc agt gag aca cct acc 144  
 Leu Gly Gly Phe Val Asn Ser Thr Ile Ile Thr Ser Glu Thr Pro Thr  
 35 40 45  
 ttg agc ttc tgt ggc agc aat atc att gat gat ttc ttc tgt gat ctg 192  
 Leu Ser Phe Cys Gly Ser Asn Ile Ile Asp Asp Phe Phe Cys Asp Leu  
 50 55 60  
 ccc cca ctt gta aag ttg gtg tgt gat gtg aag gag cgc tac cag gct 240  
 Pro Pro Leu Val Lys Leu Val Cys Asp Val Lys Glu Arg Tyr Gln Ala  
 65 70 75 80  
 gtg ctg cat ttt atg ctt gcc tcc aat cat cac tcc cac tgc act tat 288  
 Val Leu His Phe Met Leu Ala Ser Asn His His Ser His Cys Thr Tyr  
 85 90 95  
 tct tgc gtc cat ctc ttc atc att gca gcc atc tcg aag atc cgt tcc 336  
 Ser Cys Val His Leu Phe Ile Ile Ala Ala Ile Ser Lys Ile Arg Ser  
 100 105 110  
 att aag ggc cgc ctc cag gtc ttc tcc act tgt ggg tct ccc ctg acg 384  
 Ile Lys Gly Arg Leu Gln Val Phe Ser Thr Cys Gly Ser Pro Leu Thr  
 115 120 125  
 gct ctc acc ttg tac tat ggt gca atc ttc ttt att tac tcc caa cca 432  
 Ala Leu Thr Leu Tyr Tyr Gly Ala Ile Phe Phe Ile Tyr Ser Gln Pro  
 130 135 140  
 aga act agc tat gcc tta aaa atg gat aaa ttg ggg tca gtg ttc tat 480  
 Arg Thr Ser Tyr Ala Leu Lys Met Asp Lys Leu Gly Ser Val Phe Tyr  
 145 150 155 160  
 act gtg gtg att cca atg cta aac ccc ttg atc tat agc tta aga aat 528  
 Thr Val Val Ile Pro Met Leu Asn Pro Leu Ile Tyr Ser Leu Arg Asn  
 165 170 175  
 aag gat gtc aaa gat gcc ttg aag aaa atg tta gat aga ctt cag ttt 576  
 Lys Asp Val Lys Asp Ala Leu Lys Lys Met Leu Asp Arg Leu Gln Phe  
 180 185 190  
 ctt aaa gaa aaa tat tgt aga tat ggg ctg gcc tgt agt gag cgc tac 624  
 Leu Lys Glu Lys Tyr Cys Arg Tyr Gly Leu Ala Cys Ser Glu Arg Tyr  
 195 200 205  
 ctc ctg gct gcc atg ggt tat gac tgc tat gag gca atc tcc aag ccc 672  
 Leu Leu Ala Ala Met Gly Tyr Asp Cys Tyr Glu Ala Ile Ser Lys Pro  
 210 215 220  
 ctg ctt taa 681  
 Leu Leu  
 225

<210> 194  
 <211> 226  
 <212> PRT  
 <213> Homo sapiens

<400> 194

16U 200 PCT FINAL.ST25  
Met Ala Tyr Asp Arg Tyr Met Ala Ile Ser Lys Pro Leu Leu Tyr Ser  
1 5 10 15  
Arg Ala Thr Phe Pro Glu Leu Cys Ala Ser Leu Val Glu Ala Ser His  
20 25 30  
Leu Gly Gly Phe Val Asn Ser Thr Ile Ile Thr Ser Glu Thr Pro Thr  
35 40 45  
Leu Ser Phe Cys Gly Ser Asn Ile Ile Asp Asp Phe Phe Cys Asp Leu  
50 55 60  
Pro Pro Leu Val Lys Leu Val Cys Asp Val Lys Glu Arg Tyr Gln Ala  
65 70 75 80  
Val Leu His Phe Met Leu Ala Ser Asn His His Ser His Cys Thr Tyr  
85 90 95  
Ser Cys Val His Leu Phe Ile Ile Ala Ala Ile Ser Lys Ile Arg Ser  
100 105 110  
Ile Lys Gly Arg Leu Gln Val Phe Ser Thr Cys Gly Ser Pro Leu Thr  
115 120 125  
Ala Leu Thr Leu Tyr Tyr Gly Ala Ile Phe Phe Ile Tyr Ser Gln Pro  
130 135 140  
Arg Thr Ser Tyr Ala Leu Lys Met Asp Lys Leu Gly Ser Val Phe Tyr  
145 150 155 160  
Thr Val Val Ile Pro Met Leu Asn Pro Leu Ile Tyr Ser Leu Arg Asn  
165 170 175  
Lys Asp Val Lys Asp Ala Leu Lys Lys Met Leu Asp Arg Leu Gln Phe  
180 185 190  
Leu Lys Glu Lys Tyr Cys Arg Tyr Gly Leu Ala Cys Ser Glu Arg Tyr  
195 200 205  
Leu Leu Ala Ala Met Gly Tyr Asp Cys Tyr Glu Ala Ile Ser Lys Pro  
210 215 220  
Leu Leu  
225

<210> 195  
<211> 1095  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(1095)  
<223>

<400> 195  
atg gcc tct gag acc ttc aac act gaa gac cca gcc ggg ttg atg cac  
Met Ala Ser Glu Thr Phe Asn Thr Glu Asp Pro Ala Gly Leu Met His  
1 5 10 15  
tcg gat gcc ggc acc agc tgc ccc gtc ctt tgc aca tgc cgt aac cag  
Ser Asp Ala Gly Thr Ser Cys Pro Val Leu Cys Thr Cys Arg Asn Gln  
20 25 30

48

96

16U 200 PCT FINAL.ST25

gtg gtg gat tgt agc agc cag cgg cta ttc tcc gtg ccc cca gac ctg 144  
Val Val Asp Cys Ser Ser Gln Arg Leu Phe Ser Val Pro Pro Asp Leu  
35 40 45

cca atg gac acc cga aac ctc agc ctg gcc cac aac cgc atc aca gca 192  
Pro Met Asp Thr Arg Asn Leu Ser Leu Ala His Asn Arg Ile Thr Ala  
50 55 60

gtg ccg cct ggc tac ctc aca tgc tac atg gag ctc cag gtg ctg gat 240  
Val Pro Pro Gly Tyr Leu Thr Cys Tyr Met Glu Leu Gln Val Leu Asp  
65 70 75 80

ttg cac aac aac tcc tta atg gag ctg ccc cgg ggc ctc ttc ctc cat 288  
Leu His Asn Asn Ser Leu Met Glu Leu Pro Arg Gly Leu Phe Leu His  
85 90 95

gcc aag cgc ttg gca cac ttg gac ctg agc tac aac aat ttc agc cat 336  
Ala Lys Arg Leu Ala His Leu Asp Leu Ser Tyr Asn Asn Phe Ser His  
100 105 110

gtg cca gcc gac atg ttc cag gag gcc cat ggg cta gtc cac atc gac 384  
Val Pro Ala Asp Met Phe Gln Glu Ala His Gly Leu Val His Ile Asp  
115 120 125

ctg agc cac aac ccc tgg ctg cgg agg gtg cat ccc cag gcc ttt cag 432  
Leu Ser His Asn Pro Trp Leu Arg Arg Val His Pro Gln Ala Phe Gln  
130 135 140

ggc ctc atg cag ctc cga gac ctg gac ctc agt tat ggg ggc ctg gcc 480  
Gly Leu Met Gln Leu Arg Asp Leu Asp Leu Ser Tyr Gly Gly Leu Ala  
145 150 155 160

ttc ctc agc ctg gag gct ctt gag ggc cta ccg ggg ctg gtg acc ctg 528  
Phe Leu Ser Leu Glu Ala Leu Glu Gly Leu Pro Gly Leu Val Thr Leu  
165 170 175

cag atc ggt ggc aat ccc tgg gtg tgt ggc tgc acc atg gaa ccc ctg 576  
Gln Ile Gly Gly Asn Pro Trp Val Cys Gly Cys Thr Met Glu Pro Leu  
180 185 190

ctg aag tgg ctg cga aac cgg atc cag cgc tgt aca gca gag tca ggt 624  
Leu Lys Trp Leu Arg Asn Arg Ile Gln Arg Cys Thr Ala Glu Ser Gly  
195 200 205

tct ggc ctg ccg gaa gag tca gaa cct gag tcc tgg act ggc caa agg 672  
Ser Gly Leu Pro Glu Glu Ser Glu Pro Glu Ser Trp Thr Gly Gln Arg  
210 215 220

gct gca gta gag ttc cag gac ctc atg cag ctc caa gac ctg gat ctc 720  
Ala Ala Val Glu Phe Gln Asp Leu Met Gln Leu Gln Asp Leu Asp Leu  
225 230 235 240

agc tac gag aac ctg gct ttc ctc aaa ctc aag gcc ctg agc agt gta 768  
Ser Tyr Glu Asn Leu Ala Phe Leu Lys Leu Lys Ala Leu Ser Ser Val  
245 250 255

aac ttt ggg cac agg caa gcg gtt gtg ggt gga ctt tcc aat ccc ctc 816  
Asn Phe Gly His Arg Gln Ala Val Val Gly Gly Leu Ser Asn Pro Leu  
260 265 270

tcc ttc cct ggg tac ctc acc ctc cct ggc ttc tgt gtt aca gat tct 864  
Ser Phe Pro Gly Tyr Leu Thr Leu Pro Gly Phe Cys Val Thr Asp Ser  
275 280 285

cag ctg gct gag tgc cgg ggc cct cct gaa gtc gag ggc gcc ccg ctc 912  
Gln Leu Ala Glu Cys Arg Gly Pro Pro Glu Val Glu Gly Ala Pro Leu  
290 295 300

ttc tca ctc act gag gag agc ttc aag gcc tgc cac ctg acc ctg acc 960  
Phe Ser Leu Thr Glu Glu Ser Phe Lys Ala Cys His Leu Thr Leu Thr  
305 310 315 320

ctg gat gat tac cta ttc att gcg ttc gtg ggc ttc gtg gtc tcc att 1008  
Leu Asp Asp Tyr Leu Phe Ile Ala Phe Val Gly Phe Val Val Ser Ile  
325 330 335

gct tct gtg gcc acc aac ttc ctc ctg ggc atc act gcc aac tgc tgc 1056  
Ala Ser Val Ala Thr Asn Phe Leu Leu Gly Ile Thr Ala Asn Cys Cys  
340 345 350

16U 200 PCT FINAL.ST25

cac cgc tgg agc aag gcc agt gaa gag gaa gag atc tga  
 His Arg Trp Ser Lys Ala Ser Glu Glu Glu Glu Ile  
 355 360

1095

<210> 196  
 <211> 364  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 196

Met Ala Ser Glu Thr Phe Asn Thr Glu Asp Pro Ala Gly Leu Met His  
 1 5 10 15

Ser Asp Ala Gly Thr Ser Cys Pro Val Leu Cys Thr Cys Arg Asn Gln  
 20 25 30

Val Val Asp Cys Ser Ser Gln Arg Leu Phe Ser Val Pro Pro Asp Leu  
 35 40 45

Pro Met Asp Thr Arg Asn Leu Ser Leu Ala His Asn Arg Ile Thr Ala  
 50 55 60

Val Pro Pro Gly Tyr Leu Thr Cys Tyr Met Glu Leu Gln Val Leu Asp  
 65 70 75 80

Leu His Asn Asn Ser Leu Met Glu Leu Pro Arg Gly Leu Phe Leu His  
 85 90 95

Ala Lys Arg Leu Ala His Leu Asp Leu Ser Tyr Asn Asn Phe Ser His  
 100 105 110

Val Pro Ala Asp Met Phe Gln Glu Ala His Gly Leu Val His Ile Asp  
 115 120 125

Leu Ser His Asn Pro Trp Leu Arg Arg Val His Pro Gln Ala Phe Gln  
 130 135 140

Gly Leu Met Gln Leu Arg Asp Leu Asp Leu Ser Tyr Gly Gly Leu Ala  
 145 150 155 160

Phe Leu Ser Leu Glu Ala Leu Glu Gly Leu Pro Gly Leu Val Thr Leu  
 165 170 175

Gln Ile Gly Gly Asn Pro Trp Val Cys Gly Cys Thr Met Glu Pro Leu  
 180 185 190

Leu Lys Trp Leu Arg Asn Arg Ile Gln Arg Cys Thr Ala Glu Ser Gly  
 195 200 205

Ser Gly Leu Pro Glu Glu Ser Glu Pro Glu Ser Trp Thr Gly Gln Arg  
 210 215 220

Ala Ala Val Glu Phe Gln Asp Leu Met Gln Leu Gln Asp Leu Asp Leu  
 225 230 235 240

Ser Tyr Glu Asn Leu Ala Phe Leu Lys Leu Lys Ala Leu Ser Ser Val  
 245 250 255

Asn Phe Gly His Arg Gln Ala Val Val Gly Gly Leu Ser Asn Pro Leu  
 260 265 270



## 160 200 PCT FINAL.ST25

Ser Phe Pro Gly Tyr Leu Thr Leu Pro Gly Phe Cys Val Thr Asp Ser  
275 280 285

Gln Leu Ala Glu Cys Arg Gly Pro Pro Glu Val Glu Gly Ala Pro Leu  
290 295 300

Phe Ser Leu Thr Glu Glu Ser Phe Lys Ala Cys His Leu Thr Leu Thr  
305 310 315 320

Leu Asp Asp Tyr Leu Phe Ile Ala Phe Val Gly Phe Val Val Ser Ile  
325 330 335

Ala Ser Val Ala Thr Asn Phe Leu Leu Gly Ile Thr Ala Asn Cys Cys  
340 345 350

His Arg Trp Ser Lys Ala Ser Glu Glu Glu Ile  
355 360

<210> 197  
<211> 27  
<212> DNA  
<213> Homo sapiens

<400> 197  
gggatttggt gtccaacacg aatttca 27

<210> 198  
<211> 34  
<212> DNA  
<213> Homo sapiens

<400> 198  
gagcctataa tatatgagcc agctacgagt tggg 34

<210> 199  
<211> 32  
<212> DNA  
<213> Homo sapiens

<400> 199  
gtcactgaat tctatcttct gggatttggt gc 32

<210> 200  
<211> 32  
<212> DNA  
<213> Homo sapiens

<400> 200  
aaacctgttt gtacagaggc atttattgag cc 32

<210> 201  
<211> 35  
<212> DNA  
<213> Homo sapiens

<400> 201  
gatattcattt tggggctgca tgatacaatt attgg 35

<210> 202  
<211> 33  
<212> DNA  
<213> Homo sapiens

<400> 202  
ctccaaccca gtgaacatca agttaaatcc cac 33

16U 200 PCT FINAL.ST25

<210> 203  
<211> 36  
<212> DNA  
<213> Homo sapiens  
  
<400> 203  
ttaagctatt agttagttca tatgtcatgg gtttcc 36  
  
<210> 204  
<211> 36  
<212> DNA  
<213> Homo sapiens  
  
<400> 204  
ctcattaata cgatggcata gatacatgta agagag 36  
  
<210> 205  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 205  
atgttccatc taaatgaagc ctgagaaacc cagcactacc cacttggttag 50  
  
<210> 206  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 206  
acatccatta tataacaggg ttaatatatact tgtaaagaat agcacctaga 50  
  
<210> 207  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 207  
aaatgtataa attctgcatg aaattggggg tggggcttgt actacttttg 50  
  
<210> 208  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 208  
atgttccatc taaatgaagc ctgagaaacc cagcactacc cacttggttag 50  
  
<210> 209  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 209  
acatccatta tataacaggg ttaatatatact tgtaaagaat agcacctaga 50  
  
<210> 210  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 210  
aaatatatat tttaaattgg ccaggcgcgg tggctcacgc ctataatccc 50  
  
<210> 211  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 211

## 16U 200 PCT FINAL.ST25

ggctcacgcc tataatccca gçactttggg aggccgaggc aggtggatca 50

<210> 212  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 212  
 tcccaatat atatatatac acacacacac acacacacac acatatatat 50

<210> 213  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens

<400> 213  
 cacacacaca tatatatata cacacatata ttataatca ttaacaaca 50

<210> 214  
 <211> 933  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(930)  
 <223>

<400> 214  
 atg gca gag atg aac ctc acc ttg gtg acc gag ttc ctc ctt att gca 48  
 Met Ala Glu Met Asn Leu Thr Leu Val Thr Glu Phe Leu Leu Ile Ala  
 1 5 10 15

ttc act gaa tat cct gaa tgg gca ctc cct ctc ttc ctc ttg ttt tta 96  
 Phe Thr Glu Tyr Pro Glu Trp Ala Leu Pro Leu Phe Leu Leu Phe Leu  
 20 25 30

ttt atg tat ctc atc acc gta ttg ggg aac tta gag atg att att ctg 144  
 Phe Met Tyr Leu Ile Thr Val Leu Gly Asn Leu Glu Met Ile Ile Leu  
 35 40 45

atc ctc atg gat cac cag ctc cac gct cca atg tat ttc ctt ctg agt 192  
 Ile Leu Met Asp His Gln Leu His Ala Pro Met Tyr Phe Leu Leu Ser  
 50 55 60

cac ctc gct ttc atg gac gtc tgc tac tca tct atc act gtc ccc cag 240  
 His Leu Ala Phe Met Asp Val Cys Tyr Ser Ser Ile Thr Val Pro Gln  
 65 70 75 80

atg ctg gca gtg ctg ctg gag cat ggg gca gct tta tct tac aca cgc 288  
 Met Leu Ala Val Leu Leu Glu His Gly Ala Ala Leu Ser Tyr Thr Arg  
 85 90 95

tgt gct gct cag ttc ttt ctg ttc acc ttc ttt ggt tcc atc gac tgc 336  
 Cys Ala Ala Gln Phe Phe Leu Phe Thr Phe Phe Gly Ser Ile Asp Cys  
 100 105 110

tac ctc ttg gcc ctc atg gcc tat gac cgc tac ttg gct gtg tgc cag 384  
 Tyr Leu Leu Ala Leu Met Ala Tyr Asp Arg Tyr Leu Ala Val Cys Gln  
 115 120 125

ccc ctg ctt tat gtc acc atc ctg aca cag cag gcc cgc ttg agt ctt 432  
 Pro Leu Leu Tyr Val Thr Ile Leu Thr Gln Gln Ala Arg Leu Ser Leu  
 130 135 140

gtg gct ggg gct tac gtt gct ggt ctc atc agt gcc ttg gtg cgg aca 480  
 Val Ala Gly Ala Tyr Val Ala Gly Leu Ile Ser Ala Leu Val Arg Thr  
 145 150 155 160

gtc tca gcc ttc act ctc tcc ttc tgt gga acc agt gag att gac ttt 528  
 Val Ser Ala Phe Thr Leu Ser Phe Cys Gly Thr Ser Glu Ile Asp Phe  
 165 170 175

att ttc tgt gac ctc cct cct ctg tta aag ttg acc tgt ggg gag agc 576  
 Ile Phe Cys Asp Leu Pro Pro Leu Leu Lys Leu Thr Cys Gly Glu Ser  
 180 185 190

## 16U 200 PCT FINAL.ST25

tac act caa gaa gtg ctg att att atg ttt gcc att ttt gtc atc cct 624  
 Tyr Thr Gln Glu Val Leu Ile Ile Met Phe Ala Ile Phe Val Ile Pro  
 195 200 205  
 gct tcc atg gtg gtg atc ttg gtg tcc tac ctg ttt atc atc gtg gcc 672  
 Ala Ser Met Val Val Ile Leu Val Ser Tyr Leu Phe Ile Ile Val Ala  
 210 215 220  
 atc atg ggg atc cct gct gga agc cag gcc aag acc ttc tcc acc tgc 720  
 Ile Met Gly Ile Pro Ala Gly Ser Gln Ala Lys Thr Phe Ser Thr Cys  
 225 230 235 240  
 acc tcc cac ctc act gct gtg tca ctc ttc ttt ggt acc ctc atc ttc 768  
 Thr Ser His Leu Thr Ala Val Ser Leu Phe Phe Gly Thr Leu Ile Phe  
 245 250 255  
 atg tac ttg aga ggt aac tca gat cag tct tcg gag aag aat cgg gta 816  
 Met Tyr Leu Arg Gly Asn Ser Asp Gln Ser Ser Glu Lys Asn Arg Val  
 260 265 270  
 gtg tct gtg ctt tac aca gag gtc atc ccc atg ttg aat ccc ctc atc 864  
 Val Ser Val Leu Tyr Thr Glu Val Ile Pro Met Leu Asn Pro Leu Ile  
 275 280 285  
 tac agc ctg agg aac aag gaa gtg aag gag gcc ctg aga aaa att ctc 912  
 Tyr Ser Leu Arg Asn Lys Glu Val Lys Glu Ala Leu Arg Lys Ile Leu  
 290 295 300  
 aat aga gcc aag ttg tcc taa 933  
 Asn Arg Ala Lys Leu Ser  
 305 310

<210> 215  
 <211> 310  
 <212> PRT  
 <213> Homo sapiens

<400> 215

Met Ala Glu Met Asn Leu Thr Leu Val Thr Glu Phe Leu Leu Ile Ala  
 1 5 10 15  
 Phe Thr Glu Tyr Pro Glu Trp Ala Leu Pro Leu Phe Leu Leu Phe Leu  
 20 25 30  
 Phe Met Tyr Leu Ile Thr Val Leu Gly Asn Leu Glu Met Ile Ile Leu  
 35 40 45  
 Ile Leu Met Asp His Gln Leu His Ala Pro Met Tyr Phe Leu Leu Ser  
 50 55 60  
 His Leu Ala Phe Met Asp Val Cys Tyr Ser Ser Ile Thr Val Pro Gln  
 65 70 75 80  
 Met Leu Ala Val Leu Leu Glu His Gly Ala Ala Leu Ser Tyr Thr Arg  
 85 90 95  
 Cys Ala Ala Gln Phe Phe Leu Phe Thr Phe Phe Gly Ser Ile Asp Cys  
 100 105 110  
 Tyr Leu Leu Ala Leu Met Ala Tyr Asp Arg Tyr Leu Ala Val Cys Gln  
 115 120 125  
 Pro Leu Leu Tyr Val Thr Ile Leu Thr Gln Gln Ala Arg Leu Ser Leu  
 130 135 140  
 Val Ala Gly Ala Tyr Val Ala Gly Leu Ile Ser Ala Leu Val Arg Thr  
 145 150 155 160

16U 200 PCT FINAL.ST25

Val Ser Ala Phe Thr Leu Ser Phe Cys Gly Thr Ser Glu Ile Asp Phe  
165 170 175

Ile Phe Cys Asp Leu Pro Pro Leu Leu Lys Leu Thr Cys Gly Glu Ser  
180 185 190

Tyr Thr Gln Glu Val Leu Ile Ile Met Phe Ala Ile Phe Val Ile Pro  
195 200 205

Ala Ser Met Val Val Ile Leu Val Ser Tyr Leu Phe Ile Ile Val Ala  
210 215 220

Ile Met Gly Ile Pro Ala Gly Ser Gln Ala Lys Thr Phe Ser Thr Cys  
225 230 235 240

Thr Ser His Leu Thr Ala Val Ser Leu Phe Phe Gly Thr Leu Ile Phe  
245 250 255

Met Tyr Leu Arg Gly Asn Ser Asp Gln Ser Ser Glu Lys Asn Arg Val  
260 265 270

Val Ser Val Leu Tyr Thr Glu Val Ile Pro Met Leu Asn Pro Leu Ile  
275 280 285

Tyr Ser Leu Arg Asn Lys Glu Val Lys Glu Ala Leu Arg Lys Ile Leu  
290 295 300

Asn Arg Ala Lys Leu Ser  
305 310

<210> 216  
<211> 933  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(930)  
<223>

<400> 216  
atg gaa ggc aac aag aca tgg atc aca gac atc acc ttg ccg cga ttc 48  
Met Glu Gly Asn Lys Thr Trp Ile Thr Asp Ile Thr Leu Pro Arg Phe  
1 5 10 15

cag gtt ggt cca gca ctg gag att ctc ctc tgt gga ctt ttc tct gcc 96  
Gln Val Gly Pro Ala Leu Glu Ile Leu Leu Cys Gly Leu Phe Ser Ala  
20 25 30

ttc tat aca ctc acc ctg ctg ggg aat ggg gtc atc ttt ggg att atc 144  
Phe Tyr Thr Leu Thr Leu Leu Gly Asn Gly Val Ile Phe Gly Ile Ile  
35 40 45

tgc ctg gac tgt aag ctt cac aca ccc atg tac ttc ttc ctc tca cac 192  
Cys Leu Asp Cys Lys Leu His Thr Pro Met Tyr Phe Phe Leu Ser His  
50 55 60

ctg gcc att gtt gac ata tcc tat gct tcc aac tat gtc ccc aag atg 240  
Leu Ala Ile Val Asp Ile Ser Tyr Ala Ser Asn Tyr Val Pro Lys Met  
65 70 75 80

ctg acg aat ctt atg aac cag gaa agc acc atc tcc ttt ttt cca tgc 288  
Leu Thr Asn Leu Met Asn Gln Glu Ser Thr Ile Ser Phe Phe Pro Cys  
85 90 95

ata atg cag aca ttc ttg tat ttg gct ttt gct cac gta gag tgt ctg 336  
Ile Met Gln Thr Phe Leu Tyr Leu Ala Phe Ala His Val Glu Cys Leu

100 105 160 200 PCT FINAL.ST25  
110

att ttg gtg gtg atg tcc tat gat cgc tat gcg gac atc tgc cac ccc 384  
ile leu val val met ser tyr asp arg tyr ala asp ile cys his pro  
115 120 125

tta cgt tac aat agc ctc atg agc tgg aga gtg tgc act gtc ctg gct 432  
leu arg tyr asn ser leu met ser trp arg val cys thr val leu ala  
130 135 140

gtg gct tcc tgg gtg ttc agc ttc ctc ctg gct ctg gtc cct tta gtt 480  
val ala ser trp val phe ser phe leu leu ala leu val pro leu val  
145 150 155 160

ctc atc ctg agc ctg ccc ttc tgc ggg cct cat gaa atc aac cac ttc 528  
leu ile leu ser leu pro phe cys gly pro his glu ile asn his phe  
165 170 175

ttc tgt gaa atc ctg tct gtc ctc aag ttg gcc tgt gct gac acc tgg 576  
phe cys glu ile leu ser val leu lys leu ala cys ala asp thr trp  
180 185 190

ctc aac cag gtg gtc atc ttt gca gcc tgc gtg ttc atc ctg gtg ggg 624  
leu asn gln val val ile phe ala ala cys val phe ile leu val gly  
195 200 205

cca ctc tgc ctg gtg ctg gtc tcc tac ttg cgc atc ctg gcc gcc atc 672  
pro leu cys leu val leu val ser tyr leu arg ile leu ala ala ile  
210 215 220

ttg agg atc cag tct ggg gag ggc cgc aga aag gcc ttc tcc acc tgc 720  
leu arg ile gln ser gly glu gly arg arg lys ala phe ser thr cys  
225 230 235 240

tcc tcc cac ctt tgc gtg gtg gga ctc ttc ttt ggc agc gcc att gtc 768  
ser ser his leu cys val val gly leu phe phe gly ser ala ile val  
245 250 255

acg tac atg gcc ccc aag tcc cgc cat cct gag gag cag cag aaa gtt 816  
thr tyr met ala pro lys ser arg his pro glu glu gln gln lys val  
260 265 270

ctt tcc ctg ttt tac agc ctt ttc aat cca atg ctg aac ccc ctg ata 864  
leu ser leu phe tyr ser leu phe asn pro met leu asn pro leu ile  
275 280 285

tat agc cta agg aat gca gag gtc aag ggc gcc ctg agg agg gca ctg 912  
tyr ser leu arg asn ala glu val lys gly ala leu arg arg ala leu  
290 295 300

agg aag gag agg ctg acg tga 933  
arg lys glu arg leu thr  
305 310

<210> 217  
<211> 310  
<212> PRT  
<213> Homo sapiens

<400> 217

Met Glu Gly Asn Lys Thr Trp Ile Thr Asp Ile Thr Leu Pro Arg Phe  
1 5 10 15

Gln Val Gly Pro Ala Leu Glu Ile Leu Leu Cys Gly Leu Phe Ser Ala  
20 25 30

Phe Tyr Thr Leu Thr Leu Leu Gly Asn Gly Val Ile Phe Gly Ile Ile  
35 40 45

Cys Leu Asp Cys Lys Leu His Thr Pro Met Tyr Phe Phe Leu Ser His  
50 55 60

Leu Ala Ile Val Asp Ile Ser Tyr Ala Ser Asn Tyr Val Pro Lys Met

Page 124

16U 200 PCT FINAL.ST25

Ile Ser Asn Tyr Pro Gln Trp Arg Asp Thr Phe Phe Thr Leu Val Leu	20 25 30	
ata att tac ctc agc aca ttg ttg ggg aat gga ttt atg atc ttt ctt		144
Ile Ile Tyr Leu Ser Thr Leu Leu Gly Asn Gly Phe Met Ile Phe Leu	35 40 45	
att cac ttt gac ccc aac ctc cac act cca atc tac ttc ttc ctt agt		192
Ile His Phe Asp Pro Asn Leu His Thr Pro Ile Tyr Phe Phe Leu Ser	50 55 60	
aac ctg tct ttc tta gac ctt tgt tat gga aca gct tcc atg ccc cag		240
Asn Leu Ser Phe Leu Asp Leu Cys Tyr Gly Thr Ala Ser Met Pro Gln	65 70 75 80	
gct ttg gtg cat tgt ttc tct acc cat ccc tac ctc tct tat ccc cga		288
Ala Leu Val His Cys Phe Ser Thr His Pro Tyr Leu Ser Tyr Pro Arg	85 90 95	
tgt ttg gct caa acg agt gtc tcc ttg gct ttg gcc aca gca gag tgc		336
Cys Leu Ala Gln Thr Ser Val Ser Leu Ala Leu Ala Thr Ala Glu Cys	100 105 110	
ctc cta ctg gct gcc atg gcc tat gac cgt gtg gtt gct atc agc aat		384
Leu Leu Leu Ala Ala Met Ala Tyr Asp Arg Val Val Ala Ile Ser Asn	115 120 125	
ccc ctg cgt tat tca gtg gtt atg aat ggc cca gta tgt gtc tgc ttg		432
Pro Leu Arg Tyr Ser Val Val Met Asn Gly Pro Val Cys Val Cys Leu	130 135 140	
gtt gct acc tca tgg ggg aca tca ctt gtg ctc act gcc atg ctc atc		480
Val Ala Thr Ser Trp Gly Thr Ser Leu Val Leu Thr Ala Met Leu Ile	145 150 155 160	
cta tcc ctg agg ctt cac ttc tgt ggg gct aat gtc atc aac cat ttt		528
Leu Ser Leu Arg Leu His Phe Cys Gly Ala Asn Val Ile Asn His Phe	165 170 175	
gcc tgt gag att ctc tcc ctc att aag ctg acc tgt tct gat acc agc		576
Ala Cys Glu Ile Leu Ser Leu Ile Lys Leu Thr Cys Ser Asp Thr Ser	180 185 190	
ctc aat gaa ttt atg atc ctc atc acc agt atc ttc acc ctg ctg cta		624
Leu Asn Glu Phe Met Ile Leu Ile Thr Ser Ile Phe Thr Leu Leu Leu	195 200 205	
cca ttt ggg ttt gtt ctc ctc tcc tac ata cga att gct atg gct atc		672
Pro Phe Gly Phe Val Leu Leu Ser Tyr Ile Arg Ile Ala Met Ala Ile	210 215 220	
ata agg att cgc tca ctc cag ggc agg ctc aag gcc ttt acc aca tgt		720
Ile Arg Ile Arg Ser Leu Gln Gly Arg Leu Lys Ala Phe Thr Thr Cys	225 230 235 240	
ggc tct cac ctg acc gtg gtg aca atc ttc tat ggg tca gcc atc tcc		768
Gly Ser His Leu Thr Val Val Thr Ile Phe Tyr Gly Ser Ala Ile Ser	245 250 255	
atg tat atg aaa act cag tcc aag tcc tac cct gac cag gac aag ttt		816
Met Tyr Met Lys Thr Gln Ser Lys Ser Tyr Pro Asp Gln Asp Lys Phe	260 265 270	
atc tca gtg ttt tat gga gct ttg aca ccc atg ttg aac ccc ctg ata		864
Ile Ser Val Phe Tyr Gly Ala Leu Thr Pro Met Leu Asn Pro Leu Ile	275 280 285	
tat agc ctg aga aaa aaa gat gtt aaa cgg gca ata agg aaa gtt atg		912
Tyr Ser Leu Arg Lys Lys Asp Val Lys Arg Ala Ile Arg Lys Val Met	290 295 300	
ttg aaa agg aca tga		927
Leu Lys Arg Thr	305	
<210> 219		
<211> 308		
<212> PRT		



16U 200 PCT FINAL.ST25

&lt;213&gt; Homo sapiens

&lt;400&gt; 219

Met Ala Met Asp Asn Val Thr Ala Val Phe Gln Phe Leu Leu Ile Gly  
1 5 10 15

Ile Ser Asn Tyr Pro Gln Trp Arg Asp Thr Phe Phe Thr Leu Val Leu  
20 25 30

Ile Ile Tyr Leu Ser Thr Leu Leu Gly Asn Gly Phe Met Ile Phe Leu  
35 40 45

Ile His Phe Asp Pro Asn Leu His Thr Pro Ile Tyr Phe Phe Leu Ser  
50 55 60

Asn Leu Ser Phe Leu Asp Leu Cys Tyr Gly Thr Ala Ser Met Pro Gln  
65 70 75 80

Ala Leu Val His Cys Phe Ser Thr His Pro Tyr Leu Ser Tyr Pro Arg  
85 90 95

Cys Leu Ala Gln Thr Ser Val Ser Leu Ala Leu Ala Thr Ala Glu Cys  
100 105 110

Leu Leu Leu Ala Ala Met Ala Tyr Asp Arg Val Val Ala Ile Ser Asn  
115 120 125

Pro Leu Arg Tyr Ser Val Val Met Asn Gly Pro Val Cys Val Cys Leu  
130 135 140

Val Ala Thr Ser Trp Gly Thr Ser Leu Val Leu Thr Ala Met Leu Ile  
145 150 155 160

Leu Ser Leu Arg Leu His Phe Cys Gly Ala Asn Val Ile Asn His Phe  
165 170 175

Ala Cys Glu Ile Leu Ser Leu Ile Lys Leu Thr Cys Ser Asp Thr Ser  
180 185 190

Leu Asn Glu Phe Met Ile Leu Ile Thr Ser Ile Phe Thr Leu Leu Leu  
195 200 205

Pro Phe Gly Phe Val Leu Leu Ser Tyr Ile Arg Ile Ala Met Ala Ile  
210 215 220

Ile Arg Ile Arg Ser Leu Gln Gly Arg Leu Lys Ala Phe Thr Thr Cys  
225 230 235 240

Gly Ser His Leu Thr Val Val Thr Ile Phe Tyr Gly Ser Ala Ile Ser  
245 250 255

Met Tyr Met Lys Thr Gln Ser Lys Ser Tyr Pro Asp Gln Asp Lys Phe  
260 265 270

Ile Ser Val Phe Tyr Gly Ala Leu Thr Pro Met Leu Asn Pro Leu Ile  
275 280 285

Tyr Ser Leu Arg Lys Lys Asp Val Lys Arg Ala Ile Arg Lys Val Met  
290 295 300

16U 200 PCT FINAL.ST25

Leu Lys Arg Thr  
305

<210> 220  
<211> 1008  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(1005)  
<223>

<400> 220  
atg gaa tca tct ttc tca ttt gga gtg atc ctt gct gtc ctg gcc tcc 48  
Met Glu Ser Ser Phe Ser Phe Gly Val Ile Leu Ala Val Leu Ala Ser  
1 5 10 15  
ctc atc att gct act aac aca cta gtg gct gtg gct gtg ctg ctg ttg 96  
Leu Ile Ile Ala Thr Asn Thr Leu Val Ala Val Ala Val Leu Leu Leu  
20 25 30  
atc cac aag aat gat ggt gtc agt ctc tgc ttc acc ttg aat ctg gct 144  
Ile His Lys Asn Asp Gly Val Ser Leu Cys Phe Thr Leu Asn Leu Ala  
35 40 45  
gtg gct gac acc ttg att ggt gtg gcc atc tct ggc cta ctc aca gac 192  
Val Ala Asp Thr Leu Ile Gly Val Ala Ile Ser Gly Leu Leu Thr Asp  
50 55 60  
cag ctc tcc agc cct tct cgg ccc aca cag aag acc ctg tgc agc ctg 240  
Gln Leu Ser Ser Pro Ser Arg Pro Thr Gln Lys Thr Leu Cys Ser Leu  
65 70 75 80  
cgg atg gca ttt gtc act tcc tcc gca gct gcc tct gtc ctc acg gtc 288  
Arg Met Ala Phe Val Thr Ser Ser Ala Ala Ala Ser Val Leu Thr Val  
85 90 95  
atg ctg atc acc ttt gac agg tac ctt gcc atc aag cag ccc ttc cgc 336  
Met Leu Ile Thr Phe Asp Arg Tyr Leu Ala Ile Lys Gln Pro Phe Arg  
100 105 110  
tac ttg aag atc atg agt ggg ttc gtg gcc ggg gcc tgc att gcc ggg 384  
Tyr Leu Lys Ile Met Ser Gly Phe Val Ala Gly Ala Cys Ile Ala Gly  
115 120 125  
ctg tgg tta gtg tct tac ctc att ggc ttc ctc cca ctc gga atc ccc 432  
Leu Trp Leu Val Ser Tyr Leu Ile Gly Phe Leu Pro Leu Gly Ile Pro  
130 135 140  
atg ttc cag cag act gcc tac aaa ggg cag tgc agc ttc ttt gct gta 480  
Met Phe Gln Gln Thr Ala Tyr Lys Gly Gln Cys Ser Phe Phe Ala Val  
145 150 155 160  
ttt cac cct cac ttc gtg ctg acc ctc tcc tgc gtt ggc ttc ttc cca 528  
Phe His Pro His Phe Val Leu Thr Leu Ser Cys Val Gly Phe Phe Pro  
165 170 175  
- gcc atg ctc ctc ttt gtc ttc ttc tac tgc gac atg ctc aag att gcc 576  
Ala Met Leu Leu Phe Val Phe Phe Tyr Cys Asp Met Leu Lys Ile Ala  
180 185 190  
tcc atg cac agc cag cag att cga aag atg gaa cat gca gga gcc atg 624  
Ser Met His Ser Gln Gln Ile Arg Lys Met Glu His Ala Gly Ala Met  
195 200 205  
gct gga ggt tat cga tcc cca cgg act ccc agc gac ttc aaa gct ctc 672  
Ala Gly Gly Tyr Arg Ser Pro Arg Thr Pro Ser Asp Phe Lys Ala Leu  
210 215 220  
cgt act gtg tct gtt ctc att ggg agc ttt gct cta tcc tgg acc ccc 720  
Arg Thr Val Ser Val Leu Ile Gly Ser Phe Ala Leu Ser Trp Thr Pro  
225 230 235 240  
ttc ctt atc act ggc att gtg cag gtg gcc tgc cag gag tgt cac ctc 768  
Phe Leu Ile Thr Gly Ile Val Gln Val Ala Cys Gln Glu Cys His Leu  
245 250 255

## 16U 200 PCT FINAL.ST25

tac cta gtg ctg gaa cgg tac ctg tgg ctg ctc ggc gtg ggc aac tcc 816  
 Tyr Leu Val Leu Glu Arg Tyr Leu Trp Leu Leu Gly Val Gly Asn Ser  
 260 265 270

ctg ctc aac cca ctc atc tat gcc tat tgg cag aag gag gtg cga ctg 864  
 Leu Leu Asn Pro Leu Ile Tyr Ala Tyr Trp Gln Lys Glu Val Arg Leu  
 275 280 285

cag ctc tac cac atg gcc cta gga gtg aag aag gtg ctc acc tca ttc 912  
 Gln Leu Tyr His Met Ala Leu Gly Val Lys Lys Val Leu Thr Ser Phe  
 290 295 300

ctc ctc ttt ctc tcg gcc agg aat tgt ggc cca gag agg ccc agg gaa 960  
 Leu Leu Phe Leu Ser Ala Arg Asn Cys Gly Pro Glu Arg Pro Arg Glu  
 305 310 315 320

agt tcc tgt cac atc gtc act atc tcc agc tca gag ttt gat ggc taa 1008  
 Ser Ser Cys His Ile Val Thr Ile Ser Ser Ser Glu Phe Asp Gly  
 325 330 335

<210> 221

<211> 335

<212> PRT

<213> Homo sapiens

<400> 221

Met Glu Ser Ser Phe Ser Phe Gly Val Ile Leu Ala Val Leu Ala Ser  
 1 5 10 15

Leu Ile Ile Ala Thr Asn Thr Leu Val Ala Val Ala Val Leu Leu Leu  
 20 25 30

Ile His Lys Asn Asp Gly Val Ser Leu Cys Phe Thr Leu Asn Leu Ala  
 35 40 45

Val Ala Asp Thr Leu Ile Gly Val Ala Ile Ser Gly Leu Leu Thr Asp  
 50 55 60

Gln Leu Ser Ser Pro Ser Arg Pro Thr Gln Lys Thr Leu Cys Ser Leu  
 65 70 75 80

Arg Met Ala Phe Val Thr Ser Ser Ala Ala Ala Ser Val Leu Thr Val  
 85 90 95

Met Leu Ile Thr Phe Asp Arg Tyr Leu Ala Ile Lys Gln Pro Phe Arg  
 100 105 110

Tyr Leu Lys Ile Met Ser Gly Phe Val Ala Gly Ala Cys Ile Ala Gly  
 115 120 125

Leu Trp Leu Val Ser Tyr Leu Ile Gly Phe Leu Pro Leu Gly Ile Pro  
 130 135 140

Met Phe Gln Gln Thr Ala Tyr Lys Gly Gln Cys Ser Phe Phe Ala Val  
 145 150 155 160

Phe His Pro His Phe Val Leu Thr Leu Ser Cys Val Gly Phe Phe Pro  
 165 170 175

Ala Met Leu Leu Phe Val Phe Phe Tyr Cys Asp Met Leu Lys Ile Ala  
 180 185 190

Ser Met His Ser Gln Gln Ile Arg Lys Met Glu His Ala Gly Ala Met  
 195 200 205

## 16U 200 PCT FINAL.ST25

Ala Gly Gly Tyr Arg Ser Pro Arg Thr Pro Ser Asp Phe Lys Ala Leu  
210 215 220

Arg Thr Val Ser Val Leu Ile Gly Ser Phe Ala Leu Ser Trp Thr Pro  
225 230 235 240

Phe Leu Ile Thr Gly Ile Val Gln Val Ala Cys Gln Glu Cys His Leu  
245 250 255

Tyr Leu Val Leu Glu Arg Tyr Leu Trp Leu Leu Gly Val Gly Asn Ser  
260 265 270

Leu Leu Asn Pro Leu Ile Tyr Ala Tyr Trp Gln Lys Glu Val Arg Leu  
275 280 285

Gln Leu Tyr His Met Ala Leu Gly Val Lys Lys Val Leu Thr Ser Phe  
290 295 300

Leu Leu Phe Leu Ser Ala Arg Asn Cys Gly Pro Glu Arg Pro Arg Glu  
305 310 315 320

Ser Ser Cys His Ile Val Thr Ile Ser Ser Ser Glu Phe Asp Gly  
325 330 335

<210> 222  
<211> 975  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(972)  
<223>

<400> 222  
atg cgg cct cag gac agc acc ggg gtc gcg gag ctc cag gag ccc ggg 48  
Met Arg Pro Gln Asp Ser Thr Gly Val Ala Glu Leu Gln Glu Pro Gly  
1 5 10 15

ctg ccg cta acg gac gat gca ccc ccg ggc gcc act gag gag ccg gcg 96  
Leu Pro Leu Thr Asp Asp Ala Pro Gly Ala Thr Glu Glu Pro Ala  
20 25 30

gcc gcc gag gca gct ggg gcg cca gac cgc gtg ggc tct tta ttt gtt 144  
Ala Ala Glu Ala Ala Gly Ala Pro Asp Arg Val Gly Ser Leu Phe Val  
35 40 45

aaa aaa gtg caa gac gtc cat gct gta gag att agt gcg ttt cga tgt 192  
Lys Lys Val Gln Asp Val His Ala Val Glu Ile Ser Ala Phe Arg Cys  
50 55 60

gtg ttc caa atg cta gtt gtt atc cct tgc tta ata tac aga aaa act 240  
Val Phe Gln Met Leu Val Val Ile Pro Cys Leu Ile Tyr Arg Lys Thr  
65 70 75 80

ggg ttt ata ggc cca aaa ggt caa cga att ttc ctc att ctc aga gga 288  
Gly Phe Ile Gly Pro Lys Gly Gln Arg Ile Phe Leu Ile Leu Arg Gly  
85 90 95

gtc ctt ggt tct acc gcc atg atg ctt ata tac tat gct tac cag aca 336  
Val Leu Gly Ser Thr Ala Met Met Leu Ile Tyr Tyr Ala Tyr Gln Thr  
100 105 110

atg tcc ctc gct gat gcc aca gtt atc acg ttt agc agt cca gtg ttt 384  
Met Ser Leu Ala Asp Ala Thr Val Ile Thr Phe Ser Ser Pro Val Phe  
115 120 125

acg tcc ata ttt gct tgg ata tgt ctc aag gaa aaa tat agc cct tgg 432  
Thr Ser Ile Phe Ala Trp Ile Cys Leu Lys Glu Lys Tyr Ser Pro Trp

160 200 PCT FINAL.ST25  
140

130 135  
gat gct ctt ttc acc gtg ttc aca atc act gga gtg atc ctt atc gtg 480  
Asp Ala Leu Phe Thr Val Phe Thr Ile Thr Gly Val Ile Leu Ile Val  
145 150 155 160

aga cca cca ttt ttg ttt ggt tcc gac act tcg ggg atg gaa gaa agc 528  
Arg Pro Pro Phe Leu Phe Gly Ser Asp Thr Ser Gly Met Glu Glu Ser  
165 170 175

tat tca ggc cac ctt aag gga aca ttc gca gca att gga agt gcc gta 576  
Tyr Ser Gly His Leu Lys Gly Thr Phe Ala Ala Ile Gly Ser Ala Val  
180 185 190

ttt gct gca tcg act cta gtt atc cta aga aaa atg gga aaa tct gtg 624  
Phe Ala Ala Ser Thr Leu Val Ile Leu Arg Lys Met Gly Lys Ser Val  
195 200 205

gac tac ttt ctg agc att tgg tat tat gta gta ctt ggc ctc gtt gaa 672  
Asp Tyr Phe Leu Ser Ile Trp Tyr Tyr Val Val Leu Gly Leu Val Glu  
210 215 220

agt gtc atc atc ctc tct gta tta gga gag tgg agt ctg cct tac tgt 720  
Ser Val Ile Ile Leu Ser Val Leu Gly Glu Trp Ser Leu Pro Tyr Cys  
225 230 235 240

ggg ttg gac agg cta ttt ctc ata ttc att ggg ctc ttt ggt ttg ggg 768  
Gly Leu Asp Arg Leu Phe Leu Ile Phe Ile Gly Leu Phe Gly Leu Gly  
245 250 255

ggt cag ata ttt atc aca aaa gca ctt caa ata gaa aaa gca ggg cca 816  
Gly Gln Ile Phe Ile Thr Lys Ala Leu Gln Ile Glu Lys Ala Gly Pro  
260 265 270

gta gca ata atg aag aca atg gat gtg gtc ttt gct ttt atc ttt cag 864  
Val Ala Ile Met Lys Thr Met Asp Val Val Phe Ala Phe Ile Phe Gln  
275 280 285

att att ttc ttt aat aat gtg cca acg tgg tgg aca gtg ggt ggt gct 912  
Ile Ile Phe Phe Asn Asn Val Pro Thr Trp Trp Thr Val Gly Gly Ala  
290 295 300

ctc tgc gta gta gcc agt aat gtt gga gcg gcc att cgt aaa tgg tac 960  
Leu Cys Val Val Ala Ser Asn Val Gly Ala Ala Ile Arg Lys Trp Tyr  
305 310 315 320

caa agt tcc aaa tga 975  
Gln Ser Ser Lys

<210> 223  
<211> 324  
<212> PRT  
<213> Homo sapiens

<400> 223

Met Arg Pro Gln Asp Ser Thr Gly Val Ala Glu Leu Gln Glu Pro Gly  
1 5 10 15

Leu Pro Leu Thr Asp Asp Ala Pro Pro Gly Ala Thr Glu Glu Pro Ala  
20 25 30

Ala Ala Glu Ala Ala Gly Ala Pro Asp Arg Val Gly Ser Leu Phe Val  
35 40 45

Lys Lys Val Gln Asp Val His Ala Val Glu Ile Ser Ala Phe Arg Cys  
50 55 60

Val Phe Gln Met Leu Val Val Ile Pro Cys Leu Ile Tyr Arg Lys Thr  
65 70 75 80

Gly Phe Ile Gly Pro Lys Gly Gln Arg Ile Phe Leu Ile Leu Arg Gly

85 90 160 200 PCT FINAL.ST25 95  
 Val Leu Gly Ser Thr Ala Met Met Leu Ile Tyr Tyr Ala Tyr Gln Thr  
 100 105 110  
 Met Ser Leu Ala Asp Ala Thr Val Ile Thr Phe Ser Ser Pro Val Phe  
 115 120 125  
 Thr Ser Ile Phe Ala Trp Ile Cys Leu Lys Glu Lys Tyr Ser Pro Trp  
 130 135 140  
 Asp Ala Leu Phe Thr Val Phe Thr Ile Thr Gly Val Ile Leu Ile Val  
 145 150 155 160  
 Arg Pro Pro Phe Leu Phe Gly Ser Asp Thr Ser Gly Met Glu Glu Ser  
 165 170 175  
 Tyr Ser Gly His Leu Lys Gly Thr Phe Ala Ala Ile Gly Ser Ala Val  
 180 185 190  
 Phe Ala Ala Ser Thr Leu Val Ile Leu Arg Lys Met Gly Lys Ser Val  
 195 200 205  
 Asp Tyr Phe Leu Ser Ile Trp Tyr Tyr Val Val Leu Gly Leu Val Glu  
 210 215 220  
 Ser Val Ile Ile Leu Ser Val Leu Gly Glu Trp Ser Leu Pro Tyr Cys  
 225 230 235 240  
 Gly Leu Asp Arg Leu Phe Leu Ile Phe Ile Gly Leu Phe Gly Leu Gly  
 245 250 255  
 Gly Gln Ile Phe Ile Thr Lys Ala Leu Gln Ile Glu Lys Ala Gly Pro  
 260 265 270  
 Val Ala Ile Met Lys Thr Met Asp Val Val Phe Ala Phe Ile Phe Gln  
 275 280 285  
 Ile Ile Phe Phe Asn Asn Val Pro Thr Trp Trp Thr Val Gly Gly Ala  
 290 295 300  
 Leu Cys Val Val Ala Ser Asn Val Gly Ala Ala Ile Arg Lys Trp Tyr  
 305 310 315 320

Gln Ser Ser Lys

<210> 224  
 <211> 876  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(873)  
 <223>

<400> 224  
 atg tac aac atg agt gac cat ggt aca ggc ctg ttc atc ctt ttg ggt 48  
 Met Tyr Asn Met Ser Asp His Gly Thr Gly Leu Phe Ile Leu Leu Gly  
 1 5 10 15  
 atc cct gga ctt gag cag tac cac gtc tgg atc agc atc cca ttc tgc 96

## 16U.200 PCT FINAL.ST25

Ile Pro Gly Leu Glu Gln Tyr His Val Trp Ile Ser Ile Pro Phe Cys  
 20 25 30

tta atc tat ctc atg gct gtc gtg gcc aat agt atc ctt ctc tac ctc 144  
 Leu Ile Tyr Leu Met Ala Val Val Ala Asn Ser Ile Leu Leu Tyr Leu  
 35 40 45

att gtg gta gag cac agt ctt cat gca ccc atg ttc ttt ttc ctt tcc 192  
 Ile Val Val Glu His Ser Leu His Ala Pro Met Phe Phe Phe Leu Ser  
 50 55 60

atg ctg gcc att act gat ctc ata ttg tcc acc aca tgt gtc ccc aaa 240  
 Met Leu Ala Ile Thr Asp Leu Ile Leu Ser Thr Thr Cys Val Pro Lys  
 65 70 75 80

aca ctt agc atc ttc tgc ttt gtg ttg gac tca gct ata ctg ctg gcc 288  
 Thr Leu Ser Ile Phe Cys Phe Val Leu Asp Ser Ala Ile Leu Leu Ala  
 85 90 95

atg gca ttt gac cgc tat atg gcc att tgc tca ccc ttg aga tac act 336  
 Met Ala Phe Asp Arg Tyr Met Ala Ile Cys Ser Pro Leu Arg Tyr Thr  
 100 105 110

act att ctg act ccc aaa acc att gtc aaa att gct gtg gga ata tgt 384  
 Thr Ile Leu Thr Pro Lys Thr Ile Val Lys Ile Ala Val Gly Ile Cys  
 115 120 125

ttc cga agt ttc tgt gtt ttt gtc cca tgt gtt ttc ctt gtg aat cgt 432  
 Phe Arg Ser Phe Cys Val Phe Val Pro Cys Val Phe Leu Val Asn Arg  
 130 135 140

tta ccc ttc tgc agg aca cat atc att tct cac aca tac tgt gag cac 480  
 Leu Pro Phe Cys Arg Thr His Ile Ile Ser His Thr Tyr Cys Glu His  
 145 150 155 160

ata ggt gtt gcc cag ctt gcc tgt gct gat atc tcc atc aat atc tgg 528  
 Ile Gly Val Ala Gln Leu Ala Cys Ala Asp Ile Ser Ile Asn Ile Trp  
 165 170 175

tgt gga ttt tgt gtt ccc atc atg acg gtg atg aca gac gtg atc ctc 576  
 Cys Gly Phe Cys Val Pro Ile Met Thr Val Met Thr Asp Val Ile Leu  
 180 185 190

att gct gtc tcc tac acc ctc atc ctc tgt gct gtc ttt tgc ctc ccc 624  
 Ile Ala Val Ser Tyr Thr Leu Ile Leu Cys Ala Val Phe Cys Leu Pro  
 195 200 205

tcc caa gat gcc cgt cag aag gcc ctt tgc tcc tgt ggt tcc cat gtc 672  
 Ser Gln Asp Ala Arg Gln Lys Ala Leu Cys Ser Cys Gly Ser His Val  
 210 215 220

tgt gtt atc ctc ata ttc tat ata cca gca ttc ttc tcc att ctt gcc 720  
 Cys Val Ile Leu Ile Phe Tyr Ile Pro Ala Phe Phe Ser Ile Leu Ala  
 225 230 235 240

cat tgc ttt ggg cat aat gtc cct cat acc ttt cat att atg ttt gcc 768  
 His Cys Phe Gly His Asn Val Pro His Thr Phe His Ile Met Phe Ala  
 245 250 255

aac ctt tat gta atc att cca cct gct ctc aac tct att gtc tac aga 816  
 Asn Leu Tyr Val Ile Ile Pro Pro Ala Leu Asn Ser Ile Val Tyr Arg  
 260 265 270

ata aag acc aag caa atc cag aac aga atc ctt ttg ctc ttt ccc aag 864  
 Ile Lys Thr Lys Gln Ile Gln Asn Arg Ile Leu Leu Leu Phe Pro Lys  
 275 280 285

ggg tcc cag tga 876  
 Gly Ser Gln  
 290

<210> 225  
 <211> 291  
 <212> PRT  
 <213> Homo sapiens  
 <400> 225

16U 200 PCT FINAL.ST25  
Met Tyr Asn Met Ser Asp His Gly Thr Gly Leu Phe Ile Leu Leu Gly  
1 5 10 15  
Ile Pro Gly Leu Glu Gln Tyr His Val Trp Ile Ser Ile Pro Phe Cys  
20 25 30  
Leu Ile Tyr Leu Met Ala Val Val Ala Asn Ser Ile Leu Leu Tyr Leu  
35 40 45  
Ile Val Val Glu His Ser Leu His Ala Pro Met Phe Phe Phe Leu Ser  
50 55 60  
Met Leu Ala Ile Thr Asp Leu Ile Leu Ser Thr Thr Cys Val Pro Lys  
65 70 75 80  
Thr Leu Ser Ile Phe Cys Phe Val Leu Asp Ser Ala Ile Leu Leu Ala  
85 90 95  
Met Ala Phe Asp Arg Tyr Met Ala Ile Cys Ser Pro Leu Arg Tyr Thr  
100 105 110  
Thr Ile Leu Thr Pro Lys Thr Ile Val Lys Ile Ala Val Gly Ile Cys  
115 120 125  
Phe Arg Ser Phe Cys Val Phe Val Pro Cys Val Phe Leu Val Asn Arg  
130 135 140  
Leu Pro Phe Cys Arg Thr His Ile Ile Ser His Thr Tyr Cys Glu His  
145 150 155 160  
Ile Gly Val Ala Gln Leu Ala Cys Ala Asp Ile Ser Ile Asn Ile Trp  
165 170 175  
Cys Gly Phe Cys Val Pro Ile Met Thr Val Met Thr Asp Val Ile Leu  
180 185 190  
Ile Ala Val Ser Tyr Thr Leu Ile Leu Cys Ala Val Phe Cys Leu Pro  
195 200 205  
Ser Gln Asp Ala Arg Gln Lys Ala Leu Cys Ser Cys Gly Ser His Val  
210 215 220  
Cys Val Ile Leu Ile Phe Tyr Ile Pro Ala Phe Phe Ser Ile Leu Ala  
225 230 235 240  
His Cys Phe Gly His Asn Val Pro His Thr Phe His Ile Met Phe Ala  
245 250 255  
Asn Leu Tyr Val Ile Ile Pro Pro Ala Leu Asn Ser Ile Val Tyr Arg  
260 265 270  
Ile Lys Thr Lys Gln Ile Gln Asn Arg Ile Leu Leu Leu Phe Pro Lys  
275 280 285  
Gly Ser Gln  
290  
<210> 226  
<211> 1949  
<212> DNA



160 200 PCT FINAL.ST25

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (430)..(1164)

&lt;223&gt;

&lt;400&gt; 226

```

agaggggcgg gacttctccg ggtcaaggcc aggtctcttc cctgctcggt gctatgttcc 60
tgttccacgg ggtggcgggt cctgggaggg agaagcccag acccagtga cactgacatt 120
gtctctcgct gttcccagcc tttccaggc gtgtgactta atccgtttcc acagccagac 180
cttttctccg tgagttcttc agccaggact gctgccatgc cggtgactgt taccaccca 240
accgtcacga ccaccatgcg gtccccacc gtcgtagggt cctctagggc cctgatccag 300
cccctgggcc tctccgcct gctgcagctg gtgtccacct gcgtggcctt gtcactggtg 360
gccagcgtgg gcgcctggaa ggggcctatg ggtaactggt ccatgttcac ctagtgtttc 420
tgctttgcc atg acc ctg gtc atc ctc ctc gtg gag ctg ggc ggc tcc cag 471
Met Thr Leu Val Ile Leu Leu Val Glu Leu Gly Gly Ser Gln
1 5 10

gcc cgc ttc ccc ttg ttt tgg cgc aac ttc ccc atc acc ttt gcc tgc 519
Ala Arg Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys
15 20 25 30

tat gcg gcc ctc ttg tgc ctc tgg gcc tcc atc atc tac ccc acc acc 567
Tyr Ala Ala Leu Leu Cys Leu Ser Ala Ser Ile Ile Tyr Pro Thr Thr
35 40 45

tac ttg cag ttc ctg tcc cac ggc cgt tcc cgc gac cac gcc atc gcc 615
Tyr Leu Gln Phe Leu Ser His Gly Arg Ser Arg Asp His Ala Ile Ala
50 55 60

gcc atc gtc ttc tct ggc atc gcc tgt gtg gct tac gcc acc gaa gta 663
Ala Ile Val Phe Ser Gly Ile Ala Cys Val Ala Tyr Ala Thr Glu Val
65 70 75

acc tgg acc cgg gcc cgg ccc ggc gag atc act gac tac atg gcc tcc 711
Thr Trp Thr Arg Ala Arg Pro Gly Glu Ile Thr Asp Tyr Met Ala Ser
80 85 90

gag ctg ggg ctg ctg aag gtg ctg gag acc ttc gtg gcc tgc ctc atc 759
Glu Leu Gly Leu Leu Lys Val Leu Glu Thr Phe Val Ala Cys Leu Ile
95 100 105 110

ttc gtg ttc atc aat agc ccc tac gtg tac cac aac cgg ccg gcc ctg 807
Phe Val Phe Ile Asn Ser Pro Tyr Val Tyr His Asn Arg Pro Ala Leu
115 120 125

gag tgg tgg gtg gcg gtg tac gcc ctc tgc ttc gtc ctg gcg gcc ctc 855
Glu Trp Trp Val Ala Val Tyr Ala Leu Cys Phe Val Leu Ala Ala Leu
130 135 140

act atc ctg ctg agc ctg ggg cac tgc acc aac atg ctg ccc atc cgc 903
Thr Ile Leu Leu Ser Leu Gly His Cys Thr Asn Met Leu Pro Ile Arg
145 150 155

ttc ccc agt ttc ctg ttg ggg ctg gcc ttg ctg tcc gtc ctc ctc tat 951
Phe Pro Ser Phe Leu Leu Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr
160 165 170

gcc act gcc ctt gtc ctc tgg ccc ctc tac cag ttc aac gag aag tat 999
Ala Thr Ala Leu Val Leu Trp Pro Leu Tyr Gln Phe Asn Glu Lys Tyr
175 180 185 190

ggg gtc cag ccc tgg cag acg aga gat gtg agc tgc agc gac aga aac 1047
Gly Val Gln Pro Trp Gln Thr Arg Asp Val Ser Cys Ser Asp Arg Asn
195 200 205

ccc tac ctt gtg tgt atc tgg gac cgc cga ctg gct gtg acc aac ctg 1095
Pro Tyr Leu Val Cys Ile Trp Asp Arg Arg Leu Ala Val Thr Asn Leu
210 215 220

acg gcc gtc aac ttg ctg gcc tat gtg ggc gac ctg gtg tac tct gcc 1143

```

16U 200 PCT FINAL.ST25

Thr Ala Val Asn Leu Leu Ala Tyr Val Gly Asp Leu Val Tyr Ser Ala  
 225 230 235

cac ctg gtt ttt gtc aag gtc taagactccc aaagggcccc gtttgcctct 1194  
 His Leu Val Phe Val Lys Val  
 240 245

ccaacctctt catcctgccc ccgctgagtt ttctttattg agtattcatt tcttgggttt 1254  
 tctcttcccc tatctccct cctccccctt tctttccttc ccaattcacc gcactttccc 1314  
 agttctctga tgtatgttct tccctttcct ctgctgtttc cttcttgitt tgttctgttg 1374  
 cccacaacct gttttcaccc gtttctcttt ttccactctc tcttttgitt ctttctctc 1434  
 aattcttttc taggtttcct gttggttttc ttatctgcct atttcccgac catcttctcc 1494  
 tatttctctg ggagccctga ggcttttctt ctctgcccc caagcacctc cagcgggtgat 1554  
 gagctccaca cccccacacc cattgcagct gtggcgccac gtctcccaa ggggccttct 1614  
 gcccgcccc gccctagctg tgccttagtc agtgtgtact tgtgtgtgtt tgggggagtg 1674  
 ggaattgggc cccctttctc ccagtggagg aaggtgtgct gtgcacctcc cctttaaatt 1734  
 aaaaaaaaa g tatgtatctc tgggaagtcaa taatttccag tgagcgggag gcttcaagcg 1794  
 cagacctggt gtccttagac ctgccttagc actctgcctt gccagagatt ggctccagaa 1854  
 tttgtgccag acttacagaa aaccactgc ctagaggcca tcttaaagga agcaatggat 1914  
 ggatcccttt catcccaact gttcttcgag gtatc 1949

<210> 227  
 <211> 245  
 <212> PRT  
 <213> Homo sapiens

<400> 227

Met Thr Leu Val Ile Leu Leu Val Glu Leu Gly Gly Ser Gln Ala Arg  
 1 5 10 15

Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys Tyr Ala  
 20 25 30

Ala Leu Leu Cys Leu Ser Ala Ser Ile Ile Tyr Pro Thr Thr Tyr Leu  
 35 40 45

Gln Phe Leu Ser His Gly Arg Ser Arg Asp His Ala Ile Ala Ala Ile  
 50 55 60

Val Phe Ser Gly Ile Ala Cys Val Ala Tyr Ala Thr Glu Val Thr Trp  
 65 70 75 80

Thr Arg Ala Arg Pro Gly Glu Ile Thr Asp Tyr Met Ala Ser Glu Leu  
 85 90 95

Gly Leu Leu Lys Val Leu Glu Thr Phe Val Ala Cys Leu Ile Phe Val  
 100 105 110

Phe Ile Asn Ser Pro Tyr Val Tyr His Asn Arg Pro Ala Leu Glu Trp  
 115 120 125

Trp Val Ala Val Tyr Ala Leu Cys Phe Val Leu Ala Ala Leu Thr Ile  
 130 135 140

Leu Leu Ser Leu Gly His Cys Thr Asn Met Leu Pro Ile Arg Phe Pro  
 145 150 155 160

## 16U 200 PCT FINAL.ST25

Ser Phe Leu Leu Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr  
165 170 175

Ala Leu Val Leu Trp Pro Leu Tyr Gln Phe Asn Glu Lys Tyr Gly Val  
180 185 190

Gln Pro Trp Gln Thr Arg Asp Val Ser Cys Ser Asp Arg Asn Pro Tyr  
195 200 205

Leu Val Cys Ile Trp Asp Arg Arg Leu Ala Val Thr Asn Leu Thr Ala  
210 215 220

Val Asn Leu Leu Ala Tyr Val Gly Asp Leu Val Tyr Ser Ala His Leu  
225 230 235 240

Val Phe Val Lys Val  
245

<210> 228  
<211> 2980  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (213)..(2336)  
<223>

<400> 228  
cccagagacc caggccgcgg aactggcagg cgtttcagag cgtcagaggc tgcggatgag 60  
cagacttggg ggactccagg ccagagacta ggctgggcga agagtcgagc gtgaaggggg 120  
ctccgggcca gggtagcagg aggcgtgctt gagaggaaga agttgacggg aaggccagtg 180  
cgacggcaaa tctcgtgaac cttggggggac ga atg ctc agg atg cgg gtc ccc 233  
Met Leu Arg Met Arg Val Pro  
1 5  
gcc ctc ctc gtc ctc ctc ttc tgc ttc aga ggg aga gca ggc ccg tcg 281  
Ala Leu Leu Val Leu Leu Phe Cys Phe Arg Gly Arg Ala Gly Pro Ser  
10 15 20  
ccc cat ttc ctg caa cag cca gag gac ctg gtg gtg ctg ctg ggg gag 329  
Pro His Phe Leu Gln Gln Pro Glu Asp Leu Val Val Leu Leu Gly Glu  
25 30 35  
gaa gcc cgg ctg ccg tgt gct ctg ggc gcc tac tgg ggg cta gtt cag 377  
Glu Ala Arg Leu Pro Cys Ala Leu Gly Ala Tyr Trp Gly Leu Val Gln  
40 45 50 55  
tgg act aag agt ggg ctg gcc cta ggg ggc caa agg gac cta cca ggg 425  
Trp Thr Lys Ser Gly Leu Ala Leu Gly Gly Gln Arg Asp Leu Pro Gly  
60 65 70  
tgg tcc cgg tac tgg ata tca ggg aat gca gcc aat ggc cag cat gac 473  
Trp Ser Arg Tyr Trp Ile Ser Gly Asn Ala Ala Asn Gly Gln His Asp  
75 80 85  
ctc cac att agg ccc gtg gag cta gag gat gaa gca tca tat gaa tgt 521  
Leu His Ile Arg Pro Val Glu Leu Glu Asp Glu Ala Ser Tyr Glu Cys  
90 95 100  
cag gct aca caa gca ggc ctc cgc tcc aga cca gcc caa ctg cac gtg 569  
Gln Ala Thr Gln Ala Gly Leu Arg Ser Arg Pro Ala Gln Leu His Val  
105 110 115  
ctg gtc ccc cca gaa gcc ccc cag gtg ctg ggc ggc ccc tct gtg tct 617  
Leu Val Pro Pro Glu Ala Pro Gln Val Leu Gly Gly Pro Ser Val Ser  
120 125 130 135

160 200 PCT FINAL.ST25

ctg gtt gct gga gtt cct gcg aac ctg aca tgt cgg agc cgt ggg gat 665  
 Leu Val Ala Gly Val Pro Ala Asn Leu Thr Cys Arg Ser Arg Gly Asp  
 140 145 150

gcc cgc cct acc cct gaa ttg ctg tgg ttc cga gat ggg gtc ctg ttg 713  
 Ala Arg Pro Thr Pro Glu Leu Leu Trp Phe Arg Asp Gly Val Leu Leu  
 155 160 165

gat gga gcc acc ttc cat cag acc ctg ctg aag gaa ggg acc cct ggg 761  
 Asp Gly Ala Thr Phe His Gln Thr Leu Leu Lys Glu Gly Thr Pro Gly  
 170 175 180

tca gtg gag agc acc tta acc ctg acc cct ttc agc cat gat gat gga 809  
 Ser Val Glu Ser Thr Leu Thr Leu Thr Pro Phe Ser His Asp Asp Gly  
 185 190 195

gcc acc ttt gtc tgc cgg gcc cgg agc cag gcc ctg ccc aca gga aga 857  
 Ala Thr Phe Val Cys Arg Ala Arg Ser Gln Ala Leu Pro Thr Gly Arg  
 200 205 210 215

gac aca gct atc aca ctg agc ctg cag tac ccc cca gag gtg act ctg 905  
 Asp Thr Ala Ile Thr Leu Ser Leu Gln Tyr Pro Pro Glu Val Thr Leu  
 220 225 230

tct gct tcg cca cac act gtg cag gag gga gag aag gtc att ttc ctg 953  
 Ser Ala Ser Pro His Thr Val Gln Glu Gly Glu Lys Val Ile Phe Leu  
 235 240 245

tgc cag gcc aca gcc cag cct cct gtc aca ggc tac agg tgg gca aaa 1001  
 Cys Gln Ala Thr Ala Gln Pro Pro Val Thr Gly Tyr Arg Trp Ala Lys  
 250 255 260

ggg ggc tct ccg gtg ctc ggg gcc cgc ggg cca agg tta gag gtc gtg 1049  
 Gly Gly Ser Pro Val Leu Gly Ala Arg Gly Pro Arg Leu Glu Val Val  
 265 270 275

gca gac gcc tcg ttc ctg act gag ccc gtg tcc tgc gag gtc agc aac 1097  
 Ala Asp Ala Ser Phe Leu Thr Glu Pro Val Ser Cys Glu Val Ser Asn  
 280 285 290 295

gcc gtg ggt agc gcc aac cgc agt act gcg ctg gat gtg ctg ttt ggg 1145  
 Ala Val Gly Ser Ala Asn Arg Ser Thr Ala Leu Asp Val Leu Phe Gly  
 300 305 310

ccg att ctg cag gca aag ccg gag ccc gtg tcc gtg gac gtg ggg gaa 1193  
 Pro Ile Leu Gln Ala Lys Pro Glu Val Ser Val Asp Val Gly Glu  
 315 320 325

gac gct tcc ttc agc tgc gcc tgg cgc ggg aac ccg ctt cca cgg gta 1241  
 Asp Ala Ser Phe Ser Cys Ala Trp Arg Gly Asn Pro Leu Pro Arg Val  
 330 335 340

acc tgg acc cgc cgc ggt ggc gcg cag gtg ctg ggc tct gga gcc aca 1289  
 Thr Trp Thr Arg Arg Gly Gly Ala Gln Val Leu Gly Ser Gly Ala Thr  
 345 350 355

ctg cgt ctt ccg tcg gtg ggg ccc gag gac gca ggc gac tat gtg tgc 1337  
 Leu Arg Leu Pro Ser Val Gly Pro Glu Asp Ala Gly Asp Tyr Val Cys  
 360 365 370 375

aga gct gag gct ggg cta tcg ggc ctg cgg ggc ggc gcc gcg gag gct 1385  
 Arg Ala Glu Ala Gly Leu Ser Gly Leu Arg Gly Gly Ala Ala Glu Ala  
 380 385 390

cgg ctg act gtg aac gct ccc cca gta gtg acc gcc ctg cac tct gcg 1433  
 Arg Leu Thr Val Asn Ala Pro Pro Val Val Thr Ala Leu His Ser Ala  
 395 400 405

cct gcc ttc ctg agg ggc cct gct cgc ctc cag tgt ctg gtt ttc gcc 1481  
 Pro Ala Phe Leu Arg Gly Pro Ala Arg Leu Gln Cys Leu Val Phe Ala  
 410 415 420

tct ccc gcc cca gat gcc gtg gtc tgg tct tgg gat gag ggc ttc ctg 1529  
 Ser Pro Ala Pro Asp Ala Val Val Trp Ser Trp Asp Glu Gly Phe Leu  
 425 430 435

gag gcg ggg tcg cag ggc cgg ttc ctg gtg gag aca ttc cct gcc cca 1577  
 Glu Ala Gly Ser Gln Gly Arg Phe Leu Val Glu Thr Phe Pro Ala Pro  
 440 445 450 455

## 16U 200 PCT FINAL.ST25

gag agc cgc ggg gga ctg ggt ccg ggc ctg atc tct gtg cta cac att 1625  
 Glu Ser Arg Gly Gly Leu Gly Pro Gly Leu Ile Ser Val Leu His Ile  
 460 465 470

tgc ggg acc cag gag tct gac ttt agc agg agc ttt aac tgc agt gcc 1673  
 Ser Gly Thr Gln Glu Ser Asp Phe Ser Arg Ser Phe Asn Cys Ser Ala  
 475 480 485

cgg aac cgg ctg ggc gag gga ggt gcc cag gcc agc ctg ggc cgt aga 1721  
 Arg Asn Arg Leu Gly Glu Gly Gly Ala Gln Ala Ser Leu Gly Arg Arg  
 490 495 500

gac ttg ctg ccc act gtg cgg ata gtg gcc gga gtg gcc gct gcc acc 1769  
 Asp Leu Leu Pro Thr Val Arg Ile Val Ala Gly Val Ala Ala Ala Thr  
 505 510 515

aca act ctg ctt atg gtc atc act ggg gtg gcc ctg tgc tgc tgg cgc 1817  
 Thr Thr Leu Leu Met Val Ile Thr Gly Val Ala Leu Cys Cys Trp Arg  
 520 525 530 535

cac agc aag gcc tca gcc tct ttc tcc gag caa aag aac ctg atg cga 1865  
 His Ser Lys Ala Ser Ala Ser Phe Ser Glu Gln Lys Asn Leu Met Arg  
 540 545 550

atc cct ggc agc agc gac ggc tcc agt tca cga ggt cct gaa gaa gag 1913  
 Ile Pro Gly Ser Ser Asp Gly Ser Ser Ser Arg Gly Pro Glu Glu Glu  
 555 560 565

gag aca ggc agc cgc gag gac cgg ggc ccc att gtg cac act gac cac 1961  
 Glu Thr Gly Ser Arg Glu Asp Arg Gly Pro Ile Val His Thr Asp His  
 570 575 580

agt gat ctg gtt ctg gag gag aaa ggg act ctg gag acc aag gac cca 2009  
 Ser Asp Leu Val Leu Glu Glu Lys Gly Thr Leu Glu Thr Lys Asp Pro  
 585 590 595

acc aac ggt tac tac aag gtc cga gga gtc agt gtg agc ctg agc ctt 2057  
 Thr Asn Gly Tyr Tyr Lys Val Arg Gly Val Ser Val Ser Leu Ser Leu  
 600 605 610 615

ggc gaa gcc cct gga gga ggt ctg ttc ctg cca cca ccc tcc ccc ctt 2105  
 Gly Glu Ala Pro Gly Gly Gly Leu Phe Leu Pro Pro Pro Ser Pro Leu  
 620 625 630

ggg ccc cca ggg acc cct acc ttc tat gac ttc aac cca cac ctg ggc 2153  
 Gly Pro Pro Gly Thr Pro Thr Phe Tyr Asp Phe Asn Pro His Leu Gly  
 635 640 645

atg gtc ccc ccc tgc aga ctt tac aga gcc agg gca ggc tat ctg acc 2201  
 Met Val Pro Pro Cys Arg Leu Tyr Arg Ala Arg Ala Gly Tyr Leu Thr  
 650 655 660

aca ccc cac cct cga gct ttc acc agc tac atc aaa ccc aca tcc ttt 2249  
 Thr Pro His Pro Arg Ala Phe Thr Ser Tyr Ile Lys Pro Thr Ser Phe  
 665 670 675

ggg ccc cca gat ctg gcc ccc ggg act ccc ccc ttc cca tat gct gcc 2297  
 Gly Pro Pro Asp Leu Ala Pro Gly Thr Pro Pro Phe Pro Tyr Ala Ala  
 680 685 690 695

ttc ccc aca cct agc cac ccg cgt ctg cag act cac gtg tgacatcttt 2346  
 Phe Pro Thr Pro Ser His Pro Arg Leu Gln Thr His Val  
 700 705

ccaatggaag agtcctggga tctccaactt gccataatgg attgttctga tttctgagga 2406

gccaggacaa gttggcgacc ttactctctc aaaactgaac acaaggggag ggaagatca 2466

ttacatttgt caggagcatt tgtatacagt cagctcagcc aaaggagatg ccccaagtgg 2526

gagcaacatg gccaccaat atgcccacct attccccggt gtaaaagaga ttcaagatgg 2586

caggtaggcc ctttgaggag agatggggac agggcagtggt gtgttgggag tttggggccg 2646

ggatggaagt tgtttctagc cactgaaaga agatatttca agatgaccat ctgcattgag 2706

aggaaaggta gcataggata gatgaagatg aagagcatac caggccccac cctggctctc 2766

16U 200 PCT FINAL.ST25

cctgagggga actttgctcg gccaatggaa atgcagccaa gatggccata tactccctag 2826  
 gaaccaaga tggccacccat cttgatttta ctttccttaa agactcagaa agacttggac 2886  
 ccaaggagtg gggatacagt gagaattacc actgttgggg caaaatattg ggataaaaat 2946  
 atttatgttt aataataaaa aaaagtcaaa gagg 2980

<210> 229  
 <211> 708  
 <212> PRT  
 <213> Homo sapiens

<400> 229

Met Leu Arg Met Arg Val Pro Ala Leu Leu Val Leu Leu Phe Cys Phe  
 1 5 10 15

Arg Gly Arg Ala Gly Pro Ser Pro His Phe Leu Gln Gln Pro Glu Asp  
 20 25 30

Leu Val Val Leu Leu Gly Glu Glu Ala Arg Leu Pro Cys Ala Leu Gly  
 35 40 45

Ala Tyr Trp Gly Leu Val Gln Trp Thr Lys Ser Gly Leu Ala Leu Gly  
 50 55 60

Gly Gln Arg Asp Leu Pro Gly Trp Ser Arg Tyr Trp Ile Ser Gly Asn  
 65 70 75 80

Ala Ala Asn Gly Gln His Asp Leu His Ile Arg Pro Val Glu Leu Glu  
 85 90 95

Asp Glu Ala Ser Tyr Glu Cys Gln Ala Thr Gln Ala Gly Leu Arg Ser  
 100 105 110

Arg Pro Ala Gln Leu His Val Leu Val Pro Pro Glu Ala Pro Gln Val  
 115 120 125

Leu Gly Gly Pro Ser Val Ser Leu Val Ala Gly Val Pro Ala Asn Leu  
 130 135 140

Thr Cys Arg Ser Arg Gly Asp Ala Arg Pro Thr Pro Glu Leu Leu Trp  
 145 150 155 160

Phe Arg Asp Gly Val Leu Leu Asp Gly Ala Thr Phe His Gln Thr Leu  
 165 170 175

Leu Lys Glu Gly Thr Pro Gly Ser Val Glu Ser Thr Leu Thr Leu Thr  
 180 185 190

Pro Phe Ser His Asp Asp Gly Ala Thr Phe Val Cys Arg Ala Arg Ser  
 195 200 205

Gln Ala Leu Pro Thr Gly Arg Asp Thr Ala Ile Thr Leu Ser Leu Gln  
 210 215 220

Tyr Pro Pro Glu Val Thr Leu Ser Ala Ser Pro His Thr Val Gln Glu  
 225 230 235 240

Gly Glu Lys Val Ile Phe Leu Cys Gln Ala Thr Ala Gln Pro Pro Val  
 245 250 255

16U 200 PCT FINAL.ST25

Thr Gly Tyr Arg Trp Ala Lys Gly Gly Ser Pro Val Leu Gly Ala Arg  
 260 265 270

Gly Pro Arg Leu Glu Val Val Ala Asp Ala Ser Phe Leu Thr Glu Pro  
 275 280 285

Val Ser Cys Glu Val Ser Asn Ala Val Gly Ser Ala Asn Arg Ser Thr  
 290 295 300

Ala Leu Asp Val Leu Phe Gly Pro Ile Leu Gln Ala Lys Pro Glu Pro  
 305 310 315 320

Val Ser Val Asp Val Gly Glu Asp Ala Ser Phe Ser Cys Ala Trp Arg  
 325 330 335

Gly Asn Pro Leu Pro Arg Val Thr Trp Thr Arg Arg Gly Gly Ala Gln  
 340 345 350

Val Leu Gly Ser Gly Ala Thr Leu Arg Leu Pro Ser Val Gly Pro Glu  
 355 360 365

Asp Ala Gly Asp Tyr Val Cys Arg Ala Glu Ala Gly Leu Ser Gly Leu  
 370 375 380

Arg Gly Gly Ala Ala Glu Ala Arg Leu Thr Val Asn Ala Pro Pro Val  
 385 390 395 400

Val Thr Ala Leu His Ser Ala Pro Ala Phe Leu Arg Gly Pro Ala Arg  
 405 410 415

Leu Gln Cys Leu Val Phe Ala Ser Pro Ala Pro Asp Ala Val Val Trp  
 420 425 430

Ser Trp Asp Glu Gly Phe Leu Glu Ala Gly Ser Gln Gly Arg Phe Leu  
 435 440 445

Val Glu Thr Phe Pro Ala Pro Glu Ser Arg Gly Gly Leu Gly Pro Gly  
 450 455 460

Leu Ile Ser Val Leu His Ile Ser Gly Thr Gln Glu Ser Asp Phe Ser  
 465 470 475 480

Arg Ser Phe Asn Cys Ser Ala Arg Asn Arg Leu Gly Glu Gly Gly Ala  
 485 490 495

Gln Ala Ser Leu Gly Arg Arg Asp Leu Leu Pro Thr Val Arg Phe Val  
 500 505 510

Ala Gly Val Ala Ala Ala Thr Thr Thr Leu Leu Met Val Ile Thr Gly  
 515 520 525

Val Ala Leu Cys Cys Trp Arg His Ser Lys Ala Ser Ala Ser Phe Ser  
 530 535 540

Glu Gln Lys Asn Leu Met Arg Ile Pro Gly Ser Ser Asp Gly Ser Ser  
 545 550 555 560

Ser Arg Gly Pro Glu Glu Glu Thr Gly Ser Arg Glu Asp Arg Gly  
 565 570 575

160 200 PCT FINAL.ST25

Pro Ile Val His Thr Asp His Ser Asp Leu Val Leu Glu Glu Lys Gly  
580 585 590

Thr Leu Glu Thr Lys Asp Pro Thr Asn Gly Tyr Tyr Lys Val Arg Gly  
595 600 605

Val Ser Val Ser Leu Ser Leu Gly Glu Ala Pro Gly Gly Gly Leu Phe  
610 615 620

Leu Pro Pro Pro Ser Pro Leu Gly Pro Pro Gly Thr Pro Thr Phe Tyr  
625 630 635 640

Asp Phe Asn Pro His Leu Gly Met Val Pro Pro Cys Arg Leu Tyr Arg  
645 650 655

Ala Arg Ala Gly Tyr Leu Thr Thr Pro His Pro Arg Ala Phe Thr Ser  
660 665 670

Tyr Ile Lys Pro Thr Ser Phe Gly Pro Pro Asp Leu Ala Pro Gly Thr  
675 680 685

Pro Pro Phe Pro Tyr Ala Ala Phe Pro Thr Pro Ser His Pro Arg Leu  
690 695 700

Gln Thr His Val  
705

<210> 230  
<211> 5188  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (887)..(2974)  
<223>

<400> 230  
cgcgcctctct tcttccctca gacaactcgc ccccccgcct ccgccccct ccacgtaatt 60  
ccgaaagagc agaagaaaga gaaggagaac aggaaaagaa gagctagtaa gcgagagcga 120  
gagcacagaa aagaaaaaaa aaagccttaa gaggaccgaa ggggaggaaa ggaaaaggat 180  
ggacaaccac aaaacgcagc gattgcggaa attttccagc gccattggct gggcagcgtg 240  
agtcccttcgg tcgggcgtga ttccagcacc gggggaactg gacagcacct cggggggact 300  
tctgggcaac ccgcaaccac agcaagaact ccaccagcag cctcaacaac agaagccgcg 360  
gaaaaccctg ctttgtatca gagaggcaag gtcagtccga cgcacagcca tgcacaggca 420  
gtgcgcctgt actacgctgc aaacctctg cttgtttctc taacatgcac ttgcttctaa 480  
ttactagcat tgtttcattt ctgatcagtg aagatcagta gatgagattc tgtaagggtg 540  
tacttttaat ttatatgtat atatttaact tctttttctg ttatttttaa agtggtgtgg 600  
gggagtgggg tttttttcct actttttttt tttttttttt ttctttgctt gccttgcaat 660  
acgtgccttg atagtttgtg gatataatta ttgactggcg tctgggctat tgcagtgcgg 720  
gggggttagg gaggaaggaa tccaccccca ccccccaaa cccttttctt ctcccttcc 780  
ggcttcggac attggagcac taaatgaact tgaattgtgt ctgtggcgag caggatggtc 840  
gctgttactt tgtgatgaga tcggggatga attgctcgtt ttaaaa atg ctg ctt 895  
Met Leu Leu



160 200 PCT FINAL.ST25

1

tgg att ctg ttg ctg gag acg tct ctt tgt ttt gcc gct gga aac gtt Trp Ile Leu Leu Leu Glu Thr Ser Leu Cys Phe Ala Ala Gly Asn Val 5 10 15	943
aca ggg gac gtt tgc aaa gag aag atc tgt tcc tgc aat gag ata gaa Thr Gly Asp Val Cys Lys Glu Lys Ile Cys Ser Cys Asn Glu Ile Glu 20 25 30 35	991
ggg gac cta cac gta gac tgt gaa aaa aag ggc ttc aca agt ctg cag Gly Asp Leu His Val Asp Cys Glu Lys Lys Gly Phe Thr Ser Leu Gln 40 45 50	1039
cgt ttc act gcc ccg act tcc cag ttt tac cat tta ttt ctg cat ggc Arg Phe Thr Ala Pro Thr Ser Gln Phe Tyr His Leu Phe Leu His Gly 55 60 65	1087
aat tcc ctc act cga ctt ttc cct aat gag ttc gct aac ttt tat aat Asn Ser Leu Thr Arg Leu Phe Pro Asn Glu Phe Ala Asn Phe Tyr Asn 70 75 80	1135
gcg gtt agt ttg cac atg gaa aac aat ggc ttg cat gaa atc gtt ccg Ala Val Ser Leu His Met Glu Asn Asn Gly Leu His Glu Ile Val Pro 85 90 95	1183
ggg gct ttt ctg ggg ctg cag ctg gtg aaa agg ctg cac atc aac aac Gly Ala Phe Leu Gly Leu Gln Leu Val Lys Arg Leu His Ile Asn Asn 100 105 110 115	1231
aac aag atc aag tct ttt cga aag cag act ttt ctg ggg ctg gac gat Asn Lys Ile Lys Ser Phe Arg Lys Gln Thr Phe Leu Gly Leu Asp Asp 120 125 130	1279
ctg gaa tat ctc cag gct gat ttt aat tta tta cga gat ata gac ccg Leu Glu Tyr Leu Gln Ala Asp Phe Asn Leu Leu Arg Asp Ile Asp Pro 135 140 145	1327
ggg gcc ttc cag gac ttg aac aag ctg gag gtg ctc att tta aat gac Gly Ala Phe Gln Asp Leu Asn Lys Leu Glu Val Leu Ile Leu Asn Asp 150 155 160	1375
aat ctc atc agc acc cta cct gcc aac gtg ttc cag tat gtg ccc atc Asn Leu Ile Ser Thr Leu Pro Ala Asn Val Phe Gln Tyr Val Pro Ile 165 170 175	1423
acc cac ctc gac ctc ccg ggt aac agg ctg aaa acg ctg ccc tat gag Thr His Leu Asp Leu Arg Gly Asn Arg Leu Lys Thr Leu Pro Tyr Glu 180 185 190 195	1471
gag gtc ttg gag caa atc cct ggt att gcg gag atc ctg cta gag gat Glu Val Leu Glu Gln Ile Pro Gly Ile Ala Glu Ile Leu Leu Glu Asp 200 205 210	1519
aac cct tgg gac tgc acc tgt gat ctg ctc tcc ctg aaa gaa tgg ctg Asn Pro Trp Asp Cys Thr Cys Asp Leu Leu Ser Leu Lys Glu Trp Leu 215 220 225	1567
gaa aac att ccc aag aat gcc ctg atc ggc cga gtg gtc tgc gaa gcc Glu Asn Ile Pro Lys Asn Ala Leu Ile Gly Arg Val Val Cys Glu Ala 230 235 240	1615
ccc acc aga ctg cag ggt aaa gac ctc aat gaa acc acc gaa cag gac Pro Thr Arg Leu Gln Gly Lys Asp Leu Asn Glu Thr Thr Glu Gln Asp 245 250 255	1663
ttg tgt cct ttg aaa aac cga gtg gat tct agt ctc ccg gcg ccc cct Leu Cys Pro Leu Lys Asn Arg Val Asp Ser Ser Leu Pro Ala Pro Pro 260 265 270 275	1711
gcc caa gaa gag acc ttt gct cct gga ccc ctg cca act cct ttc aag Ala Gln Glu Glu Thr Phe Ala Pro Gly Pro Leu Pro Thr Pro Phe Lys 280 285 290	1759
aca aat ggg caa gag gat cat gcc aca cca ggg tct gct cca aac gga Thr Asn Gly Gln Glu Asp His Ala Thr Pro Gly Ser Ala Pro Asn Gly 295 300 305	1807
ggt aca aag atc cca ggc aac tgg cag atc aaa atc aga ccc aca gca	1855

16U 200 PCT FINAL.ST25

Gly	Thr	Lys	Ile	Pro	Gly	Asn	Trp	Gln	Ile	Lys	Ile	Arg	Pro	Thr	Ala	
310						315						320				
gcg	ata	gcg	acg	ggg	agc	tcc	agg	aac	aaa	ccc	tta	gct	aac	agt	tta	1903
Ala	Ile	Ala	Thr	Gly	Ser	Ser	Arg	Asn	Lys	Pro	Leu	Ala	Asn	Ser	Leu	
325						330					335					
ccc	tgc	cct	ggg	ggc	tgc	agc	tgc	gac	cac	atc	cca	ggg	tcg	ggg	tta	1951
Pro	Cys	Pro	Gly	Gly	Cys	Ser	Cys	Asp	His	Ile	Pro	Gly	Ser	Gly	Leu	
340					345					350					355	
aag	atg	aac	tgc	aac	aac	agg	aac	gtg	agc	agc	ttg	gct	gat	ttg	aag	1999
Lys	Met	Asn	Cys	Asn	Asn	Arg	Asn	Val	Ser	Ser	Leu	Ala	Asp	Leu	Lys	
				360				365						370		
ccc	aag	ctc	tct	aac	gtg	cag	gag	ctt	ttc	cta	cga	gat	aac	aag	atc	2047
Pro	Lys	Leu	Ser	Asn	Val	Gln	Glu	Leu	Phe	Leu	Arg	Asp	Asn	Lys	Ile	
			375					380						385		
cac	agc	atc	cga	aaa	tcg	cac	ttt	gtg	gat	tac	aag	aac	ctc	att	ctg	2095
His	Ser	Ile	Arg	Lys	Ser	His	Phe	Val	Asp	Tyr	Lys	Asn	Leu	Ile	Leu	
			390				395					400				
ttg	gat	ctg	ggc	aac	aat	aac	atc	gct	act	gta	gag	aac	aac	act	ttc	2143
Leu	Asp	Leu	Gly	Asn	Asn	Asn	Ile	Ala	Thr	Val	Glu	Asn	Asn	Thr	Phe	
	405					410					415					
aag	aac	ctt	ttg	gac	ctc	agg	tgg	cta	tac	atg	gat	agc	aat	tac	ctg	2191
Lys	Asn	Leu	Leu	Asp	Leu	Arg	Trp	Leu	Tyr	Met	Asp	Ser	Asn	Tyr	Leu	
420					425					430					435	
gac	acg	ctg	tcc	cgg	gag	aaa	ttc	gcg	ggg	ctg	caa	aac	cta	gag	tac	2239
Asp	Thr	Leu	Ser	Arg	Glu	Lys	Phe	Ala	Gly	Leu	Gln	Asn	Leu	Glu	Tyr	
			440					445						450		
ctg	aac	gtg	gag	tac	aac	gct	atc	cag	ctc	atc	ctc	ccg	ggc	act	ttc	2287
Leu	Asn	Val	Glu	Tyr	Asn	Ala	Ile	Gln	Leu	Ile	Leu	Pro	Gly	Thr	Phe	
			455					460					465			
aat	gcc	atg	ccc	aaa	ctg	agg	atc	ctc	att	ctc	aac	aac	aac	ctg	ctg	2335
Asn	Ala	Met	Pro	Lys	Leu	Arg	Ile	Leu	Ile	Leu	Asn	Asn	Asn	Leu	Leu	
	470					475						480				
agg	tcc	ctg	cct	gtg	gac	gtg	ttc	gct	ggg	gtc	tcg	ctc	tct	aaa	ctc	2383
Arg	Ser	Leu	Pro	Val	Asp	Val	Phe	Ala	Gly	Val	Ser	Leu	Ser	Lys	Leu	
	485				490						495					
agc	ctg	cac	aac	aat	tac	ttc	atg	tac	ctc	ccg	gtg	gca	ggg	gtg	ctg	2431
Ser	Leu	His	Asn	Asn	Tyr	Phe	Met	Tyr	Leu	Pro	Val	Ala	Gly	Val	Leu	
500					505					510				515		
gac	cag	tta	acc	tcc	atc	atc	cag	ata	gac	ctc	cac	gga	aac	ccc	tgg	2479
Asp	Gln	Leu	Thr	Ser	Ile	Ile	Gln	Ile	Asp	Leu	His	Gly	Asn	Pro	Trp	
			520					525						530		
gag	tgc	tcc	tgc	aca	att	gtg	cct	ttc	aag	cag	tgg	gca	gaa	cgc	ttg	2527
Glu	Cys	Ser	Cys	Thr	Ile	Val	Pro	Phe	Lys	Gln	Trp	Ala	Glu	Arg	Leu	
			535					540					545			
ggg	tcc	gaa	gtg	ctg	atg	agc	gac	ctc	aag	tgt	gag	acg	ccg	gtg	aac	2575
Gly	Ser	Glu	Val	Leu	Met	Ser	Asp	Leu	Lys	Cys	Glu	Thr	Pro	Val	Asn	
	550						555					560				
ttc	ttt	aga	aag	gat	ttc	atg	ctc	ctc	tcc	aat	gac	gag	atc	tgc	cct	2623
Phe	Phe	Arg	Lys	Asp	Phe	Met	Leu	Leu	Ser	Asn	Asp	Glu	Ile	Cys	Pro	
	565				570						575					
cag	ctg	tac	gct	agg	atc	tcg	ccc	acg	tta	act	tcg	cac	agt	aaa	aac	2671
Gln	Leu	Tyr	Ala	Arg	Ile	Ser	Pro	Thr	Leu	Thr	Ser	His	Ser	Lys	Asn	
580					585					590				595		
agc	act	ggg	ttg	gcg	gag	acc	ggg	acg	cac	tcc	aac	tcc	tac	cta	gac	2719
Ser	Thr	Gly	Leu	Ala	Glu	Thr	Gly	Thr	His	Ser	Asn	Ser	Tyr	Leu	Asp	
			600					605						610		
acc	agc	agg	gtg	tcc	atc	tcg	gtg	ttg	gtc	ccg	gga	ctg	ctg	ctg	gtg	2767
Thr	Ser	Arg	Val	Ser	Ile	Ser	Val	Leu	Val	Pro	Gly	Leu	Leu	Leu	Val	
			615					620					625			

16U 200 PCT FINAL.ST25  
ttt gtc acc tcc gcc ttc acc gtg gtg ggc atg ctc gtg ttt atc ctg 2815  
Phe Val Thr Ser Ala Phe Thr Val Val Gly Met Leu Val Phe Ile Leu  
630 635 640  
agg aac cga aag cgg tcc aag aga cga gat gcc aac tcc tcc gcg tcc 2863  
Arg Asn Arg Lys Arg Ser Lys Arg Arg Asp Ala Asn Ser Ser Ala Ser  
645 650 655  
gag att aat tcc cta cag aca gtc tgt gac tct tcc tac tgg cac aat 2911  
Glu Ile Asn Ser Leu Gln Thr Val Cys Asp Ser Ser Tyr Trp His Asn  
660 665 670 675  
ggg cct tac aac gca gat ggg gcc cac aga gtg tat gac tgt ggc tct 2959  
Gly Pro Tyr Asn Ala Asp Gly Ala His Arg Val Tyr Asp Cys Gly Ser  
680 685 690  
cac tcg ctc tca gac taagacccca accccaatag gggagggcag agggaaggcg 3014  
His Ser Leu Ser Asp  
695  
atacatcctt ccccaccgca ggcaccccg gggctggagg ggcgtgtacc caaatcccg 3074  
cgccatcagc ctggatgggc ataagtagat aaataactgt gagctcgac accgaaagg 3134  
gcctgacccc ttacttagct ccttccttga aacaaagagc agactgtgga gagctgggag 3194  
agcgcagcca gctcgctctt tgctgagagc ccttttgac agaaagccca gcacgacct 3254  
gctggaagaa ctgacagtgc cctcgccctc ggcgggggg cctgtgggt tgatgccgc 3314  
ggttctatac atatatacat atatccacat ctatatagag agatagatat ctatttttc 3374  
cctgtggatt agccccgtga tggctccctg ttggctacgc agggatgggc agttgcacga 3434  
aggcatgaat gtattgtaaa taagtaactt tgacttctga caaaaaacaa aaagtgtgc 3494  
atggctcgca tggaaatccac gcgctccagg gactctgcc gccccgcga ctggagacgg 3554  
catctcgttc acagcaccca cctcttacc tgataagttc catcgtatca aactttctat 3614  
aaacaaaata cagtataatc agaaagtgcc atttcgccat tatttgtgat cggtaggcag 3674  
ttcagagcat aagttaactg tgaaaaaat gtaaaagttt tatttaggac atttgcattg 3734  
ctagtcatca gtccatttta tgagttaaca atgtattttg ttgaggggag tttttagggg 3794  
ttgttttggg ttcttttatt ttgatgtgga tgttttattt tattttattt ttttcagggg 3854  
gtcttttttt taatacatat ccaataatgc cttccatctg aatgtaaaat aagtacccat 3914  
gatttctatt atagtatcag tgtaattatt taaaaaatga ttttgaggca gttaagcatg 3974  
accaattaat gtcactctag tgcttaggct gcgactctat ggtagcaatt ctgtgctggt 4034  
ataaatctta cttataaagt aggaaaagag aaccgaggaa gcacgtgaaa ctactaatt 4094  
ctattcgagg attttataat ggcataattt ttcagtatta aagcgaaaat gttttcaact 4154  
ctgggtcctt acccttttcc agcttcatat ttgcaagtgg taaattggat ttgcggtgga 4214  
-agagacaggg gagggaaacg gttgggggta gatcccttcc tgagctacat taaggctctt 4274  
tctctaateg ccttacttag ctttttacc ttaagtagc tcctcttccc tcgccccac 4334  
cctctacccc accccacct tcgctcagac ttaccggct tccccagtc cataaaggtc 4394  
ttgccccaac actcacccct tcttttttcc cctctccaa atgcagcagt gaatccctt 4454  
attaatactg gaaatccctc tctgctgctt ttgttggtgc tgcccacact gcagatatat 4514  
taaggatggt aggagagatt tgatttaatt gactctgcct agataggctc cattaaacag 4574  
agtggagatt tcatttgtca gcactcctca atgaaagaca gacctaata ctggcatttg 4634  
agatgctgct ggcattttga attcaacatc tgctgaaaac ggtaaaacta attagtgcc 4694  
accacccctc ccgccccag caactgcata ttgaaatttg ttaaagcact catctttatg 4754  
gaaattaatc attatcctaa agaagtgttt ctctcccatc atccggattt ctggttgtgg 4814

16U 200 PCT FINAL.ST25

```

cccagcaatt aacaaaaaca gcttcaactg ttcgaatttt atgaaccaat gtaactctgg 4874
cctcaatcat attcctctgg gatttctaaa cagcagttaa gctacaaaaa gcaaacaaaa 4934
ccacacatat tgatggagtc tgcattccac cacatatcca cccttgagaa gtatgtcaaa 4994
agactgcaga ctatagattt tttttaata taggattata aatcagctag tgaaagacct 5054
cagagcagtt gtaagtagat ctgccatcta gaactcatat tctaaagga agtgatttct 5114
cagaacagtg atgttctgga atatgtatta tttattttta cactttttta ataaaatctt 5174
tattataaac catg 5188

```

```

<210> 231
<211> 696
<212> PRT
<213> Homo sapiens

```

```

<400> 231

```

```

Met Leu Leu Trp Ile Leu Leu Leu Glu Thr Ser Leu Cys Phe Ala Ala
1 5 10 15

```

```

Gly Asn Val Thr Gly Asp Val Cys Lys Glu Lys Ile Cys Ser Cys Asn
20 25 30

```

```

Glu Ile Glu Gly Asp Leu His Val Asp Cys Glu Lys Lys Gly Phe Thr
35 40 45

```

```

Ser Leu Gln Arg Phe Thr Ala Pro Thr Ser Gln Phe Tyr His Leu Phe
50 55 60

```

```

Leu His Gly Asn Ser Leu Thr Arg Leu Phe Pro Asn Glu Phe Ala Asn
65 70 75 80

```

```

Phe Tyr Asn Ala Val Ser Leu His Met Glu Asn Asn Gly Leu His Glu
85 90 95

```

```

Ile Val Pro Gly Ala Phe Leu Gly Leu Gln Leu Val Lys Arg Leu His
100 105 110

```

```

Ile Asn Asn Asn Lys Ile Lys Ser Phe Arg Lys Gln Thr Phe Leu Gly
115 120 125

```

```

Leu Asp Asp Leu Glu Tyr Leu Gln Ala Asp Phe Asn Leu Leu Arg Asp
130 135 140

```

```

Ile Asp Pro Gly Ala Phe Gln Asp Leu Asn Lys Leu Glu Val Leu Ile
145 150 155 160

```

```

Leu Asn Asp Asn Leu Ile Ser Thr Leu Pro Ala Asn Val Phe Gln Tyr
165 170 175

```

```

Val Pro Ile Thr His Leu Asp Leu Arg Gly Asn Arg Leu Lys Thr Leu
180 185 190

```

```

Pro Tyr Glu Glu Val Leu Glu Gln Ile Pro Gly Ile Ala Glu Ile Leu
195 200 205

```

```

Leu Glu Asp Asn Pro Trp Asp Cys Thr Cys Asp Leu Leu Ser Leu Lys
210 215 220

```

160 200 PCT FINAL.ST25  
 Glu Trp Leu Glu Asn Ile Pro Lys Asn Ala Leu Ile Gly Arg Val Val  
 225 230 235 240

Cys Glu Ala Pro Thr Arg Leu Gln Gly Lys Asp Leu Asn Glu Thr Thr  
 245 250 255

Glu Gln Asp Leu Cys Pro Leu Lys Asn Arg Val Asp Ser Ser Leu Pro  
 260 265 270

Ala Pro Pro Ala Gln Glu Glu Thr Phe Ala Pro Gly Pro Leu Pro Thr  
 275 280 285

Pro Phe Lys Thr Asn Gly Gln Glu Asp His Ala Thr Pro Gly Ser Ala  
 290 295 300

Pro Asn Gly Gly Thr Lys Ile Pro Gly Asn Trp Gln Ile Lys Ile Arg  
 305 310 315 320

Pro Thr Ala Ala Ile Ala Thr Gly Ser Ser Arg Asn Lys Pro Leu Ala  
 325 330 335

Asn Ser Leu Pro Cys Pro Gly Gly Cys Ser Cys Asp His Ile Pro Gly  
 340 345 350

Ser Gly Leu Lys Met Asn Cys Asn Asn Arg Asn Val Ser Ser Leu Ala  
 355 360 365

Asp Leu Lys Pro Lys Leu Ser Asn Val Gln Glu Leu Phe Leu Arg Asp  
 370 375 380

Asn Lys Ile His Ser Ile Arg Lys Ser His Phe Val Asp Tyr Lys Asn  
 385 390 395 400

Leu Ile Leu Leu Asp Leu Gly Asn Asn Asn Ile Ala Thr Val Glu Asn  
 405 410 415

Asn Thr Phe Lys Asn Leu Leu Asp Leu Arg Trp Leu Tyr Met Asp Ser  
 420 425 430

Asn Tyr Leu Asp Thr Leu Ser Arg Glu Lys Phe Ala Gly Leu Gln Asn  
 435 440 445

Leu Glu Tyr Leu Asn Val Glu Tyr Asn Ala Ile Gln Leu Ile Leu Pro  
 450 455 460

-Gly Thr Phe Asn Ala Met Pro Lys Leu Arg Ile Leu Ile Leu Asn Asn  
 465 470 475 480

Asn Leu Leu Arg Ser Leu Pro Val Asp Val Phe Ala Gly Val Ser Leu  
 485 490 495

Ser Lys Leu Ser Leu His Asn Asn Tyr Phe Met Tyr Leu Pro Val Ala  
 500 505 510

Gly Val Leu Asp Gln Leu Thr Ser Ile Ile Gln Ile Asp Leu His Gly  
 515 520 525

Asn Pro Trp Glu Cys Ser Cys Thr Ile Val Pro Phe Lys Gln Trp Ala  
 530 535 540

## 16U 200 PCT FINAL.ST25

Glu Arg Leu Gly Ser Glu Val Leu Met Ser Asp Leu Lys Cys Glu Thr  
545 550 555 560

Pro Val Asn Phe Phe Arg Lys Asp Phe Met Leu Leu Ser Asn Asp Glu  
565 570 575

Ile Cys Pro Gln Leu Tyr Ala Arg Ile Ser Pro Thr Leu Thr Ser His  
580 585 590

Ser Lys Asn Ser Thr Gly Leu Ala Glu Thr Gly Thr His Ser Asn Ser  
595 600 605

Tyr Leu Asp Thr Ser Arg Val Ser Ile Ser Val Leu Val Pro Gly Leu  
610 615 620

Leu Leu Val Phe Val Thr Ser Ala Phe Thr Val Val Gly Met Leu Val  
625 630 635 640

Phe Ile Leu Arg Asn Arg Lys Arg Ser Lys Arg Arg Asp Ala Asn Ser  
645 650 655

Ser Ala Ser Glu Ile Asn Ser Leu Gln Thr Val Cys Asp Ser Ser Tyr  
660 665 670

Trp His Asn Gly Pro Tyr Asn Ala Asp Gly Ala His Arg Val Tyr Asp  
675 680 685

Cys Gly Ser His Ser Leu Ser Asp  
690 695

<210> 232  
<211> 506  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (32)..(346)  
<223>

<400> 232  
ttcatctagc tctggatggt tgaactgtag c atg gca aag atg ttt gat ctc 52  
Met Ala Lys Met Phe Asp Leu  
1 5

agg acg aag atc atg atc ggc atc gga agc agc tta ctg gtt gcc gcg 100  
Arg Thr Lys Ile Met Ile Gly Ile Gly Ser Ser Leu Leu Val Ala Ala  
10 15 20

atg gtg ctc cta agt gtt gtg ttc tgt ctt tac ttc aaa gta gct aag 148  
Met Val Leu Leu Ser Val Val Phe Cys Leu Tyr Phe Lys Val Ala Lys  
25 30 35

gca cta aaa gct gca aag gac cct gat gct gtg gct gta aaa aat cac 196  
Ala Leu Lys Ala Ala Lys Asp Pro Asp Ala Val Ala Val Lys Asn His  
40 45 50 55

aac cca gac aag gtg tgt tgg gcc acg aac agc cag gcc aaa gcc acc 244  
Asn Pro Asp Lys Val Cys Trp Ala Thr Asn Ser Gln Ala Lys Ala Thr  
60 65 70

acc atg gag tct tgt cca tct ctc cag tgc tgt gaa ggt tgt aga atg 292  
Thr Met Glu Ser Cys Pro Ser Leu Gln Cys Cys Glu Gly Cys Arg Met  
75 80 85

cat gcc agt tct gat tcc ctg cca cct tgc tgt tgt gac ata aat gag 340  
His Ala Ser Ser Asp Ser Leu Pro Pro Cys Cys Cys Asp Ile Asn Glu  
90 95 100

## 16U 200 PCT FINAL.ST25

ggc ctc tgacttggga aagctgggca caaaaatctt catgagcaat attctttctt 396  
Gly Leu  
105

taatagaatg ttttattatt caagtcaagt tctagagtgt ttacatacta ttatataatg 456

tacagtgtta ttttctgtac ttctgaataa atgtgcaata ttggaaataa 506

<210> 233  
<211> 105  
<212> PRT  
<213> Homo sapiens

<400> 233

Met Ala Lys Met Phe Asp Leu Arg Thr Lys Ile Met Ile Gly Ile Gly  
1 5 10 15

Ser Ser Leu Leu Val Ala Ala Met Val Leu Leu Ser Val Val Phe Cys  
20 25 30

Leu Tyr Phe Lys Val Ala Lys Ala Leu Lys Ala Ala Lys Asp Pro Asp  
35 40 45

Ala Val Ala Val Lys Asn His Asn Pro Asp Lys Val Cys Trp Ala Thr  
50 55 60

Asn Ser Gln Ala Lys Ala Thr Thr Met Glu Ser Cys Pro Ser Leu Gln  
65 70 75 80

Cys Cys Glu Gly Cys Arg Met His Ala Ser Ser Asp Ser Leu Pro Pro  
85 90 95

Cys Cys Cys Asp Ile Asn Glu Gly Leu  
100 105

<210> 234  
<211> 1037  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (180)..(560)  
<223>

<400> 234  
gagcgaagg aacatttaac cttgactttc cacagtcctg aggttcccaa aataaagggg 60

aaccggaaat accaaaggat tatctccaat attccagggc cttctttctc atctctgtct 120

-ttaccatact tactggcctt ggctggctct tcagctcttg gatccttaat cgaggaagc 179

atg acc acc aac ttg gat ctg aag gta tcc atg ctc agc ttc atc tca 227  
Met Thr Thr Asn Leu Asp Leu Lys Val Ser Met Leu Ser Phe Ile Ser  
1 5 10 15

gct acc tgc ttg ctc ctc tgc ctc aac ctg ttt gtg gca cag gtt cac 275  
Ala Thr Cys Leu Leu Leu Cys Leu Asn Leu Phe Val Ala Gln Val His  
20 25 30

tgg cat act agg gat gcc atg gag tca gat ctc cta tgg acc tat,tat 323  
Trp His Thr Arg Asp Ala Met Glu Ser Asp Leu Leu Trp Thr Tyr Tyr  
35 40 45

ctt aac tgg tgc agt gac atc ttt tac atg ttt gct ggg atc atc tct 371  
Leu Asn Trp Cys Ser Asp Ile Phe Tyr Met Phe Ala Gly Ile Ile Ser  
50 55 60

ctt ctc aac tac tta act tcc aga tcg cct gcc tgt gat gaa aac gtc 419

16U 200 PCT FINAL.ST25  
 Leu Leu Asn Tyr Leu Thr Ser Arg Ser Pro Ala Cys Asp Glu Asn Val  
 65 70 75 80  
 act gtg att cca aca gag aga tca agg ctg ggg gtt ggt ccg gtg act 467  
 Thr Val Ile Pro Thr Glu Arg Ser Arg Leu Gly Val Gly Pro Val Thr  
 85 90 95  
 aca gta tca cct gct aaa gat gaa ggg cca agg tct gag atg gaa tct 515  
 Thr Val Ser Pro Ala Lys Asp Glu Gly Pro Arg Ser Glu Met Glu Ser  
 100 105 110  
 cta agt gtg aga gag aaa aat tta cca aag tca gga ctg tgg tgg 560  
 Leu Ser Val Arg Glu Lys Asn Leu Pro Lys Ser Gly Leu Trp Trp  
 115 120 125  
 tgataggaaa acctaacat agcttgtctt aaaagcaggg gagaagctga gttgggaatg 620  
 gtcacataaa ttctgggaaa ctctccta atcatgtcca tattacttga ggagacagca 680  
 ttaaagctga tgaatgtct tttgcgtgca ttggatccaa aatatatatg atagtcataa 740  
 agtaataaac tcacttaaga aaaacatttc taaaagaaaa caacaatgtt tagagtcagt 800  
 aatgaagaa actagtgaat gatgcagtgt gtagaccaga gacctctttg ggtatcaggg 860  
 atctcatgga ccagaatggc ccgtggagaa gaatgttaat tacttctgtt tggaattttc 920  
 tttattatgt gtggctttgg gtatactcag gatggaaagc acttggacaa atactgttga 980  
 atctgaactt aatagcatta ccagaatgg aataaatatc aatggatata agaccta 1037

<210> 235  
 <211> 127  
 <212> PRT  
 <213> Homo sapiens

<400> 235

Met Thr Thr Asn Leu Asp Leu Lys Val Ser Met Leu Ser Phe Ile Ser  
 1 5 10 15

Ala Thr Cys Leu Leu Leu Cys Leu Asn Leu Phe Val Ala Gln Val His  
 20 25 30

Trp His Thr Arg Asp Ala Met Glu Ser Asp Leu Leu Trp Thr Tyr Tyr  
 35 40 45

Leu Asn Trp Cys Ser Asp Ile Phe Tyr Met Phe Ala Gly Ile Ile Ser  
 50 55 60

Leu Leu Asn Tyr Leu Thr Ser Arg Ser Pro Ala Cys Asp Glu Asn Val  
 65 70 75 80

Thr Val Ile Pro Thr Glu Arg Ser Arg Leu Gly Val Gly Pro Val Thr  
 85 90 95

Thr Val Ser Pro Ala Lys Asp Glu Gly Pro Arg Ser Glu Met Glu Ser  
 100 105 110

Leu Ser Val Arg Glu Lys Asn Leu Pro Lys Ser Gly Leu Trp Trp  
 115 120 125

<210> 236  
 <211> 1054  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (152)..(895)



16U 200 PCT FINAL.ST25

&lt;223&gt;

&lt;400&gt; 236

gttggcattc ggtggctcctg gcagtttagct gagcacgccc tctgagccgc tcggtggaca 60  
ccaggcactc tagtaggcct ggctaccca gaaacagcag gagagagaag aaacaggcca 120  
gctgtgagaa gccaaggaca ccgagtcagt c atg gca cct aag gcg gca aag 172  
Met Ala Pro Lys Ala Ala Lys  
1 5  
ggg gcc aag cca gag cca gca cca gct cca cct cca ccc ggg gcc aaa 220  
Gly Ala Lys Pro Glu Pro Ala Pro Ala Pro Pro Pro Pro Gly Ala Lys  
10 15 20  
ccc gag gaa gac aag aag gac ggt aag gag cca tcg gac aaa cct caa 268  
Pro Glu Glu Asp Lys Lys Asp Gly Lys Glu Pro Ser Asp Lys Pro Gln  
25 30 35  
aag gcg gtg cag gac cat aag gag cca tcg gac aaa cct caa aag gcg 316  
Lys Ala Val Gln Asp His Lys Glu Pro Ser Asp Lys Pro Gln Lys Ala  
40 45 50 55  
gtg cag ccc aag cac gaa gtg ggc acg agg agg ggg tgt cgc cgc tac 364  
Val Gln Pro Lys His Glu Val Gly Thr Arg Arg Gly Cys Arg Arg Tyr  
60 65 70  
cgg tgg gaa tta aaa gac agc aat aaa gag ttc tgg ctc ttg ggg cac 412  
Arg Trp Glu Leu Lys Asp Ser Asn Lys Glu Phe Trp Leu Leu Gly His  
75 80 85  
gct gag atc aag att cgg agt ttg ggc tgc cta ata gct gca atg ata 460  
Ala Glu Ile Lys Ile Arg Ser Leu Gly Cys Leu Ile Ala Ala Met Ile  
90 95 100  
ctg ttg tcc tca ctc acc gtg cac ccc atc ttg agg ctt atc atc acc 508  
Leu Leu Ser Ser Leu Thr Val His Pro Ile Leu Arg Leu Ile Ile Thr  
105 110 115  
atg gag ata tcc ttc ttc agc ttc ttc atc tta ctg tac agc ttt gcc 556  
Met Glu Ile Ser Phe Phe Ser Phe Phe Ile Leu Leu Tyr Ser Phe Ala  
120 125 130 135  
att cat aga tac ata ccc ttc atc ctg tgg ccc att tct gac ctc ttc 604  
Ile His Arg Tyr Ile Pro Phe Ile Leu Trp Pro Ile Ser Asp Leu Phe  
140 145 150  
aac gac ctg att gct tgt gcg ttc ctt gtg gga gcc gtg gtc ttt gct 652  
Asn Asp Leu Ile Ala Cys Ala Phe Leu Val Gly Ala Val Val Phe Ala  
155 160 165  
gtg aga agt cgg cga tcc atg aat ctc cac tac tta ctt gct gtg atc 700  
Val Arg Ser Arg Arg Ser Met Asn Leu His Tyr Leu Leu Ala Val Ile  
170 175 180  
ctt att ggt gcg gct gga gtt ttt gct ttt atc gat gtg tgt ctt caa 748  
Leu Ile Gly Ala Ala Gly Val Phe Ala Phe Ile Asp Val Cys Leu Gln  
185 190 195  
aga aac cac ttc aga ggc aag aag gcc aaa aag cat atg ctg gtt cct 796  
-Arg Asn His Phe Arg Gly Lys Lys Ala Lys Lys His Met Leu Val Pro  
200 205 210 215  
cct cca gga aag gaa aaa gga ccc cag cag ggc aag gga cca gaa ccc 844  
Pro Pro Gly Lys Glu Lys Gly Pro Gln Gln Gly Lys Gly Pro Glu Pro  
220 225 230  
gcc aag cca cca gaa cct ggc aag cca cca ggg cca gca aag gga aag 892  
Ala Lys Pro Pro Glu Pro Gly Lys Pro Pro Gly Pro Ala Lys Gly Lys  
235 240 245  
aaa tgacttgag gaggtcctg gtgtctgaaa cggcagtga ttttacagca 945  
Lys  
atatgtttcc actctcttcc ttgtcttctt tctggaatgg ttttcttttc cattttcatt 1005  
accacctttg cttggaaaaa aatggattaa tggattctaa aagcctaaa 1054

16U 200 PCT FINAL.ST25

<210> 237  
 <211> 248  
 <212> PRT  
 <213> Homo sapiens

<400> 237

Met Ala Pro Lys Ala Ala Lys Gly Ala Lys Pro Glu Pro Ala Pro Ala  
 1 5 10 15

Pro Pro Pro Pro Gly Ala Lys Pro Glu Glu Asp Lys Lys Asp Gly Lys  
 20 25 30

Glu Pro Ser Asp Lys Pro Gln Lys Ala Val Gln Asp His Lys Glu Pro  
 35 40 45

Ser Asp Lys Pro Gln Lys Ala Val Gln Pro Lys His Glu Val Gly Thr  
 50 55 60

Arg Arg Gly Cys Arg Arg Tyr Arg Trp Glu Leu Lys Asp Ser Asn Lys  
 65 70 75 80

Glu Phe Trp Leu Leu Gly His Ala Glu Ile Lys Ile Arg Ser Leu Gly  
 85 90 95

Cys Leu Ile Ala Ala Met Ile Leu Leu Ser Ser Leu Thr Val His Pro  
 100 105 110

Ile Leu Arg Leu Ile Ile Thr Met Glu Ile Ser Phe Phe Ser Phe Phe  
 115 120 125

Ile Leu Leu Tyr Ser Phe Ala Ile His Arg Tyr Ile Pro Phe Ile Leu  
 130 135 140

Trp Pro Ile Ser Asp Leu Phe Asn Asp Leu Ile Ala Cys Ala Phe Leu  
 145 150 155 160

Val Gly Ala Val Val Phe Ala Val Arg Ser Arg Arg Ser Met Asn Leu  
 165 170 175

His Tyr Leu Leu Ala Val Ile Leu Ile Gly Ala Ala Gly Val Phe Ala  
 180 185 190

Phe Ile Asp Val Cys Leu Gln Arg Asn His Phe Arg Gly Lys Lys Ala  
 195 200 205

Lys Lys His Met Leu Val Pro Pro Pro Gly Lys Glu Lys Gly Pro Gln  
 210 215 220

Gln Gly Lys Gly Pro Glu Pro Ala Lys Pro Pro Glu Pro Gly Lys Pro  
 225 230 235 240

Pro Gly Pro Ala Lys Gly Lys Lys  
 245

<210> 238  
 <211> 487  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS

16U 200 PCT FINAL.ST25

&lt;222&gt; (17)..(418)

&lt;223&gt;

&lt;400&gt; 238

agtggcagct tggctg atg agc tat aag cca gcc ttg ttt ggg ttc cta ttc 52  
                   Met Ser Tyr Lys Pro Ala Leu Phe Gly Phe Leu Phe  
                   1                  5                  10  
  
 ctt ctg ctg ttg ctt agc aac tgg ttg gtc aag tat gaa cac aag ctc 100  
 Leu Leu Leu Leu Ser Asn Trp Leu Val Lys Tyr Glu His Lys Leu  
                   15                  20                  25  
  
 acc ctc cca gag ccc cag cag gag gaa gag aaa cca aag act tct gaa 148  
 Thr Leu Pro Glu Pro Gln Gln Glu Glu Glu Lys Pro Lys Thr Ser Glu  
                   30                  35                  40  
  
 aac gac tcc aag aac agc aag gcc gtg aac aca aaa gaa gtc aat aga 196  
 Asn Asp Ser Lys Asn Ser Lys Ala Val Asn Thr Lys Glu Val Asn Arg  
                   45                  50                  55                  60  
  
 acg cat gcc tgc ttt gcc ctc cag gac gag atc ctc caa cgg ctg ttg 244  
 Thr His Ala Cys Phe Ala Leu Gln Asp Glu Ile Leu Gln Arg Leu Leu  
                   65                  70                  75  
  
 ttc agt gaa atg aag atg aag gtc cta gaa aat cag atg ttc atc ata 292  
 Phe Ser Glu Met Lys Met Lys Val Leu Glu Asn Gln Met Phe Ile Ile  
                   80                  85                  90  
  
 tgg aat aaa atg aat cac cac ggg cgg tca agc aga cat cgg aat ttt 340  
 Trp Asn Lys Met Asn His His Gly Arg Ser Ser Arg His Arg Asn Phe  
                   95                  100                  105  
  
 ccc atg aaa aaa cac aga atg agg agg cat gag tca att tgc ccc acc 388  
 Pro Met Lys Lys His Arg Met Arg Arg His Glu Ser Ile Cys Pro Thr  
                   110                  115                  120  
  
 ctg tct gac tgt act tcg agt tcc ccc agc taatgaggcc gaggcgggct 436  
 Leu Ser Asp Cys Thr Ser Ser Ser Pro Ser  
                   125                  130  
  
 ggcctctgcc gatgttacct tttacctcag taaaaccag tcacagcct 487

&lt;210&gt;. 239

&lt;211&gt; 134

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 239

Met Ser Tyr Lys Pro Ala Leu Phe Gly Phe Leu Phe Leu Leu Leu Leu  
 1                  5                  10                  15  
  
 Leu Ser Asn Trp Leu Val Lys Tyr Glu His Lys Leu Thr Leu Pro Glu  
                   20                  25                  30  
  
 Pro Gln Gln Glu Glu Glu Lys Pro Lys Thr Ser Glu Asn Asp Ser Lys  
                   35                  40                  45  
  
 Asn Ser Lys Ala Val Asn Thr Lys Glu Val Asn Arg Thr His Ala Cys  
                   50                  55                  60  
  
 Phe Ala Leu Gln Asp Glu Ile Leu Gln Arg Leu Leu Phe Ser Glu Met  
                   65                  70                  75                  80  
  
 Lys Met Lys Val Leu Glu Asn Gln Met Phe Ile Ile Trp Asn Lys Met  
                   85                  90                  95  
  
 Asn His His Gly Arg Ser Ser Arg His Arg Asn Phe Pro Met Lys Lys  
                   100                  105                  110  
  
 His Arg Met Arg Arg His Glu Ser Ile Cys Pro Thr Leu Ser Asp Cys

16U 200 PCT FINAL-ST25  
125

115

120

Thr Ser Ser Ser Pro Ser  
130

<210> 240  
 <211> 846  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (108)..(725)  
 <223>

<400> 240  
 attctggaga ctctgattgg ctgggcagat gggctgactg gctgggcaga tgggtgggtg 60  
 agttccctct cccagagcc atcgccagg taccaaagct cagctgt atg gat tcc 116  
 Met Asp Ser  
 1  
 caa cag gag gac ctg cgc ttc cct ggg atg tgg gtc tca ttg tac ttt 164  
 Gln Gln Glu Asp Leu Arg Phe Pro Gly Met Trp Val Ser Leu Tyr Phe  
 5 10 15  
 gga atc ctg ggg ctg tgt tct gtg ata act gga ggg tgc att atc ttt 212  
 Gly Ile Leu Gly Leu Cys Ser Val Ile Thr Gly Gly Cys Ile Ile Phe  
 20 25 30 35  
 ctg cac tgg agg aag aac ttg agg cgg gaa gag cat gcc cag cag tgg 260  
 Leu His Trp Arg Lys Asn Leu Arg Arg Glu Glu His Ala Gln Gln Trp  
 40 45 50  
 gtg gag gtg atg aga gct gcc aca ttc acc tac agc cca ttg ttg tac 308  
 Val Glu Val Met Arg Ala Ala Thr Phe Thr Tyr Ser Pro Leu Leu Tyr  
 55 60 65  
 tgg att aac aag cga cgg cgc tac ggc atg aat gca gcc atc aac acg 356  
 Trp Ile Asn Lys Arg Arg Arg Tyr Gly Met Asn Ala Ala Ile Asn Thr  
 70 75 80  
 ggc cct gcc cct gct gtc acc aag act gag act gag gtc cag aat cca 404  
 Gly Pro Ala Pro Ala Val Thr Lys Thr Glu Thr Glu Val Gln Asn Pro  
 85 90 95  
 gat gtt ctg tgg gat ttg gac atc ccc gaa ggc agg agc cat gct gac 452  
 Asp Val Leu Trp Asp Leu Asp Ile Pro Glu Gly Arg Ser His Ala Asp  
 100 105 110 115  
 caa gac agc aac ccc aag gcg gaa gcc cct gct ccc ctg caa cct gca 500  
 Gln Asp Ser Asn Pro Lys Ala Glu Ala Pro Ala Pro Leu Gln Pro Ala  
 120 125 130  
 ctg cag ctg gct cca cag cag ccc cag gcc aga tcc cca ttc cca ctt 548  
 Leu Gln Leu Ala Pro Gln Gln Pro Gln Ala Arg Ser Pro Phe Pro Leu  
 135 140 145  
 -ccc atc ttt cag gag gtg ccc ttt gcc cca ccc ttg tgc aac cta ccc 596  
 Pro Ile Phe Gln Glu Val Pro Phe Ala Pro Pro Leu Cys Asn Leu Pro  
 150 155 160  
 ccc ctg ctg aac cac tct gtc tcc tat cct ttg gcc acc tgt cct gaa 644  
 Pro Leu Leu Asn His Ser Val Ser Tyr Pro Leu Ala Thr Cys Pro Glu  
 165 170 175  
 agg aat gtt ctc ttc cat tcc ctc ctg aat ctg gcc cag gaa gac cat 692  
 Arg Asn Val Leu Phe His Ser Leu Leu Asn Leu Ala Gln Glu Asp His  
 180 185 190 195  
 agc ttc aat gcc aag cct ttt cct tca gaa ctg tagcctcctc tcaactgaagg 745  
 Ser Phe Asn Ala Lys Pro Phe Pro Ser Glu Leu  
 200 205  
 tgggagctgc aggaatcagg tgcagagtag gaaatggaac taacctcagg aaggtgggtat 805  
 tgacagaggt caggaccac ctggatgtca tgctatgaaa c 846

16U 200 PCT FINAL.ST25

<210> 241  
 <211> 206  
 <212> PRT  
 <213> Homo sapiens

<400> 241

Met Asp Ser Gln Gln Glu Asp Leu Arg Phe Pro Gly Met Trp Val Ser  
 1 5 10 15

Leu Tyr Phe Gly Ile Leu Gly Leu Cys Ser Val Ile Thr Gly Gly Cys  
 20 25 30

Ile Ile Phe Leu His Trp Arg Lys Asn Leu Arg Arg Glu Glu His Ala  
 35 40 45

Gln Gln Trp Val Glu Val Met Arg Ala Ala Thr Phe Thr Tyr Ser Pro  
 50 55 60

Leu Leu Tyr Trp Ile Asn Lys Arg Arg Arg Tyr Gly Met Asn Ala Ala  
 65 70 75 80

Ile Asn Thr Gly Pro Ala Pro Ala Val Thr Lys Thr Glu Thr Glu Val  
 85 90 95

Gln Asn Pro Asp Val Leu Trp Asp Leu Asp Ile Pro Glu Gly Arg Ser  
 100 105 110

His Ala Asp Gln Asp Ser Asn Pro Lys Ala Glu Ala Pro Ala Pro Leu  
 115 120 125

Gln Pro Ala Leu Gln Leu Ala Pro Gln Gln Pro Gln Ala Arg Ser Pro  
 130 135 140

Phe Pro Leu Pro Ile Phe Gln Glu Val Pro Phe Ala Pro Pro Leu Cys  
 145 150 155 160

Asn Leu Pro Pro Leu Leu Asn His Ser Val Ser Tyr Pro Leu Ala Thr  
 165 170 175

Cys Pro Glu Arg Asn Val Leu Phe His Ser Leu Leu Asn Leu Ala Gln  
 180 185 190

Glu Asp His Ser Phe Asn Ala Lys Pro Phe Pro Ser Glu Leu  
 195 200 205

<210> 242  
 <211> 663  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (40)..(585)  
 <223>

<400> 242

tagttcctag agctgctgct tattaatatg tcaacatct tca tct tct agc tgg 54  
 Ser Ser Ser Ser Trp  
 1 5

gac aac ctc tta gag tct ctc tct ctc agc aca gta tgg aat tgg ata 102  
 Asp Asn Leu Leu Glu Ser Leu Ser Leu Ser Thr Val Trp Asn Trp Ile  
 10 15 20

## 16U 200 PCT FINAL.ST25

caa gca agt ttt ttg gga gag act agt gca cct cag caa aca agt ttg 150  
 Gln Ala Ser Phe Leu Gly Glu Thr Ser Ala Pro Gln Gln Thr Ser Leu  
 25 30 35

gga cta tta gat aat ctt gct cca gct gtg caa atc atc ttg agg att 198  
 Gly Leu Leu Asp Asn Leu Ala Pro Ala Val Gln Ile Ile Leu Arg Ile  
 40 45 50

tct ttc ttg att tta ttg gga ata gga ata tat gcc tta tgg aaa cga 246  
 Ser Phe Leu Ile Leu Leu Gly Ile Gly Ile Tyr Ala Leu Trp Lys Arg  
 55 60 65

agt att cag tca att cag aaa aca ttg ttg ttt gta atc aca ctc tac 294  
 Ser Ile Gln Ser Ile Gln Lys Thr Leu Leu Phe Val Ile Thr Leu Tyr  
 70 75 80 85

aaa ctt tac aag aag ggc tca cat att ttt gag gct ttg cta gcc aac 342  
 Lys Leu Tyr Lys Lys Gly Ser His Ile Phe Glu Ala Leu Leu Ala Asn  
 90 95 100

cca gaa gga agt ggt ctc cga att caa gac aat aat aat ctt ttc ctg 390  
 Pro Glu Gly Ser Gly Leu Arg Ile Gln Asp Asn Asn Asn Leu Phe Leu  
 105 110 115

tcc ttg ggt ctg caa gag aaa att ttg aaa aaa ctt aag aca gtg gaa 438  
 Ser Leu Gly Leu Gln Glu Lys Ile Leu Lys Lys Leu Lys Thr Val Glu  
 120 125 130

aac aaa atg aag aac cta gaa ggg ata atc gtt gct caa aaa cct gcc 486  
 Asn Lys Met Lys Asn Leu Glu Gly Ile Ile Val Ala Gln Lys Pro Ala  
 135 140 145

acg aag agg gat tgc tcc tct gag ccc tac tgc agc tgc tct gac tgc 534  
 Thr Lys Arg Asp Cys Ser Ser Glu Pro Tyr Cys Ser Cys Ser Asp Cys  
 150 155 160 165

cag agt ccc ttg tcc aca tca ggg ttt act tcc ccc att tga aat gtg 582  
 Gln Ser Pro Leu Ser Thr Ser Gly Phe Thr Ser Pro Ile Asn Val  
 170 175 180

atg gactccaatc ttttccagga aagcactggt tccctcatgt gtgcagtgggt 635  
 Met

gtatcaataa agatagagaa cgctattg 663

<210> 243  
 <211> 178  
 <212> PRT  
 <213> Homo sapiens

<400> 243

Ser Ser Ser Ser Trp Asp Asn Leu Leu Glu Ser Leu Ser Leu Ser Thr  
 1 5 10 15

Val Trp Asn Trp Ile Gln Ala Ser Phe Leu Gly Glu Thr Ser Ala Pro  
 20 25 30

Gln Gln Thr Ser Leu Gly Leu Leu Asp Asn Leu Ala Pro Ala Val Gln  
 35 40 45

Ile Ile Leu Arg Ile Ser Phe Leu Ile Leu Leu Gly Ile Gly Ile Tyr  
 50 55 60

Ala Leu Trp Lys Arg Ser Ile Gln Ser Ile Gln Lys Thr Leu Leu Phe  
 65 70 75 80

Val Ile Thr Leu Tyr Lys Leu Tyr Lys Lys Gly Ser His Ile Phe Glu  
 85 90 95

16U 200 PCT FINAL.ST25  
 Ala Leu Leu Ala Asn Pro Glu Gly Ser Gly Leu Arg Ile Gln Asp Asn  
 100 105 110

Asn Asn Leu Phe Leu Ser Leu Gly Leu Gln Glu Lys Ile Leu Lys Lys  
 115 120 125

Leu Lys Thr Val Glu Asn Lys Met Lys Asn Leu Glu Gly Ile Ile Val  
 130 135 140

Ala Gln Lys Pro Ala Thr Lys Arg Asp Cys Ser Ser Glu Pro Tyr Cys  
 145 150 155 160

Ser Cys Ser Asp Cys Gln Ser Pro Leu Ser Thr Ser Gly Phe Thr Ser  
 165 170 175

Pro Ile

<210> 244  
 <211> 541  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (62)..(349)  
 <223>

<400> 244  
 catactctgtt gccactctga gtttggcatt atgtgttcga attttaacca catatctatt 60

g atg tgc ttt gct ggt ttt agt ttt aag gag aaa ata ttt att gct tta 109  
 Met Cys Phe Ala Gly Phe Ser Phe Lys Glu Lys Ile Phe Ile Ala Leu  
 1 5 10 15

gca tgg atg ccc aaa gct aca gta cag gct gtg tta ggt cct ctg gct 157  
 Ala Trp Met Pro Lys Ala Thr Val Gln Ala Val Leu Gly Pro Leu Ala  
 20 25 30

cta gaa aca gca aga gtc tct gca ccc cac ttg gaa cca tat gcg aag 205  
 Leu Glu Thr Ala Arg Val Ser Ala Pro His Leu Glu Pro Tyr Ala Lys  
 35 40 45

gat gtg atg tca gta gca ttt tta gcc atc tcg atc aca gct cca aat 253  
 Asp Val Met Ser Val Ala Phe Leu Ala Ile Ser Ile Thr Ala Pro Asn  
 50 55 60

gga gct cta ctt atg ggc att ctg ggg cct aaa atg ctt aca cgc cat 301  
 Gly Ala Leu Leu Met Gly Ile Leu Gly Pro Lys Met Leu Thr Arg His  
 65 70 75 80

tat gat cca agc aaa ata aaa ctg caa ttg tca aca tta gaa cat cat 349  
 Tyr Asp Pro Ser Lys Ile Lys Leu Gln Leu Ser Thr Leu Glu His His  
 85 90 95

taaaaagtgtt acctgtcatc atctgcctgc ttcttttaat gaattatttc acatgacaga 409

agaatttttaa agtagaataa tgtagggact gtacagaaaa tccaggattt agtaaacatg 469

tgatttcagt acagggcttt tcttggaactt ttactccaa agttaattta ataaaaataa 529

tattaaatgg aa 541

<210> 245  
 <211> 96  
 <212> PRT  
 <213> Homo sapiens

<400> 245

Met Cys Phe Ala Gly Phe Ser Phe Lys Glu Lys Ile Phe Ile Ala Leu  
 1 5 10 15

16U 200 PCT FINAL.ST25

Ala Trp Met Pro Lys Ala Thr Val Gln Ala Val Leu Gly Pro Leu Ala  
20 25 30

Leu Glu Thr Ala Arg Val Ser Ala Pro His Leu Glu Pro Tyr Ala Lys  
35 40 45

Asp Val Met Ser Val Ala Phe Leu Ala Ile Ser Ile Thr Ala Pro Asn  
50 55 60

Gly Ala Leu Leu Met Gly Ile Leu Gly Pro Lys Met Leu Thr Arg His  
65 70 75 80

Tyr Asp Pro Ser Lys Ile Lys Leu Gln Leu Ser Thr Leu Glu His His  
85 90 95

<210> 246  
<211> 2499  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (128)..(2284)  
<223>

<400> 246  
gcaagaggcc ccttgtggcc accgagtcct ccgacgccct cgccaggctg gcctttgggt 60

tggcccaggc aggacgggct gccgagagca ctcggggccgc gtcgccaggga gccgcccagg 120

gtgagcc atg ttc gta ggc gtc gcc cgg cac tct ggg agc cag gat gaa 169  
Met Phe Val Gly Val Ala Arg His Ser Gly Ser Gln Asp Glu  
1 5 10

gtc tca agg gga gta gag ccg ctg gag gcc gcg cgg gcc cag cct gct 217  
Val Ser Arg Gly Val Glu Pro Leu Glu Ala Ala Arg Ala Gln Pro Ala  
15 20 25 30

aag gac agg agg gcc aag gga acc ccg aag tcc tcg aag ccc ggg aaa 265  
Lys Asp Arg Arg Ala Lys Gly Thr Pro Lys Ser Ser Lys Pro Gly Lys  
35 40 45

aaa cac cgg tat ctg aga cta ctt cca gag gcc ttg ata agg ttc ggc 313  
Lys His Arg Tyr Leu Arg Leu Leu Glu Ala Leu Ile Arg Phe Gly  
50 55 60

ggg ttc cga aaa agg aaa aaa gcc aag tcc tca gtt tcc aag aag ccg 361  
Gly Phe Arg Lys Arg Lys Lys Ala Lys Ser Ser Val Ser Lys Lys Pro  
65 70 75

gga gaa gtg gat gac agt ttg gag cag ccc tgt ggt ttg ggc tgc tta 409  
Gly Glu Val Asp Asp Ser Leu Glu Gln Pro Cys Gly Leu Gly Cys Leu  
80 85 90

gtc agc acc tgc tgt gag tgt tgc aat aac att cgc tgc ttc atg att 457  
Val Ser Thr Cys Cys Glu Cys Cys Asn Asn Ile Arg Cys Phe Met Ile  
95 100 105 110

ttc tac tgc atc ctg ctc ata tgt caa ggt gtg gtg ttt ggt ctt ata 505  
Phe Tyr Cys Ile Leu Leu Ile Cys Gln Gly Val Val Phe Gly Leu Ile  
115 120 125

gat gtc agc att ggc gat ttt cag aag gaa tat caa ctg aaa acc att 553  
Asp Val Ser Ile Gly Asp Phe Gln Lys Glu Tyr Gln Leu Lys Thr Ile  
130 135 140

gag aag ttg gca ttg gaa aag agt tac gat att tca tct ggc ctg gta 601  
Glu Lys Leu Ala Leu Glu Lys Ser Tyr Asp Ile Ser Ser Gly Leu Val  
145 150 155

gca ata ttt ata gca ttc tat gga gac aga aaa aaa gta ata tgg ttt 649  
Ala Ile Phe Ile Ala Phe Tyr Gly Asp Arg Lys Lys Val Ile Trp Phe



160 165 16U 200 PCT FINAL.ST25  
170

gta gct tcc tcc ttt tta ata gga ctt gga tca ctt tta tgt gct ttt 697  
Val Ala Ser Ser Phe Leu Ile Gly Leu Gly Ser Leu Leu Cys Ala Phe  
175 180 185 190

cca tcc att aat gaa gaa aat aaa caa agt aag gta gga att gaa gat 745  
Pro Ser Ile Asn Glu Glu Asn Lys Gln Ser Lys Val Gly Ile Glu Asp  
195 200 205

att tgc gaa gaa ata aag gtt gtc agt ggt tgc cag agc agt ggt ata 793  
Ile Cys Glu Glu Ile Lys Val Val Ser Gly Cys Gln Ser Ser Gly Ile  
210 215 220

tca ttc caa tca aaa tac ctg tct ttc ttc atc ctt ggg cag act gtg 841  
Ser Phe Gln Ser Lys Tyr Leu Ser Phe Phe Ile Leu Gly Gln Thr Val  
225 230 235

cag gga ata gca gga atg cct ctt tat atc ctt gga ata acc ttt att 889  
Gln Gly Ile Ala Gly Met Pro Leu Tyr Ile Leu Gly Ile Thr Phe Ile  
240 245 250

gat gag aat gtt gct aca cac tca gct ggt atc tat tta ggt att gca 937  
Asp Glu Asn Val Ala Thr His Ser Ala Gly Ile Tyr Leu Gly Ile Ala  
255 260 265 270

gaa tgt aca tca atg att gga tat gct ctg ggt tat gtg cta gga gca 985  
Glu Cys Thr Ser Met Ile Gly Tyr Ala Leu Gly Tyr Val Leu Gly Ala  
275 280 285

cca cta gtt aaa gtc cct gag aat act act tct gca aca aac act aca 1033  
Pro Leu Val Lys Val Pro Glu Asn Thr Thr Ser Ala Thr Asn Thr Thr  
290 295 300

gtc aat aat ggt agt cca gaa tgg cta tgg act tgg tgg att aat ttt 1081  
Val Asn Asn Gly Ser Pro Glu Trp Leu Trp Thr Trp Trp Ile Asn Phe  
305 310 315

ctt ttt gcc gct gtc gtt gca tgg tgt aca tta ata cca ttg tca tgc 1129  
Leu Phe Ala Ala Val Val Ala Trp Cys Thr Leu Ile Pro Leu Ser Cys  
320 325 330

ttt cca aac aat atg cca ggt tca aca cgg ata aaa gct agg aaa cgt 1177  
Phe Pro Asn Asn Met Pro Gly Ser Thr Arg Ile Lys Ala Arg Lys Arg  
335 340 345 350

aaa cag ctt cat ttt ttt gac agc aga ctt aaa gat ctg aaa ctt gga 1225  
Lys Gln Leu His Phe Phe Asp Ser Arg Leu Lys Asp Leu Lys Leu Gly  
355 360 365

act aat atc aag gat tta tgt gct gct ctt tgg att ctg atg agg aat 1273  
Thr Asn Ile Lys Asp Leu Cys Ala Ala Leu Trp Ile Leu Met Arg Asn  
370 375 380

cca gtg ctc ata tgc cta gct ctg tca aaa gct aca gaa tat tta gtt 1321  
Pro Val Leu Ile Cys Leu Ala Leu Ser Lys Ala Thr Glu Tyr Leu Val  
385 390 395

att att gga gct tct gaa ttt ttg cct ata tat tta gaa aat cag ttt 1369  
Ile Ile Gly Ala Ser Glu Phe Leu Pro Ile Tyr Leu Glu Asn Gln Phe  
400 405 410

ata tta aca ccc act gtg gca act aca ctt gca gga ctt gtt tta att 1417  
Ile Leu Thr Pro Thr Val Ala Thr Thr Leu Ala Gly Leu Val Leu Ile  
415 420 425 430

cca gga ggt gca ctt ggc cag ctt ctg gga ggt gtc att gtt tcc aca 1465  
Pro Gly Gly Ala Leu Gly Gln Leu Leu Gly Gly Val Ile Val Ser Thr  
435 440 445

tta gaa atg tct tgt aaa gcc ctt atg aga ttt ata atg gtt aca tct 1513  
Leu Glu Met Ser Cys Lys Ala Leu Met Arg Phe Ile Met Val Thr Ser  
450 455 460

gtg ata tca ctt ata ctg ctt gtg ttt att att ttt gta cgc tgt aat 1561  
Val Ile Ser Leu Ile Leu Leu Val Phe Ile Ile Phe Val Arg Cys Asn  
465 470 475

cca gtg caa ttt gct ggg atc aat gaa gat tat gat gga aca agg aag 1609

16U 200 PCT FINAL.ST25  
Pro Val Gln Phe Ala Gly Ile Asn Glu Asp Tyr Asp Gly Thr Arg Lys  
480 485 490

ttg gga aac ctc acg gct cct tgc aat gaa aaa tgt aga tgc tca tct 1657  
Leu Gly Asn Leu Thr Ala Pro Cys Asn Glu Lys Cys Arg Cys Ser Ser  
495 500 505 510

tca att tat tct tct ata tgt gga aga gat gat att gaa tat ttt tct 1705  
Ser Ile Tyr Ser Ser Ile Cys Gly Arg Asp Asp Ile Glu Tyr Phe Ser  
515 520 525

gcc tgc ttt gca ggg tgt aca tat tct aaa gca caa aac caa aaa aag 1753  
Ala Cys Phe Ala Gly Cys Thr Tyr Ser Lys Ala Gln Asn Gln Lys Lys  
530 535 540

atg tac tac aat tgt tct tgc att aaa gaa gga tta ata act gca gat 1801  
Met Tyr Tyr Asn Cys Ser Cys Ile Lys Glu Gly Leu Ile Thr Ala Asp  
545 550 555

gca gaa ggt gat ttt att gat gcc aga ccc ggg aaa tgt gat gca aag 1849  
Ala Glu Gly Asp Phe Ile Asp Ala Arg Pro Gly Lys Cys Asp Ala Lys  
560 565 570

tgc tat aag tta cct ttg ttc att gct ttt atc ttt tct aca ctt ata 1897  
Cys Tyr Lys Leu Pro Leu Phe Ile Ala Phe Ile Phe Ser Thr Leu Ile  
575 580 585 590

ttt tct ggt ttt tct ggt gta cca atc gtc ttg gcc atg acg cgg gtt 1945  
Phe Ser Gly Phe Ser Gly Val Pro Ile Val Leu Ala Met Thr Arg Val  
595 600 605

gta cct gac aaa ctg cgt tct ctg gcc ttg ggt gta agc tat gtg att 1993  
Val Pro Asp Lys Leu Arg Ser Leu Ala Leu Gly Val Ser Tyr Val Ile  
610 615 620

ttg aga ata ttt ggg act att cct gga cca tca atc ttt aaa atg tca 2041  
Leu Arg Ile Phe Gly Thr Ile Pro Gly Pro Ser Ile Phe Lys Met Ser  
625 630 635

gga gaa act tct tgt att tta cgg gat gtt aat aaa tgt gga cac aca 2089  
Gly Glu Thr Ser Cys Ile Leu Arg Asp Val Asn Lys Cys Gly His Thr  
640 645 650

gga cgt tgt tgg ata tat aac aag aca aaa atg gct ttc tta ttg gta 2137  
Gly Arg Cys Trp Ile Tyr Asn Lys Thr Lys Met Ala Phe Leu Leu Val  
655 660 665 670

gga ata tgt ttt ctt tgc aaa cta tgc act atc atc ttc act act att 2185  
Gly Ile Cys Phe Leu Cys Lys Leu Cys Thr Ile Ile Phe Thr Thr Ile  
675 680 685

gca ttt ttc ata tac aaa cgt cgt cta aat gag aac act gac ttc cca 2233  
Ala Phe Phe Ile Tyr Lys Arg Arg Leu Asn Glu Asn Thr Asp Phe Pro  
690 695 700

gat gta act gtg aag aat cca aaa gtt aag aaa aaa gaa gaa act gac 2281  
Asp Val Thr Val Lys Asn Pro Lys Val Lys Lys Lys Glu Glu Thr Asp  
705 710 715

ttg taactggatc atcattgtga ttgcagatca tttgaggatc agagtgtgaa 2334  
Leu

aacgagtttc tcttttacag attctccaag atttgtttct gtgcccaact ttcagaagag 2394

gaaaatcaca cattatgttt acataagtag caaaaatata tttatgggtga tctgcatttt 2454

cataataaag tgtcctattg tgaacaacaaa aaaaaaaaaa aaaaaa 2499

<210> 247  
<211> 719  
<212> PRT  
<213> Homo sapiens

<400> 247

Met Phe Val Gly Val Ala Arg His Ser Gly Ser Gln Asp Glu Val Ser  
1 5 10 15

16U 200 PCT FINAL.ST25

Arg Gly Val Glu Pro Leu Glu Ala Ala Arg Ala Gln Pro Ala Lys Asp  
 20 25 30  
 Arg Arg Ala Lys Gly Thr Pro Lys Ser Ser Lys Pro Gly Lys Lys His  
 35 40 45  
 Arg Tyr Leu Arg Leu Leu Pro Glu Ala Leu Ile Arg Phe Gly Gly Phe  
 50 55 60  
 Arg Lys Arg Lys Lys Ala Lys Ser Ser Val Ser Lys Lys Pro Gly Glu  
 65 70 75 80  
 Val Asp Asp Ser Leu Glu Gln Pro Cys Gly Leu Gly Cys Leu Val Ser  
 85 90 95  
 Thr Cys Cys Glu Cys Cys Asn Asn Ile Arg Cys Phe Met Ile Phe Tyr  
 100 105 110  
 Cys Ile Leu Leu Ile Cys Gln Gly Val Val Phe Gly Leu Ile Asp Val  
 115 120 125  
 Ser Ile Gly Asp Phe Gln Lys Glu Tyr Gln Leu Lys Thr Ile Glu Lys  
 130 135 140  
 Leu Ala Leu Glu Lys Ser Tyr Asp Ile Ser Ser Gly Leu Val Ala Ile  
 145 150 155 160  
 Phe Ile Ala Phe Tyr Gly Asp Arg Lys Lys Val Ile Trp Phe Val Ala  
 165 170 175  
 Ser Ser Phe Leu Ile Gly Leu Gly Ser Leu Leu Cys Ala Phe Pro Ser  
 180 185 190  
 Ile Asn Glu Glu Asn Lys Gln Ser Lys Val Gly Ile Glu Asp Ile Cys  
 195 200 205  
 Glu Glu Ile Lys Val Val Ser Gly Cys Gln Ser Ser Gly Ile Ser Phe  
 210 215 220  
 Gln Ser Lys Tyr Leu Ser Phe Phe Ile Leu Gly Gln Thr Val Gln Gly  
 225 230 235 240  
 Ile Ala Gly Met Pro Leu Tyr Ile Leu Gly Ile Thr Phe Ile Asp Glu  
 245 250 255  
 Asn Val Ala Thr His Ser Ala Gly Ile Tyr Leu Gly Ile Ala Glu Cys  
 260 265 270  
 Thr Ser Met Ile Gly Tyr Ala Leu Gly Tyr Val Leu Gly Ala Pro Leu  
 275 280 285  
 Val Lys Val Pro Glu Asn Thr Thr Ser Ala Thr Asn Thr Thr Val Asn  
 290 295 300  
 Asn Gly Ser Pro Glu Trp Leu Trp Thr Trp Trp Ile Asn Phe Leu Phe  
 305 310 315 320  
 Ala Ala Val Val Ala Trp Cys Thr Leu Ile Pro Leu Ser Cys Phe Pro

Page 161

160 200 PCT FINAL.ST25

Thr Ser Cys Ile Leu Arg Asp Val Asn Lys Cys Gly His Thr Gly Arg  
645 650 655

Cys Trp Ile Tyr Asn Lys Thr Lys Met Ala Phe Leu Leu Val Gly Ile  
660 665 670

Cys Phe Leu Cys Lys Leu Cys Thr Ile Ile Phe Thr Thr Ile Ala Phe  
675 680 685

Phe Ile Tyr Lys Arg Arg Leu Asn Glu Asn Thr Asp Phe Pro Asp Val  
690 695 700

Thr Val Lys Asn Pro Lys Val Lys Lys Lys Glu Glu Thr Asp Leu  
705 710 715

<210> 248  
<211> 851  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (37)..(831)  
<223>

<400> 248  
gcttctccca gctggagtag gtgggggagg ccagac atg gag gcc ctt cct cca 54  
Met Glu Ala Leu Pro Pro  
1 5

gtc aga tcc agc ctt ttg ggg atc ctg ttg cag gtt acg agg ctc tca 102  
Val Arg Ser Ser Leu Leu Gly Ile Leu Leu Gln Val Thr Arg Leu Ser  
10 15 20

gtg ctg ttg gtt cag aac cga gat cac ctc tat aat ttc ctg ctc ctc 150  
Val Leu Leu Val Gln Asn Arg Asp His Leu Tyr Asn Phe Leu Leu Leu  
25 30 35

aag atc aac ctc ttc aac cac tgg gtg tca ggg ctg gcc cag gag gcc 198  
Lys Ile Asn Leu Phe Asn His Trp Val Ser Gly Leu Ala Gln Glu Ala  
40 45 50

cgg ggg tcc tgt aac tgg cag gcc cac cta ccc ctg gga gct gca gcc 246  
Arg Gly Ser Cys Asn Trp Gln Ala His Leu Pro Leu Gly Ala Ala Ala  
55 60 65 70

tgc ccc ctg ggc cag gct ctc tgg gct ggg ctg gct ctg ata cag gtc 294  
Cys Pro Leu Gly Gln Ala Leu Trp Ala Gly Leu Ala Leu Ile Gln Val  
75 80 85

ccc gta tgg ctg gtg cta cag gga ccc agg ctg atg tgg gct ggc atg 342  
Pro Val Trp Leu Val Leu Gln Gly Pro Arg Leu Met Trp Ala Gly Met  
90 95 100

tgg ggc agc acc aag ggc ctg ggc ctg gcc ttg ctc agt gcc tgg gag 390  
-Trp Gly Ser Thr Lys Gly Leu Gly Leu Ala Leu Leu Ser Ala Trp Glu  
105 110 115

cag ctg ggc ctg tct gtg gcc atc tgg aca gat ctg ttt ttg tca tgt 438  
Gln Leu Gly Leu Ser Val Ala Ile Trp Thr Asp Leu Phe Leu Ser Cys  
120 125 130

ctg cac ggc ctg atg ttg gtg gcc ttg ctc ttg gtg gta gtg acc tgg 486  
Leu His Gly Leu Met Leu Val Ala Leu Leu Val Val Val Thr Trp  
135 140 145 150

agg gtg tgt cag aag tcc cac tgc ttc cga ctg ggc agg cag ctc agt 534  
Arg Val Cys Gln Lys Ser His Cys Phe Arg Leu Gly Arg Gln Leu Ser  
155 160 165

aag gcc ttg caa gtg aac tgc gtg gta agg aag ctc ctg gta cag ctg 582  
Lys Ala Leu Gln Val Asn Cys Val Val Arg Lys Leu Leu Val Gln Leu  
170 175 180

16U 200 PCT FINAL.ST25

aga cgt ctg tat tgg tgg gtg gag act atg act gcc ctg acc tcc tgg 630  
 Arg Arg Leu Tyr Trp Trp Val Glu Thr Met Thr Ala Leu Thr Ser Trp  
 185 190 195

cac ctg gcc tat ctg atc acc tgg acc acc tgc ctg gcc tcc cac ctg 678  
 His Leu Ala Tyr Leu Ile Thr Trp Thr Thr Cys Leu Ala Ser His Leu  
 200 205 210

ctg cag gct gcc ttt gag cac acg acc cag ctg gcc gag gcc cag gag 726  
 Leu Gln Ala Ala Phe Glu His Thr Thr Gln Leu Ala Glu Ala Gln Glu  
 215 220 225 230

gtt gaa ccc cag gag gtc tca ggg tct tcc ttg ctg ccc tca ctg tct 774  
 Val Glu Pro Gln Glu Val Ser Gly Ser Ser Leu Leu Pro Ser Leu Ser  
 235 240 245

gcg tcc tcg gac tca gag tct gga aca gtt ttg cca gag caa gaa act 822  
 Ala Ser Ser Asp Ser Glu Ser Gly Thr Val Leu Pro Glu Gln Glu Thr  
 250 255 260

ccc aga gaa taaatgtatc cccatctgcc 851  
 Pro Arg Glu  
 265

<210> 249  
 <211> 265  
 <212> PRT  
 <213> Homo sapiens

<400> 249

Met Glu Ala Leu Pro Pro Val Arg Ser Ser Leu Leu Gly Ile Leu Leu  
 1 5 10 15

Gln Val Thr Arg Leu Ser Val Leu Leu Val Gln Asn Arg Asp His Leu  
 20 25 30

Tyr Asn Phe Leu Leu Leu Lys Ile Asn Leu Phe Asn His Trp Val Ser  
 35 40 45

Gly Leu Ala Gln Glu Ala Arg Gly Ser Cys Asn Trp Gln Ala His Leu  
 50 55 60

Pro Leu Gly Ala Ala Ala Cys Pro Leu Gly Gln Ala Leu Trp Ala Gly  
 65 70 75 80

Leu Ala Leu Ile Gln Val Pro Val Trp Leu Val Leu Gln Gly Pro Arg  
 85 90 95

Leu Met Trp Ala Gly Met Trp Gly Ser Thr Lys Gly Leu Gly Leu Ala  
 100 105 110

Leu Leu Ser Ala Trp Glu Gln Leu Gly Leu Ser Val Ala Ile Trp Thr  
 115 120 125

Asp Leu Phe Leu Ser Cys Leu His Gly Leu Met Leu Val Ala Leu Leu  
 130 135 140

Leu Val Val Val Thr Trp Arg Val Cys Gln Lys Ser His Cys Phe Arg  
 145 150 155 160

Leu Gly Arg Gln Leu Ser Lys Ala Leu Gln Val Asn Cys Val Val Arg  
 165 170 175

Lys Leu Leu Val Gln Leu Arg Arg Leu Tyr Trp Trp Val Glu Thr Met  
 180 185 190

160 200 PCT FINAL.ST25

Thr Ala Leu Thr Ser Trp His Leu Ala Tyr Leu Ile Thr Trp Thr Thr  
 195 200 205

Cys Leu Ala Ser His Leu Leu Gln Ala Ala Phe Glu His Thr Thr Gln  
 210 215 220

Leu Ala Glu Ala Gln Glu Val Glu Pro Gln Glu Val Ser Gly Ser Ser  
 225 230 235 240

Leu Leu Pro Ser Leu Ser Ala Ser Ser Asp Ser Glu Ser Gly Thr Val  
 245 250 255

Leu Pro Glu Gln Glu Thr Pro Arg Glu  
 260 265

<210> 250  
 <211> 784  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (97)..(579)  
 <223>

<400> 250  
 gctttcagtt gtaacggact tcatcacatc acaaattgta ctcgttctca tccctttaag 60

aaagttcaga cccaggaaaa tttccatagt acctta atg aaa aag ata gaa atc 114  
 Met Lys Lys Ile Glu Ile  
 1 5

agt ggg acg tgt ctt tcc ttt cat ctc ctt ttc ggc ttg gaa atc aga 162  
 Ser Gly Thr Cys Leu Ser Phe His Leu Leu Phe Gly Leu Glu Ile Arg  
 10 15 20

atg aga agg att gtt ttt gct ggt gtt atc tta ttc cgc ctc tta ggt 210  
 Met Arg Arg Ile Val Phe Ala Gly Val Ile Leu Phe Arg Leu Leu Gly  
 25 30 35

gtt atc tta ttc cgc ctc tta ggt gtt atc tta ttc ggc cgc tta ggt 258  
 Val Ile Leu Phe Arg Leu Leu Gly Val Ile Leu Phe Gly Arg Leu Gly  
 40 45 50

gac ctg gga acc tgc cag aca aaa cct ggt cag tac tgg aaa gaa gag 306  
 Asp Leu Gly Thr Cys Gln Thr Lys Pro Gly Gln Tyr Trp Lys Glu Glu  
 55 60 65 70

gtc cac att caa gat gtt gga ggt ttg att tgc aga gca tgc aat ctt 354  
 Val His Ile Gln Asp Val Gly Gly Leu Ile Cys Arg Ala Cys Asn Leu  
 75 80 85

tca ctg ccc ttc cat gga tgt ctt tta gac ctg gga acc tgc cag gca 402  
 Ser Leu Pro Phe His Gly Cys Leu Leu Asp Leu Gly Thr Cys Gln Ala  
 90 95 100

gaa cct ggt cag tac tgt aaa gaa gag gtc cac att caa ggt ggc att 450  
 Glu Pro Gly Gln Tyr Cys Lys Glu Glu Val His Ile Gln Gly Gly Ile  
 105 110 115

caa tgg tat tca gtc aaa ggc tgc aca aag aac aca tca gag tgc ttc 498  
 Gln Trp Tyr Ser Val Lys Gly Cys Thr Lys Asn Thr Ser Glu Cys Phe  
 120 125 130

aag agt act ctc gtc aag aga att ctg caa ctg cat gaa ctt gta act 546  
 Lys Ser Thr Leu Val Lys Arg Ile Leu Gln Leu His Glu Leu Val Thr  
 135 140 145 150

act cac tgc tgc aat cat tct ttg tgc aat ttc tgagtcagtg gcccatatct 599  
 Thr His Cys Cys Asn His Ser Leu Cys Asn Phe  
 155 160

aaaatgcttg gcagatcaat cagtctcgaa gcctgacctg gctatcacia aatgatggct 659

160 200 PCT FINAL.ST25

attgtcaatt agcccacttc agaaacctca gacccttgta ggtagaagga attttgatct 719  
 gaaattgact ttggttttca atattcccaa tatctcccc accacctcca actcatctga 779  
 gaaat 784

<210> 251  
 <211> 161  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 251

Met Lys Lys Ile Glu Ile Ser Gly Thr Cys Leu Ser Phe His Leu Leu  
 1 5 10 15

Phe Gly Leu Glu Ile Arg Met Arg Arg Ile Val Phe Ala Gly Val Ile  
 20 25 30

Leu Phe Arg Leu Leu Gly Val Ile Leu Phe Arg Leu Leu Gly Val Ile  
 35 40 45

Leu Phe Gly Arg Leu Gly Asp Leu Gly Thr Cys Gln Thr Lys Pro Gly  
 50 55 60

Gln Tyr Trp Lys Glu Glu Val His Ile Gln Asp Val Gly Gly Leu Ile  
 65 70 75 80

Cys Arg Ala Cys Asn Leu Ser Leu Pro Phe His Gly Cys Leu Leu Asp  
 85 90 95

Leu Gly Thr Cys Gln Ala Glu Pro Gly Gln Tyr Cys Lys Glu Glu Val  
 100 105 110

His Ile Gln Gly Gly Ile Gln Trp Tyr Ser Val Lys Gly Cys Thr Lys  
 115 120 125

Asn Thr Ser Glu Cys Phe Lys Ser Thr Leu Val Lys Arg Ile Leu Gln  
 130 135 140

Leu His Glu Leu Val Thr His Cys Cys Asn His Ser Leu Cys Asn  
 145 150 155 160

Phe

<210> 252  
 <211> 2205  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (24)..(1850)  
 <223>

&lt;400&gt; 252

gggcgggtgta gtgcagggtcc gcc atg gct gag gcg tca cgg tgg cac cga ggc 53  
 Met Ala Glu Ala Ser Arg Trp His Arg Gly  
 1 5 10

ggg gct tcg aaa cat aag ttg cat tac aga aag gaa gta gaa att aca 101  
 Gly Ala Ser Lys His Lys Leu His Tyr Arg Lys Glu Val Glu Ile Thr  
 15 20 25

acc aca ctt cag gaa ttg tta ctc tac ttt att ttt tta ata aac cta 149



16U 200 PCT FINAL.ST25

Thr Thr Leu Gln Glu Leu Leu Leu Tyr Phe Ile Phe Leu Ile Asn Leu	
30 35 40	
tgt ata ttg act ttt ggg atg gta aac cca cat atg tat tac tta aac	197
Cys Ile Leu Thr Phe Gly Met Val Asn Pro His Met Tyr Tyr Leu Asn	
45 50 55	
aag gtt atg tca tct cta ttt ttg gac act tct gtg cct ggt gaa gaa	245
Lys Val Met Ser Ser Leu Phe Leu Asp Thr Ser Val Pro Gly Glu Glu	
60 65 70	
aga acc aac ttt aag tcc att cgc agc ata act gat ttt tgg aag ttt	293
Arg Thr Asn Phe Lys Ser Ile Arg Ser Ile Thr Asp Phe Trp Lys Phe	
75 80 85 90	
atg gaa gga ccc ctt ttg gaa ggt ctg tac tgg gat tca tgg tac aat	341
Met Glu Gly Pro Leu Leu Glu Gly Leu Tyr Trp Asp Ser Trp Tyr Asn	
95 100 105	
aac cag cag ctg tat aat tta aag aac agc agt cgc atc tac tat gaa	389
Asn Gln Gln Leu Tyr Asn Leu Lys Asn Ser Ser Arg Ile Tyr Tyr Glu	
110 115 120	
aat ata ctt cta gga gtt ccc aga gtt cgt caa cta aaa gtc cgc aac	437
Asn Ile Leu Leu Gly Val Pro Arg Val Arg Gln Leu Lys Val Arg Asn	
125 130 135	
aac aca tgc aaa gtc tat tca tct ttt cag tct ttg atg agt gaa tgt	485
Asn Thr Cys Lys Val Tyr Ser Ser Phe Gln Ser Leu Met Ser Glu Cys	
140 145 150	
tat ggc aaa tat act tct gca aat gaa gac ctc tct aat ttt ggc ctt	533
Tyr Gly Lys Tyr Thr Ser Ala Asn Glu Asp Leu Ser Asn Phe Gly Leu	
155 160 165 170	
caa att aat act gaa tgg aga tat tct act tct aat acc aac tcc cct	581
Gln Ile Asn Thr Glu Trp Arg Tyr Ser Thr Ser Asn Thr Asn Ser Pro	
175 180 185	
tgg cac tgg gga ttt ctt ggt gtt tac cga aat ggg gga tac att ttc	629
Trp His Trp Gly Phe Leu Gly Val Tyr Arg Asn Gly Gly Tyr Ile Phe	
190 195 200	
act tta tca aaa tgc aaa tct gaa acc aaa aac aag ttc att gac ctt	677
Thr Leu Ser Lys Ser Lys Ser Glu Thr Lys Asn Lys Phe Ile Asp Leu	
205 210 215	
cga ctg aac agc tgg atc aca aga ggg act aga gtt att ttt att gat	725
Arg Leu Asn Ser Trp Ile Thr Arg Gly Thr Arg Val Ile Phe Ile Asp	
220 225 230	
ttt tcc tta tat aat gct aat gta aat cta ttt tgt att atc aga ttg	773
Phe Ser Leu Tyr Asn Ala Asn Val Asn Leu Phe Cys Ile Ile Arg Leu	
235 240 245 250	
gtg gca gaa ttc cct gca act gga gga ata ctt act tca tgg cag ttt	821
Val Ala Glu Phe Pro Ala Thr Gly Gly Ile Leu Thr Ser Trp Gln Phe	
255 260 265	
tac tct gtg aag ctc ctc aga tat gtt agc tac tat gac tat ttt att	869
-Tyr Ser Val Lys Leu Leu Arg Tyr Val Ser Tyr Tyr Asp Tyr Phe Ile	
270 275 280	
gct tcc tgt gaa atc aca ttc tgt att ttt ctt ttt gtc ttc aca aca	917
Ala Ser Cys Glu Ile Thr Phe Cys Ile Phe Leu Phe Val Phe Thr Thr	
285 290 295	
caa gaa gtc aaa aaa ata aaa gaa ttt aag tct gcc tat ttc aaa agt	965
Gln Glu Val Lys Lys Ile Lys Glu Phe Lys Ser Ala Tyr Phe Lys Ser	
300 305 310	
att tgg aac tgg cta gaa ttg cta ctt ttg ctg ttg tgt ttt gtg gct	1013
Ile Trp Asn Trp Leu Glu Leu Leu Leu Leu Cys Phe Val Ala	
315 320 325 330	
gtt tcc ttc aac aca tac tat aat gta caa att ttt ctc tta ctt gga	1061
Val Ser Phe Asn Thr Tyr Tyr Asn Val Gln Ile Phe Leu Leu Leu Gly	
335 340 345	

16U 200 PCT FINAL.ST25

cag ctg ttg aaa agt act gaa aaa tat tca gat ttc tat ttt ctt gca 1109  
Gln Leu Leu Lys Ser Thr Glu Lys Tyr Ser Asp Phe Tyr Phe Leu Ala  
350 355 360

tgc tgg cac att tat tac aat aat ata att gct att acc atc ttt ttt 1157  
Cys Trp His Ile Tyr Tyr Asn Asn Ile Ile Ala Ile Thr Ile Phe Phe  
365 370 375

gca tgg ata aag ata ttc aaa ttc ata agc ttt aac aag aca atg tct 1205  
Ala Trp Ile Lys Ile Phe Lys Phe Ile Ser Phe Asn Lys Thr Met Ser  
380 385 390

cag ctg tca tca acc ttg tcc cgt tgt gtt aaa gac ata gta gga ttt 1253  
Gln Leu Ser Ser Thr Leu Ser Arg Cys Val Lys Asp Ile Val Gly Phe  
395 400 405 410

gcc atc atg ttt ttt ata ata ttc ttt gct tat gcc cag tta gga ttt 1301  
Ala Ile Met Phe Phe Ile Ile Phe Phe Ala Tyr Ala Gln Leu Gly Phe  
415 420 425

ctt gtt ttt gga tca caa gtt gat gac ttt tcc act ttt cag aat tcc 1349  
Leu Val Phe Gly Ser Gln Val Asp Asp Phe Ser Thr Phe Gln Asn Ser  
430 435 440

ata ttt gca caa ttt cga att gtt ctt gga gat ttt aat ttt gct ggt 1397  
Ile Phe Ala Gln Phe Arg Ile Val Leu Gly Asp Phe Asn Phe Ala Gly  
445 450 455

att cag caa gcc aat cct atc ttg gga ccc att tac ttc atc act ttc 1445  
Ile Gln Gln Ala Asn Pro Ile Leu Gly Pro Ile Tyr Phe Ile Thr Phe  
460 465 470

atc ttt ttt gtg ttc ttt gtc ctg ctg aat atg ttc ttg gca att att 1493  
Ile Phe Phe Val Phe Phe Val Leu Leu Asn Met Phe Leu Ala Ile Ile  
475 480 485 490

aat gat acc tat tct gaa gtg aaa gct gac tat tca ata ggc aga agg 1541  
Asn Asp Thr Tyr Ser Glu Val Lys Ala Asp Tyr Ser Ile Gly Arg Arg  
495 500 505

cca gat ttt gaa ctt ggc aaa atg att aaa cag agt tac aaa aat gtt 1589  
Pro Asp Phe Glu Leu Gly Lys Met Ile Lys Gln Ser Tyr Lys Asn Val  
510 515 520

ctc gag aaa ttc aga ctg aag aaa gct caa aaa gat gaa gac aag aaa 1637  
Leu Glu Lys Phe Arg Leu Lys Lys Ala Gln Lys Asp Glu Asp Lys Lys  
525 530 535

acc aaa ggc agc gga gat ttg gct gaa caa gcc aga aga gaa ggc ttt 1685  
Thr Lys Gly Ser Gly Asp Leu Ala Glu Gln Ala Arg Arg Glu Gly Phe  
540 545 550

gac gaa aat gag att caa aac gca gag cag atg aaa aaa tgg aaa gag 1733  
Asp Glu Asn Glu Ile Gln Asn Ala Glu Gln Met Lys Lys Trp Lys Glu  
555 560 565 570

agg ctt gag aaa aag tat tat tct atg gaa att caa gat gac tac cag 1781  
Arg Leu Glu Lys Lys Tyr Tyr Ser Met Glu Ile Gln Asp Asp Tyr Gln  
575 580 585

cct gtc act caa gaa gaa ttt cga gat ggc acc aca acc aag tac aaa 1829  
Pro Val Thr Gln Glu Glu Phe Arg Asp Gly Thr Thr Thr Lys Tyr Lys  
590 595 600

atg aga ttc tct ctg agt gcc tgacaaaacg aatttaagta ccagccaagt 1880  
Met Arg Phe Ser Leu Ser Ala  
605

acacacgatg atagcttcaa ggaatacaac tgactttatg atatgaattt tcaaggaacg 1940

tatcttatat ggattttgaa gaatcttggt tgcttataag aacttcaaga agcctaagct 2000

tggctttaat tttcttgtag tctctgtact cctcaagcac tggaacacga tctcttttct 2060

gggcattcct aggggagaaaa ataaaatttg taatgttcta gagatcattt ggaaaaaaag 2120

atccaaaaagt tgtcttaata tgagacatac tgttactaaa cataagttca aataaaaaagt 2180

tgttctgaaa aaaaaaaaaa aaaaa 2205

16U 200 PCT FINAL.ST25

<210> 253  
 <211> 609  
 <212> PRT  
 <213> Homo sapiens

<400> 253

Met Ala Glu Ala Ser Arg Trp His Arg Gly Gly Ala Ser Lys His Lys  
 1 5 10 15

Leu His Tyr Arg Lys Glu Val Glu Ile Thr Thr Thr Leu Gln Glu Leu  
 20 25 30

Leu Leu Tyr Phe Ile Phe Leu Ile Asn Leu Cys Ile Leu Thr Phe Gly  
 35 40 45

Met Val Asn Pro His Met Tyr Tyr Leu Asn Lys Val Met Ser Ser Leu  
 50 55 60

Phe Leu Asp Thr Ser Val Pro Gly Glu Glu Arg Thr Asn Phe Lys Ser  
 65 70 75 80

Ile Arg Ser Ile Thr Asp Phe Trp Lys Phe Met Glu Gly Pro Leu Leu  
 85 90 95

Glu Gly Leu Tyr Trp Asp Ser Trp Tyr Asn Asn Gln Gln Leu Tyr Asn  
 100 105 110

Leu Lys Asn Ser Ser Arg Ile Tyr Tyr Glu Asn Ile Leu Leu Gly Val  
 115 120 125

Pro Arg Val Arg Gln Leu Lys Val Arg Asn Asn Thr Cys Lys Val Tyr  
 130 135 140

Ser Ser Phe Gln Ser Leu Met Ser Glu Cys Tyr Gly Lys Tyr Thr Ser  
 145 150 155 160

Ala Asn Glu Asp Leu Ser Asn Phe Gly Leu Gln Ile Asn Thr Glu Trp  
 165 170 175

Arg Tyr Ser Thr Ser Asn Thr Asn Ser Pro Trp His Trp Gly Phe Leu  
 180 185 190

Gly Val Tyr Arg Asn Gly Gly Tyr Ile Phe Thr Leu Ser Lys Ser Lys  
 195 200 205

Ser Glu Thr Lys Asn Lys Phe Ile Asp Leu Arg Leu Asn Ser Trp Ile  
 210 215 220

Thr Arg Gly Thr Arg Val Ile Phe Ile Asp Phe Ser Leu Tyr Asn Ala  
 225 230 235 240

Asn Val Asn Leu Phe Cys Ile Ile Arg Leu Val Ala Glu Phe Pro Ala  
 245 250 255

Thr Gly Gly Ile Leu Thr Ser Trp Gln Phe Tyr Ser Val Lys Leu Leu  
 260 265 270

Arg Tyr Val Ser Tyr Tyr Asp Tyr Phe Ile Ala Ser Cys Glu Ile Thr  
 275 280 285

16U 200 PCT FINAL.ST25

Phe Cys Ile Phe Leu Phe Val Phe Thr Thr Gln Glu Val Lys Lys Ile  
 290 295 300  
 Lys Glu Phe Lys Ser Ala Tyr Phe Lys Ser Ile Trp Asn Trp Leu Glu  
 305 310 315 320  
 Leu Leu Leu Leu Leu Leu Cys Phe Val Ala Val Ser Phe Asn Thr Tyr  
 325 330 335  
 Tyr Asn Val Gln Ile Phe Leu Leu Leu Gly Gln Leu Leu Lys Ser Thr  
 340 345 350  
 Glu Lys Tyr Ser Asp Phe Tyr Phe Leu Ala Cys Trp His Ile Tyr Tyr  
 355 360 365  
 Asn Asn Ile Ile Ala Ile Thr Ile Phe Phe Ala Trp Ile Lys Ile Phe  
 370 375 380  
 Lys Phe Ile Ser Phe Asn Lys Thr Met Ser Gln Leu Ser Ser Thr Leu  
 385 390 395 400  
 Ser Arg Cys Val Lys Asp Ile Val Gly Phe Ala Ile Met Phe Phe Ile  
 405 410 415  
 Ile Phe Phe Ala Tyr Ala Gln Leu Gly Phe Leu Val Phe Gly Ser Gln  
 420 425 430  
 Val Asp Asp Phe Ser Thr Phe Gln Asn Ser Ile Phe Ala Gln Phe Arg  
 435 440 445  
 Ile Val Leu Gly Asp Phe Asn Phe Ala Gly Ile Gln Gln Ala Asn Pro  
 450 455 460  
 Ile Leu Gly Pro Ile Tyr Phe Ile Thr Phe Ile Phe Phe Val Phe Phe  
 465 470 475 480  
 Val Leu Leu Asn Met Phe Leu Ala Ile Ile Asn Asp Thr Tyr Ser Glu  
 485 490 495  
 Val Lys Ala Asp Tyr Ser Ile Gly Arg Arg Pro Asp Phe Glu Leu Gly  
 500 505 510  
 Lys Met Ile Lys Gln Ser Tyr Lys Asn Val Leu Glu Lys Phe Arg Leu  
 515 520 525  
 Lys Lys Ala Gln Lys Asp Glu Asp Lys Lys Thr Lys Gly Ser Gly Asp  
 530 535 540  
 Leu Ala Glu Gln Ala Arg Arg Glu Gly Phe Asp Glu Asn Glu Ile Gln  
 545 550 555 560  
 Asn Ala Glu Gln Met Lys Lys Trp Lys Glu Arg Leu Glu Lys Lys Tyr  
 565 570 575  
 Tyr Ser Met Glu Ile Gln Asp Asp Tyr Gln Pro Val Thr Gln Glu Glu  
 580 585 590  
 Phe Arg Asp Gly Thr Thr Thr Lys Tyr Lys Met Arg Phe Ser Leu Ser

595

600

16U 200, PCT FINAL.ST25

605

Ala

<210> 254  
 <211> 1615  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1)..(1584)  
 <223>

<400> 254  
 atg gcc gct tac caa caa gaa gag cag atg cag ctt ccc cga gct gat 48  
 Met Ala Ala Tyr Gln Gln Glu Glu Gln Met Gln Leu Pro Arg Ala Asp  
 1 5 10 15  
 gcc att cgt tca cgt ctc atc gat act ttc tct ctc att gag cat ttg 96  
 Ala Ile Arg Ser Arg Leu Ile Asp Thr Phe Ser Leu Ile Glu His Leu  
 20 25 30  
 caa ggc ttg agc caa gct gtg ccg cgg cac act atc agg gag tta ctt 144  
 Gln Gly Leu Ser Gln Ala Val Pro Arg His Thr Ile Arg Glu Leu Leu  
 35 40 45  
 gat cct tcc cgc cag aag aaa ctt gta ttg gga gat caa cac cag cta 192  
 Asp Pro Ser Arg Gln Lys Lys Leu Val Leu Gly Asp Gln His Gln Leu  
 50 55 60  
 gtg cgt ttc tct ata aag cct cag cgt ata gaa cag att tca cat gcc 240  
 Val Arg Phe Ser Ile Lys Pro Gln Arg Ile Glu Gln Ile Ser His Ala  
 65 70 75 80  
 cag agg ctg ttg agc agg ctt cat gtg cgc tgc agt cag agg cca cct 288  
 Gln Arg Leu Leu Ser Arg Leu His Val Arg Cys Ser Gln Arg Pro Pro  
 85 90 95  
 ctt tct ttg tgg gcc gga tgg gtc ctt gag tgt cct ctc ttc aaa aac 336  
 Leu Ser Leu Trp Ala Gly Trp Val Leu Glu Cys Pro Leu Phe Lys Asn  
 100 105 110  
 ttc atc atc ttc ctg gtc ttt ttg aat acg atc ata ttg atg gtt gaa 384  
 Phe Ile Ile Phe Leu Val Phe Leu Asn Thr Ile Ile Leu Met Val Glu  
 115 120 125  
 ata gaa ttg ctg gaa tcc aca aat acc aaa cta tgg cca ttg aag ctg 432  
 Ile Glu Leu Leu Glu Ser Thr Asn Thr Lys Leu Trp Pro Leu Lys Leu  
 130 135 140  
 acc ttg gag gtg gca gct tgg ttt atc ttg ctt att ttc atc ctg gag 480  
 Thr Leu Glu Val Ala Ala Trp Phe Ile Leu Leu Ile Phe Ile Leu Glu  
 145 150 155 160  
 atc ctt ctt aag tgg cta tcc aac ttt tct gtt ttc tgg aag agt gcc 528  
 Ile Leu Leu Lys Trp Leu Ser Asn Phe Ser Val Phe Trp Lys Ser Ala  
 165 170 175  
 tgg aat gtc ttt gac ttt gtt gtt acc atg ttg tcc ctg ctt ccc gag 576  
 Trp Asn Val Phe Asp Phe Val Val Thr Met Leu Ser Leu Leu Pro Glu  
 180 185 190  
 gtt gtg gta ttg gta ggg gta aca ggc caa tcg gtg tgg ctt cag ctt 624  
 Val Val Val Leu Val Gly Val Thr Gly Gln Ser Val Trp Leu Gln Leu  
 195 200 205  
 ctg agg atc tgc cgg gtg ctg agg tct ctc aaa ctc ctt gca caa ttc 672  
 Leu Arg Ile Cys Arg Val Leu Arg Ser Leu Lys Leu Leu Ala Gln Phe  
 210 215 220  
 cgt caa att caa att att att ttg gtc ctg gtc agg gcc ctc aag agc 720  
 Arg Gln Ile Gln Ile Ile Ile Leu Val Leu Val Arg Ala Leu Lys Ser  
 225 230 235 240  
 atg acc ttc ctc ttg atg ttg ctg ctc atc ttc ttc tac att ttt gct 768

16U 200 PCT FINAL.ST25  
Met Thr Phe Leu Leu Met Leu Leu Leu Ile Phe Phe Tyr Ile Phe Ala  
245 250 255

gtg act ggt gtc tac gtc ttc tca gag tac acc cgt tca cct cgt cag 816  
Val Thr Gly Val Tyr Val Phe Ser Glu Tyr Thr Arg Ser Pro Arg Gln  
260 265 270

gac ctg gag tac cat gtg ttc ttc tgc gac ctc ccg aat tcc ctg gta 864  
Asp Leu Glu Tyr His Val Phe Phe Ser Asp Leu Pro Asn Ser Leu Val  
275 280 285

aca gtg ttc att ctc ttc acc ttg gat cat tgg tat gca ctg ctt cag 912  
Thr Val Phe Ile Leu Phe Thr Leu Asp His Trp Tyr Ala Leu Leu Gln  
290 295 300

gac gtc tgg aag gtg cct gaa gtc agt cgc atc ttc agc agc atc tat 960  
Asp Val Trp Lys Val Pro Glu Val Ser Arg Ile Phe Ser Ser Ile Tyr  
305 310 315 320

ttc atc ctt tgg ttg ttg ctt ggc tcc att atc ttt cga agt atc ata 1008  
Phe Ile Leu Trp Leu Leu Leu Gly Ser Ile Ile Phe Arg Ser Ile Ile  
325 330 335

gta gcc atg atg gtt act aac ttt cag aat atc agg aaa gag ctg aat 1056  
Val Ala Met Met Val Thr Asn Phe Gln Asn Ile Arg Lys Glu Leu Asn  
340 345 350

gag gag atg gcg cgt cgg gag gtt cag ctc aaa gct gac atg ttc aag 1104  
Glu Glu Met Ala Arg Arg Glu Val Gln Leu Lys Ala Asp Met Phe Lys  
355 360 365

cgg cag atc atc cag agg aga aaa aac atg tca cat gaa gca ctg acg 1152  
Arg Gln Ile Ile Gln Arg Arg Lys Asn Met Ser His Glu Ala Leu Thr  
370 375 380

tca agc cat agc aaa ata gag gac aga gga gct agt caa caa agg gaa 1200  
Ser Ser His Ser Lys Ile Glu Asp Arg Gly Ala Ser Gln Gln Arg Glu  
385 390 395 400

agt ttg gac tta tca gaa gtg tct gaa gta gag tct aat tat ggt gcc 1248  
Ser Leu Asp Ser Glu Val Ser Glu Val Glu Ser Asn Tyr Gly Ala  
405 410 415

act gaa gag gat tta ata aca tct gca tca aaa aca gaa gag acc ttg 1296  
Thr Glu Glu Asp Leu Ile Thr Ser Ala Ser Lys Thr Glu Glu Thr Leu  
420 425 430

tca aaa aag aga gag tac cag tct tcc tcc tgt gtc tcc tcc aca tcc 1344  
Ser Lys Lys Arg Glu Tyr Gln Ser Ser Ser Cys Val Ser Ser Thr Ser  
435 440 445

tct tcc tat tct tcc tct tct gaa tcc aga ttt tct gaa tct att ggt 1392  
Ser Ser Tyr Ser Ser Ser Ser Glu Ser Arg Phe Ser Glu Ser Ile Gly  
450 455 460

cgt ttg gac tgg gag act ctt gtg cac gaa aat ctg ccc ggg cta atg 1440  
Arg Leu Asp Trp Glu Thr Leu Val His Glu Asn Leu Pro Gly Leu Met  
465 470 475 480

gaa atg gat cag gat gac cgt gtt tgg ccc aga gac tca ctc ttc cga 1488  
Glu Met Asp Gln Asp Asp Arg Val Trp Pro Arg Asp Ser Leu Phe Arg  
485 490 495

tat ttt gag ttg cta gaa aag ctt cag tat aac cta gag gaa cgt aag 1536  
Tyr Phe Glu Leu Leu Glu Lys Leu Gln Tyr Asn Leu Glu Glu Arg Lys  
500 505 510

aag tta caa gag ttt gca gtg cag gca ctg atg aac ttg gaa gac aag 1584  
Lys Leu Gln Glu Phe Ala Val Gln Ala Leu Met Asn Leu Glu Asp Lys  
515 520 525

taaagcaatg gatggcttca atatccttgg g 1615

<210> 255  
<211> 528  
<212> PRT  
<213> Homo sapiens

16U 200 PCT FINAL.ST25

&lt;400&gt; 255

Met Ala Ala Tyr Gln Gln Glu Glu Gln Met Gln Leu Pro Arg Ala Asp  
 1 5 10 15

Ala Ile Arg Ser Arg Leu Ile Asp Thr Phe Ser Leu Ile Glu His Leu  
 20 25 30

Gln Gly Leu Ser Gln Ala Val Pro Arg His Thr Ile Arg Glu Leu Leu  
 35 40 45

Asp Pro Ser Arg Gln Lys Lys Leu Val Leu Gly Asp Gln His Gln Leu  
 50 55 60

Val Arg Phe Ser Ile Lys Pro Gln Arg Ile Glu Gln Ile Ser His Ala  
 65 70 75 80

Gln Arg Leu Leu Ser Arg Leu His Val Arg Cys Ser Gln Arg Pro Pro  
 85 90 95

Leu Ser Leu Trp Ala Gly Trp Val Leu Glu Cys Pro Leu Phe Lys Asn  
 100 105 110

Phe Ile Ile Phe Leu Val Phe Leu Asn Thr Ile Ile Leu Met Val Glu  
 115 120 125

Ile Glu Leu Leu Glu Ser Thr Asn Thr Lys Leu Trp Pro Leu Lys Leu  
 130 135 140

Thr Leu Glu Val Ala Ala Trp Phe Ile Leu Leu Ile Phe Ile Leu Glu  
 145 150 155 160

Ile Leu Leu Lys Trp Leu Ser Asn Phe Ser Val Phe Trp Lys Ser Ala  
 165 170 175

Trp Asn Val Phe Asp Phe Val Val Thr Met Leu Ser Leu Leu Pro Glu  
 180 185 190

Val Val Val Leu Val Gly Val Thr Gly Gln Ser Val Trp Leu Gln Leu  
 195 200 205

Leu Arg Ile Cys Arg Val Leu Arg Ser Leu Lys Leu Leu Ala Gln Phe  
 210 215 220

Arg Gln Ile Gln Ile Ile Ile Leu Val Leu Val Arg Ala Leu Lys Ser  
 225 230 235 240

Met Thr Phe Leu Leu Met Leu Leu Leu Ile Phe Phe Tyr Ile Phe Ala  
 245 250 255

Val Thr Gly Val Tyr Val Phe Ser Glu Tyr Thr Arg Ser Pro Arg Gln  
 260 265 270

Asp Leu Glu Tyr His Val Phe Phe Ser Asp Leu Pro Asn Ser Leu Val  
 275 280 285

Thr Val Phe Ile Leu Phe Thr Leu Asp His Trp Tyr Ala Leu Leu Gln  
 290 295 300

Asp Val Trp Lys Val Pro Glu Val Ser Arg Ile Phe Ser Ser Ile Tyr





16U 200 PCT FINAL.ST25  
ggattcaggc cttttaaac ccactcagtg ggtgcatggc agggctttga 50

<210> 259  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 259  
tgctgacgaa tcttatgaac cagg 24

<210> 260  
<211> 26  
<212> DNA  
<213> Homo sapiens

<400> 260  
tcacgtcagc ctctccttcc tcagtg 26

<210> 261  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 261  
tcacaaatca tataaattag gggaaagaga gaggcaggta tactctaaaa 50

<210> 262  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 262  
aatcttctat ttaaaagacc tcagaaatgt caccatgctt agttatttta 50

<210> 263  
<211> 23  
<212> DNA  
<213> Homo sapiens

<400> 263  
ggccatggac aatgtcacag cag 23

<210> 264  
<211> 31  
<212> DNA  
<213> Homo sapiens

<400> 264  
agcagacaca tactgggcca ttcataacca c 31

<210> 265  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 265  
ggtactattc tatattttgg gcacacagca atgaagaaaa cagaaaaacc 50

<210> 266  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 266  
ctggggttca taaatatgga gcagaaagtt ttacaaata tagaacagca 50

<210> 267  
<211> 50  
<212> DNA  
<213> Homo sapiens

16U 200 PCT FINAL.ST25

<400> 267  
tagaatgtgt tataaaaaat gaagcagggc taggggaaag agatgggtga 50

<210> 268  
<211> 23  
<212> DNA  
<213> Homo sapiens

<400> 268  
cctcattggc ttcctccac tcg 23

<210> 269  
<211> 30  
<212> DNA  
<213> Homo sapiens

<400> 269  
gccatcaaac tctgagctgg agatagtgc 30

<210> 270  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 270  
ccaagggaact tttaaaactc ccattgcaca gttaccaccc agaataatta 50

<210> 271  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 271  
catcctggaa tatatttgcg tccaactctg caccttgctc tctatccct 50

<210> 272  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 272  
ctggggcccc tcaaaaagct caccttccct cacttccac ttcaactgat 50

<210> 273  
<211> 26  
<212> DNA  
<213> Homo sapiens

<400> 273  
tggcctcgtt gaaagtgtca tcatcc 26

<210> 274  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 274  
ttggtaccat ttacgaatgg ccgc 24

<210> 275  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 275  
aaacggcatt ttaaaaatgc aggtttaaat tgttatcctc atctatggtt 50

<210> 276  
<211> 29

16U 200 PCT FINAL.ST25

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 276

ctggacttga gcagtaccac gtctggatc

29

&lt;210&gt; 277

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 277

catattccca cagcaatttt gacaatgg

28

&lt;210&gt; 278

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 278

atTTTggtta tatatagagg agtctaggaa aagactcgtg ggtctgatc

50

&lt;210&gt; 279

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 279

tactcatatt tatatagcag caacttacat tgaccaggga agaactcagt

50

&lt;210&gt; 280

&lt;211&gt; 24

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 280

gttaccacc caaccgtcac gacc

24

&lt;210&gt; 281

&lt;211&gt; 24

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 281

caggcgatgc cagagaagac gatg

24

&lt;210&gt; 282

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 282

ctagaattta cataaaaagg actggaggag cttttgcagc aactttgcat

50

&lt;210&gt; 283

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 283

ttttcttctt ttaaaaacac gctttcactc tcaaaacagc agagaatgaa

50

&lt;210&gt; 284

&lt;211&gt; 50

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 284

aactgggggtc tataagagag ccagggcact tattcatcca agggcagatg

50

16U 200 PCT FINAL.ST25

<210> 285  
<211> 26  
<212> DNA  
<213> Homo sapiens  
  
<400> 285  
ctatgacttc aacccacacc tgggca 26  
  
<210> 286  
<211> 24  
<212> DNA  
<213> Homo sapiens  
  
<400> 286  
aaggtcgcca acttgcctg gctc 24  
  
<210> 287  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 287  
gggcgggagt aaaaggcaga gtccaattcc accggccccc agtgtgggtg 50  
  
<210> 288  
<211> 24  
<212> DNA  
<213> Homo sapiens  
  
<400> 288  
tcaatgccat gcccaaactg agga 24  
  
<210> 289  
<211> 24  
<212> DNA  
<213> Homo sapiens  
  
<400> 289  
caacaccgag atggacaccc tgct 24  
  
<210> 290  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 290  
cttttaagggt taaaaatgtg ggttttagat gattgtcctt tctaaacagc 50  
  
<210> 291  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
- <400> 291  
tcaggatgtc taaaaaagat ctctctagtg tacacacgtg cacacacaca 50  
  
<210> 292  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 292  
agtaactcta tttaaaagac ctaaaaattt caaatcctaa aatgatctat 50  
  
<210> 293  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 293  
aataaatgtt ttaaaagcac tcctttccga atggtggagc tgggtggggc 50

16U 200 PCT FINAL.ST25

<210> 294  
<211> 27  
<212> DNA  
<213> Homo sapiens  
  
<400> 294  
ctcaggacga agatcatgat cggcatc 27  
  
<210> 295  
<211> 28  
<212> DNA  
<213> Homo sapiens  
  
<400> 295  
gaagattttt gtgcccagct ttcccaag 28  
  
<210> 296  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 296  
tattctcact tataagtggg agctaagcca tgagggcacc aaggcataag 50  
  
<210> 297  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 297  
ttacatatgt atacatgtgc catgctggtg tgctgcaccc attaactcgt 50  
  
<210> 298  
<211> 27  
<212> DNA  
<213> Homo sapiens  
  
<400> 298  
tccatgctca gcttcacetc agctacc 27  
  
<210> 299  
<211> 24  
<212> DNA  
<213> Homo sapiens  
  
<400> 299  
tccatctcag accttggecc ttca 24  
  
<210> 300  
<211> 50  
<212> DNA  
<213> Homo sapiens  
  
<400> 300  
aaataacccc attaaaaagt gggcaaaggg catgaacact ttcaaaaga 50  
  
<210> 301  
<211> 24  
<212> DNA  
<213> Homo sapiens  
  
<400> 301  
aggacggtaa ggagccatcg gaca 24  
  
<210> 302  
<211> 23  
<212> DNA  
<213> Homo sapiens

16U 200 PCT FINAL.ST25

<400> 302  
cttgccagggt tctggtggct tgg 23

<210> 303  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 303  
tctttttgtc tataaatagg actttgattt tctggactag agaattgtat 50

<210> 304  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 304  
acgactccaa gaacagcaag gccg 24

<210> 305  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 305  
aaggtaacat cggcagaggc cagc 24

<210> 306  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 306  
gctagcattt tttaaaagct gatgtcttca ctgggcacgg ggactcacac 50

<210> 307  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 307  
cggccaggta ccaaagctca gctg 24

<210> 308  
<211> 29  
<212> DNA  
<213> Homo sapiens

<400> 308  
gccagattca ggagggaatg gaagagaac 29

<210> 309  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 309  
tgatctactt tttaaaagga tcatgctggc tgctggtggg atttaggata 50

<210> 310  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 310  
tgatagtgat aaaaaaaaaagt ggccagattt tggttatatt ttgaaataaa 50

<210> 311  
<211> 50  
<212> DNA

16U 200 PCT FINAL.ST25

<213> Homo sapiens

<400> 311  
tatagtgata tttaaagcca ggggtctggg tgagataact gatggaatga 50

<210> 312  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 312  
attggaggac tataaagagg ggagtcatta aaatggtgct aagaagctga 50

<210> 313  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 313  
agaggggagt cattaaaaatg gtgctaagaa gctgagctac aagcagtgg 50

<210> 314  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 314  
gacattccac ccaaaaaatg ccactggatg aagccccctc ctccattaa 50

<210> 315  
<211> 26  
<212> DNA  
<213> Homo sapiens

<400> 315  
ttgggagaga ctagtgcacc tcagca 26

<210> 316  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 316  
gagcaatccc tcttcgtggc aggt 24

<210> 317  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 317  
aaaagtgcct ttaaacaggg ggggtggagg ggcttatgag aaggggacca 50

<210> 318  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 318  
ccatttctac taaaaatgca gagatcagcc aggcgtggca cgtgcctgta 50

<210> 319  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 319  
aaaaaaaaa aaaaaagcc ctgtttatat cctacctcct tgctgggtgc 50

<210> 320

16U 200 PCT FINAL.ST25

<211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 320 50  
 aaaataaaaa taaaaaatcc catctcctca catttccatt caacctcaat  
  
 <210> 321  
 <211> 35  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 321 35  
 acttccaaac atctacaact cctcagagtc tcatt  
  
 <210> 322  
 <211> 25  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 322 25  
 tgcagcacca tcatgtaagg gacaa  
  
 <210> 323  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 323 50  
 ttttttaaac tataaaaagt ggggatcaga aaacacagtc ataagggaaa  
  
 <210> 324  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 324 50  
 gtatatgcta tatatatcag gattcacttt aatggcattg agttccagga  
  
 <210> 325  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 325 50  
 ataaacaatt taaaaattag cccaccatgg tggtagacac ctgtcgttct  
  
 <210> 326  
 <211> 50  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 326 50  
 - aaaaagtga aaaaaaagggt gagggagact ttaactttct gaaatatatt  
  
 <210> 327  
 <211> 24  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 327 24  
 ccaagaagcc gggagaagtg gatg  
  
 <210> 328  
 <211> 28  
 <212> DNA  
 <213> Homo sapiens  
  
 <400> 328 28  
 tgacagagct aggcataatga gcactgga



16U 200 PCT FINAL.ST25

<210> 329  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 329  
ctaaagagct tatatatcag cctaagaaaa gaaaaccaat aagaagttgc 50

<210> 330  
<211> 26  
<212> DNA  
<213> Homo sapiens

<400> 330  
gcagttggti cagaaccgag atcacc 26

<210> 331  
<211> 29  
<212> DNA  
<213> Homo sapiens

<400> 331  
ggcagatggg gatacattta ttctctggg 29

<210> 332  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 332  
actaaaaata caaaaaagta gccgggtatg gtggtaggcg cctataatcc 50

<210> 333  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 333  
ggtaggcgcc tataatccca gctacttggg aggctgaggc aggagaattg 50

<210> 334  
<211> 26  
<212> DNA  
<213> Homo sapiens

<400> 334  
tcggcttggg aalcagaatg agaagg 26

<210> 335  
<211> 30  
<212> DNA  
<213> Homo sapiens

<400> 335  
tgcacaaaga atgattgcag cagtgagtag 30

<210> 336  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 336  
aaaaggctta tataaaaggg ttttgttttg ttttgttttg agacggagtt 50

<210> 337  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 337

16U 200 PCT FINAL.ST25

ggccaactta tataaaaggt ttatgttttt gttctgataa tttcgtttct 50

<210> 338  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 338  
aagttaagtt ttaaaaagaa caggctacaa agttatagct atgggggtgat 50

<210> 339  
<211> 21  
<212> DNA  
<213> Homo sapiens

<400> 339  
gggcggtgta gtgcagggtcc g 21

<210> 340  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 340  
cctccagttg cagggaattc tgcc 24

<210> 341  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 341  
aattcaaata tttaaaacgg actgtctcct cttcacaaaa gtctagatct 50

<210> 342  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 342  
ggctgttgag caggcttcat gtgc 24

<210> 343  
<211> 24  
<212> DNA  
<213> Homo sapiens

<400> 343  
ctcctctgga tgatctgccc ctg 24

<210> 344  
<211> 50  
<212> DNA  
<213> Homo sapiens

<400> 344  
attgggtgca tatatattta ggatagttag ctcttcttgt tgaattgatc 50

This Page is inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURED OR ILLEGIBLE TEXT OR DRAWING
- ☒ SKEWED/SLANTED IMAGES
- ☐ COLORED OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox**

***This Page Blank (uspto)***